

PHOTOGRAPH THIS SHEET

AD A 077506

DTIC ACCESSION NUMBER



LEVEL



INVENTORY

AEC

WT-703

DOCUMENT IDENTIFICATION

DISTRIBUTION STATEMENT A

Approved for public release;  
Distribution Unlimited

DISTRIBUTION STATEMENT

ACCESSION FOR

NTIS GRA&I



DTIC TAB

UNANNOUNCED

JUSTIFICATION

Per Mr. on file

BY

DISTRIBUTION /


AVAILABILITY CODES

DIST

AVAIL AND/OR SPECIAL

A

DISTRIBUTION STAMP



DATE ACCESSIONED

79 11 21 040

DATE RECEIVED IN DTIC

PHOTOGRAPH THIS SHEET AND RETURN TO DTIC-DDA-2

019058

(1)

UNCLASSIFIED

WT-703

Copy No. 142 A

C 142A

TECHNICAL LIBRARY  
□ of the  
DEFENSE NUCLEAR  
AGENCY

AUG 8 1974

ADA 077506

# Operation UPSHOT-KNOTHOLE


NEVADA PROVING GROUNDS

March - June 1953

Reviewed by DOE/OC  
8/8/74 JH

## AIR WEATHER SERVICE PARTICIPATION

Key list



REFURBISHED  
PROPERTY OF  
FCAG/2

R. Burge

Unc  
274/24 24 FEB 60

2 Mar 60

12/91

DNA

DOE  
DIA

This material contains information affecting  
the national defense of the United States  
within the meaning of the espionage laws  
Title 18, U. S. C., Secs. 703 and 704, the  
transmission or revelation of which to any  
person not authorized to receive it is pro-  
hibited by law.

AIR FORCE SPECIAL WEAPONS CENTER  
KIRTLAND AIR FORCE BASE · ALBUQUERQUE, NEW MEXICO

10837  
10,450

UNCLASSIFIED

18671

If this report is no longer needed, return it to  
AEC Technical Information Service  
P. O. Box 401  
Oak Ridge, Tennessee

BEST AVAILABLE COPY

**UNCLASSIFIED**

WT-703

This document consists of 104 pages  
No. 142 of 205 copies, Series A

**Report to the Test Director**

**AIR WEATHER SERVICE  
PARTICIPATION**

By

Lt Col Dewitt N. Morgan

Lt Col William H. Wyatt

and

A/1C Robert L. Ligon

Air Force Special Weapons Center  
Kirtland Air Force Base  
Albuquerque, New Mexico  
July 1953

This material contains information affecting  
the national defense of the United States  
within the meaning of the espionage laws  
Title 18, U. S. C., Secs. 793 and 794, the  
transmission or revelation of which in any  
manner to an unauthorized person is pro-  
hibited by law.

1-2

**UNCLASSIFIED**

**UNCLASSIFIED**

## **CONTENTS**

|   | <b>Page</b> |
|---|-------------|
| 1 INTRODUCTION . . . . .  | 7           |
| 2 OPERATIONS . . . . .  | 7           |
| 3 METEOROLOGICAL DATA . . . . .   | 8           |
| APPENDIX A AIR WEATHER SERVICE ORGANIZATIONAL CHART . . . . .                   | 11          |
| APPENDIX B PERSONNEL ASSIGNED TO WEATHER SECTIONS . . . . .                     | 15          |
| APPENDIX C LOCATOR CHART—LOCATION AND TYPE OF WEATHER STATION . . . . .         | 19          |
| APPENDIX D LOCATIONS OF SATELLITE WEATHER STATIONS . . . . .                    | 23          |
| APPENDIX E UPPER-AIR DATA, GROUND ZERO . . . . .                                | 27          |
| APPENDIX F ACTUAL WEATHER CONDITIONS FOR GROUND ZERO AND BURST HEIGHT . . . . . | 41          |
| APPENDIX G RAWINSONDE OBSERVATIONS . . . . .                                    | 55          |
| APPENDIX H PIBAL OBSERVATIONS . . . . .   | 71          |
| APPENDIX I CONTROL POINT SURFACE OBSERVATIONS . . . . .                         | 87          |

## **ILLUSTRATION**

### **APPENDIX C LOCATOR CHART—LOCATION AND TYPE OF WEATHER STATION**

|  |    |
|--|----|
| C.1 Location and Type of Weather Station . . . . . | 21 |
|--|----|

## **TABLES**

### **APPENDIX B PERSONNEL ASSIGNED TO WEATHER SECTIONS**

|  |    |
|--|----|
| B.1 Personnel Assigned to Weather Sections . . . . . | 17 |
|--|----|

### **APPENDIX D LOCATIONS OF SATELLITE WEATHER STATIONS**

|   |    |
|---|----|
| D.1 Locations of Satellite Weather Stations . . . . . | 25 |
|---|----|

### **APPENDIX E UPPER-AIR DATA, GROUND ZERO**

|  |    |
|--|----|
| E.1 Upper-air Data, Ground Zero, 17 March 1953 . . . . . | 29 |
| E.2 Upper-air Data, Ground Zero, 24 March 1953 . . . . . | 30 |
| E.3 Upper-air Data, Ground Zero, 31 March 1953 . . . . . | 31 |
| E.4 Upper-air Data, Ground Zero, 6 April 1953 . . . . .  | 32 |

**UNCLASSIFIED**

**UNCLASSIFIED**

**TABLES (Continued)**

|  | Page |
|--|------|
| E.5 Upper-air Data, Ground Zero, 11 April 1953 . . . . . | 33   |
| E.6 Upper-air Data, Ground Zero, 18 April 1953 . . . . . | 34   |
| E.7 Upper-air Data, Ground Zero, 25 April 1953 . . . . . | 35   |
| E.8 Upper-air Data, Ground Zero, 8 May 1953 . . . . .    | 36   |
| E.9 Upper-air Data, Ground Zero, 19 May 1953 . . . . .   | 37   |
| E.10 Upper-air Data, Ground Zero, 25 May 1953 . . . . .  | 38   |
| E.11 Upper-air Data, Ground Zero, 4 June 1953 . . . . .  | 39   |

**APPENDIX F ACTUAL WEATHER CONDITIONS FOR GROUND ZERO AND BURST HEIGHT**

|   |    |
|---|----|
| F.1 Actual Weather Conditions for Nuclear Detonation One, 17 March 1953 . . . . .   | 43 |
| F.2 Actual Weather Conditions for Nuclear Detonation Two, 24 March 1953 . . . . .   | 44 |
| F.3 Actual Weather Conditions for Nuclear Detonation Three, 31 March 1953 . . . . . | 45 |
| F.4 Actual Weather Conditions for Nuclear Detonation Four, 6 April 1953 . . . . .   | 46 |
| F.5 Actual Weather Conditions for Nuclear Detonation Five, 11 April 1953 . . . . .  | 47 |
| F.6 Actual Weather Conditions for Nuclear Detonation Six, 18 April 1953 . . . . .   | 48 |
| F.7 Actual Weather Conditions for Nuclear Detonation Seven, 25 April 1953 . . . . . | 49 |
| F.8 Actual Weather Conditions for Nuclear Detonation Eight, 8 May 1953 . . . . .    | 50 |
| F.9 Actual Weather Conditions for Nuclear Detonation Nine, 19 May 1953 . . . . .    | 51 |
| F.10 Actual Weather Conditions for Nuclear Detonation Ten, 25 May 1953 . . . . .    | 52 |
| F.11 Actual Weather Conditions for Nuclear Detonation Eleven, 4 June 1953 . . . . . | 53 |

**APPENDIX G RAWINSONDE OBSERVATIONS**

|   |    |
|---|----|
| G.1 Rawinsonde Observation, Yucca Lake, 17 March 1953 . . . . . | 57 |
| G.2 Rawinsonde Observation, Yucca Lake, 24 March 1953 . . . . . | 57 |
| G.3 Rawinsonde Observation, Yucca Lake, 31 March 1953 . . . . . | 58 |
| G.4 Rawinsonde Observation, Yucca Lake, 6 April 1953 . . . . .  | 59 |
| G.5 Rawinsonde Observation, Yucca Lake, 11 April 1953 . . . . . | 59 |
| G.6 Rawinsonde Observation, Yucca Lake, 18 April 1953 . . . . . | 60 |
| G.7 Rawinsonde Observation, Yucca Lake, 25 April 1953 . . . . . | 61 |
| G.8 Rawinsonde Observation, Yucca Lake, 8 May 1953 . . . . .    | 61 |
| G.9 Rawinsonde Observation, Yucca Flat, 19 May 1953 . . . . .   | 62 |
| G.10 Rawinsonde Observation, Yucca Flat, 25 May 1953 . . . . .  | 63 |
| G.11 Rawinsonde Observation, Yucca Flat, 4 June 1953 . . . . .  | 63 |
| G.12 Rawinsonde Observation, Tonopah, 17 March 1953 . . . . .   | 64 |
| G.13 Rawinsonde Observation, Tonopah, 24 March 1953 . . . . .   | 65 |
| G.14 Rawinsonde Observation, Tonopah, 31 March 1953 . . . . .   | 65 |

**UNCLASSIFIED**

**UNCLASSIFIED**

**TABLES (Continued)**

|   | Page |
|---|------|
| G.15 Rawinsonde Observation, Tonopah, 6 April 1953  | 66   |
| G.16 Rawinsonde Observation, Tonopah, 11 April 1953 | 67   |
| G.17 Rawinsonde Observation, Tonopah, 18 April 1953 | 67   |
| G.18 Rawinsonde Observation, Tonopah, 25 April 1953 | 68   |
| G.19 Rawinsonde Observation, Tonopah, 8 May 1953    | 69   |
| G.20 Rawinsonde Observation, Tonopah, 19 May 1953   | 69   |
| G.21 Rawinsonde Observation, Tonopah, 25 May 1953   | 70   |
| G.22 Rawinsonde Observation, Tonopah, 4 June 1953   | 70   |

**APPENDIX H PIBAL OBSERVATIONS**

|                                      |    |
|--------------------------------------|----|
| H.1 Pibal Observation, 17 March 1953 | 73 |
| H.2 Pibal Observation, 24 March 1953 | 74 |
| H.3 Pibal Observation, 31 March 1953 | 75 |
| H.4 Pibal Observation, 6 April 1953  | 76 |
| H.5 Pibal Observation, 11 April 1953 | 77 |
| H.6 Pibal Observation, 18 April 1953 | 78 |
| H.7 Pibal Observation, 25 April 1953 | 80 |
| H.8 Pibal Observation, 8 May 1953    | 81 |
| H.9 Pibal Observation, 19 May 1953   | 82 |
| H.10 Pibal Observation, 25 May 1953  | 83 |
| H.11 Pibal Observation, 4 June 1953  | 85 |

**APPENDIX I CONTROL POINT SURFACE OBSERVATIONS**

|  |    |
|--|----|
| I.1 Surface Observations, Control Point, 17 March 1953 | 89 |
| I.2 Surface Observations, Control Point, 24 March 1953 | 90 |
| I.3 Surface Observations, Control Point, 31 March 1953 | 91 |
| I.4 Surface Observations, Control Point, 6 April 1953  | 92 |
| I.5 Surface Observations, Control Point, 11 April 1953 | 93 |
| I.6 Surface Observations, Control Point, 18 April 1953 | 94 |
| I.7 Surface Observations, Control Point, 25 April 1953 | 95 |
| I.8 Surface Observations, Control Point, 8 May 1953    | 96 |
| I.9 Surface Observations, Control Point, 19 May 1953   | 97 |
| I.10 Surface Observations, Control Point, 25 May 1953  | 98 |
| I.11 Surface Observations, Control Point, 4 June 1953  | 99 |

**UNCLASSIFIED**

**UNCLASSIFIED**

## AIR WEATHER SERVICE PARTICIPATION

### 1 INTRODUCTION

The primary purpose of this report is to record pertinent meteorological data that were taken in support of the atomic tests at the Nevada Proving Grounds (NPG). These data, comprising the major portion of this report, are tabulated in the appendixes and discussed in Sec. 3, Meteorological Data.

Operational, administrative, and logistical details were analogous to those of previous tests. For background information on these matters reference is made to the following reports: Air Weather Service Participation in Operation Buster-Jangle, WT-342, December 1951, and Air Weather Service Participation in Operation Tumbler-Snapper, WT-508, January 1953.

### 2 OPERATIONS

The Mercury Weather Station, 4th Weather Group, began full-scale operations on 2 March 1953. This allowed approximately two weeks to get all personnel acquainted with the specific requirements of the task ahead and to develop adequate teamwork. In particular it permitted indoctrination of forecasters in the procedures and techniques which would be used. This was essential in view of the fact that, of the forecasters assigned, only three had previous experience with the NPG weather requirements. Personnel augmentation from other weather units is indicated in Appendix B.

The principal functions and responsibilities are indicated in the Air Weather Service Organizational Chart of Appendix A.

By 10 March 1953 all off-site observing sections (upper air) were in operation. Types and locations of these stations are given in Appendix C and Appendix D.

The forecast requirement and briefing schedule remained about the same as on previous tests. For the first time in the Nevada operations, and in accordance with the wishes of the Test Director, the forecaster-in-charge presented the weather briefings.

Detailed forecasts were required with primary emphasis on winds aloft and clouds. The decision to proceed with a scheduled nuclear detonation was influenced largely by the expected fall-out of radioactive particles and blast effects. These fall-outs were dependent upon the winds, the forecasts of which obviously were desired to the highest degree of accuracy. Since the atomic cloud from a large percentage of the detonations rose to the tropopause and above, it was necessary to forecast winds from the surface to approximately 40,000 ft MSL. These were given in increments of 5000 ft above the 10,000-ft MSL.

Cloud cover, including cirrus at altitudes up to 35,000 and 40,000 ft, was usually of critical importance for one or more of the following reasons: visual bomb drops and aircraft tracking and sampling of the atomic cloud. Generally more than  $\frac{3}{4}$  cloud cover, uniformly distributed, was considered unsatisfactory.

**UNCLASSIFIED**

**UNCLASSIFIED**

Additional requirements included a forecast lapse rate for computations of blast effects, forecasts regarding precipitation downstream through which the atomic cloud might pass, and 24-hr trajectories at selected levels of 10,000, 20,000, 30,000, and 40,000 ft MSL.

The map analyses needed for forecasting purposes were the 1000-mb (surface) and the 700-, 500-, 300-, and 200-mb levels for all synoptic reporting times. The map area extended from the Mississippi Valley westward to approximately 150° east longitude on Weather Bureau WBAN #1 plotting chart. Standard "differential-analysis" techniques were used over the Pacific areas to get the most accurate and detailed analyses possible. Map analyses upon which the forecasts were based (1500 Z for upper air) required approximately 7 hr of intensive effort of three forecasters.

With the additional time required for discussions and preparation of the forecasts, the 48-hr forecast was not available until approximately 36 hr and the 24-hr forecast not until some 10 hr before shot time. The briefing schedule was as follows: The 48-hr forecast was given informally to the Test Director on the day it was prepared. This forecast, with indicated modifications, was given to the Test Director and key operating personnel in a formal briefing at approximately 0800 hr on D-1 day, at which time a decision was made on the advisability of proceeding with test preparations. The 24-hr forecast was presented at the evening briefing (2100 PST) to the Test Manager and his staff. For planning purposes, particularly if any elements of the 24-hr forecast were unfavorable, a 48-hr outlook was also given at this time.

Briefing aids in the form of basic meteorological charts were held to a minimum. Generally the map discussion was restricted to significant features and expected developments on the 500-mb chart which was presented as a streamline analysis.

### 3 METEOROLOGICAL DATA

Prior to the tests at the NPG the program directors of all projects submitted their requirements for meteorological data to the Director of Weapons Effects Tests, Field Command AFSWP, Sandia Base, N. Mex. An analysis of these test requirements by the Project Weather Officer indicated that they could be satisfactorily met with the equipment on hand at the Mercury Weather Station and the proposed personnel complement.

The following tabulation of on-site observation facilities indicates the location, type of data, and observing schedules used to meet these needs:

| Type of data                                       | Location                             | Schedule  |
|--|--------------------------------------|---|
| Standard surface observations                      | Control Point                        | Hourly (24 per day plus specials at H-hour)                                       |
| Rawinsonde observations                            | Yucca Lake                           | Four per day plus three specials hourly, from H-6 to H+24 including one at H-hour |
| Surface winds, temperatures, and relative humidity | Yucca Flat (EG&G shelter) (#351)     | Continuous automatic recording  |
| Surface winds, temperatures, and relative humidity | Frenchman Flat (EG&G shelter) (#370) | Continuous automatic recording  |

The instrumentation for obtaining surface data in the Yucca and Frenchman shot areas consisted of Friez Aerovane wind equipment remoted to the Control Point and Friez hygrometerographs installed in standard Air Force instrument shelters.

**UNCLASSIFIED**

[REDACTED] UNCLASSIFIED

The "fixed" observations were supplemented in several ways. On the airdrop and cannon shot in Frenchman Flat, a set of Beckman-Whitley surface-wind equipment was installed at approximately 1500 ft from Ground Zero and remoted to the Control Point. This was for smoke-screen control purposes rather than for meteorological effects on experiments.

For each of the tower shots at Yucca Flat the EG&G company supplied and installed in the tower cab remote-indicating temperature (wet and dry bulb) and pressure equipment which was calibrated by weather station personnel on D-2 day using a standard aneroid barometer and a sling psychrometer. These parameters were recorded in the control room of the Control Point.

Plans were made to take wiresonde data at Frenchman Flat for the two shots scheduled in that area. Because of strong surface winds on shot days, however, it was impossible to operate this equipment. The desirability of having this data from the surface to at least 1000 ft is obvious since the rawinsonde section was located north on Yucca Lake at an elevation of approximately 850 ft above that of Ground Zero for Frenchman Flat.

The meteorological data for shot days are found in the appendices under such headings as Upper-air Data for H-hour, Surface Observations, Actual Weather Conditions at Burst Height and Ground Zero, and Rawinsonde and Pibal Observations. Perhaps the most useful and readily usable tabulation of data will be found in Appendix E, which gives the more commonly required meteorological elements for every 1000 ft from the surface to the maximum height of the rawinsonde observation. It also includes the special levels of Ground Zero and burst height.

The data in Appendix E are based largely upon the H-hour rawinsonde data of Appendix G but have been modified and extended in the low levels where indicated by the supplementary information from tower and surface observations. Based upon a very careful correlation of all available data and further checked by standard height-pressure computations in the lowest levels, these data are considered to be applicable to conditions over Ground Zero within the accuracy tolerances of upper-air observation equipment.

As on previous tests a network of six upper-air observing stations was established at selected points surrounding the NPG to furnish data supplementary to those normally available from Air Force and Weather Bureau stations. The locations of these sections and other pertinent information will be found in Appendixes C and D.

The data from these stations served a twofold purpose. They were used primarily by Radiological Safety (Rad-Safe) personnel to compute accurate postshot analysis trajectories by streamline methods. They were also valuable for monitoring the winds aloft that had been forecast during the few hours preceding shot time. The rawinsonde data, given in Appendix G, proved very useful in weather analysis and forecasting.

All the afore-mentioned collected data were recorded and are available for utilization by the using agencies. They are stored at Detachment 22, 4th Weather Group, Post Office Box 1663, Los Alamos, N. Mex., Attention: H-6 Weather Station.

0-10

[REDACTED] UNCLASSIFIED

**[REDACTED]**  
**UNCLASSIFIED**


**Appendix A**

**AIR WEATHER SERVICE ORGANIZATIONAL CHART**

**[REDACTED]  
UNCLASSIFIED**  
**[REDACTED]**

**UNCLASSIFIED**

AIR WEATHER SERVICE ORGANIZATIONAL CHART. —, Command Channel; - - -, Technical and Advisory Channel.



**UNCLASSIFIED**

[REDACTED] **UNCLASSIFIED**

## **Appendix B**

### **PERSONNEL ASSIGNED TO WEATHER SECTIONS**

15-16  
[REDACTED]

**UNCLASSIFIED**

**UNCLASSIFIED**

Table B.1—PERSONNEL ASSIGNED TO WEATHER SECTIONS

| Section    | Location     | Personnel* |
|------------|--------------|------------|
| Forecast   |              | 10         |
| Observing  |              | 16         |
| Rawinsonde | Yucca Flat   | 15         |
| Rawinsonde | Tonopah      | 11         |
| Pibal      | Beatty       | 3          |
| Pibal      | Warm Springs | 3          |
| Pibal      | Caliente     | 3          |
| Pibal      | Currant      | 3          |
| Pibal      | St. George   | 3          |

\*Some personnel were assigned to more than one section and are included in the totals. One officer was in charge of all rawinsonde and pibal sections; he is not included in the totals given for these units.

**UNCLASSIFIED**

[REDACTED] UNCLASSIFIED

## Appendix C

### LOCATOR CHART—LOCATION AND TYPE OF WEATHER STATION

UNCLASSIFIED

**UNCLASSIFIED**




Fig. C-1—Location and type of weather station.  $\circ$ , weather station.  $\odot$ , rawinsonde station; equipment, rawin set (GMD-1) and radiosonde set (FMQ-1).  $\square$ , pibal station; equipment, theodolite.  $\triangle$ , radio.

**UNCLASSIFIED**

**UNCLASSIFIED**

**Appendix D**

**LOCATIONS OF SATELLITE WEATHER STATIONS**

**UNCLASSIFIED**

23-24

**UNCLASSIFIED**

Table D.1—LOCATIONS OF SATELLITE WEATHER STATIONS

| Location                               | Call letter | Type station | Latitude, north | Longitude, west | Elevation, ft |
|--|-------------|--------------|-----------------|-----------------|---------------|
| Beatty                                 | BTY         | Pibal        | 36°04'          | 117°06'         | 5413          |
| Caliente                               | CAL         | Pibal        | 37°43'          | 114°27'         | 4621          |
| Currant                                | CUR         | Pibal        | 38°42'          | 115°31'         | 4974          |
| St. George                             | SGU         | Pibal        | 37°05'          | 113°35'         | 2905          |
| Tonopah                                | TPH         | Rawinsonde   | 38°04'          | 117°06'         | 5413          |
| Warm Springs                           | WSP         | Pibal        | 38°13'          | 116°21'         | 5458          |
| Nevada Proving Grounds<br>(Yucca Lake) | AEC         | Rawinsonde   | 36°57'          | 116°03'         | 3927          |

**UNCLASSIFIED**

25-26

[REDACTED]  
**UNCLASSIFIED**

**Appendix E**

**UPPER-AIR DATA, GROUND ZERO**

**UNCLASSIFIED**

**27-28**

[REDACTED]

**UNCLASSIFIED**

Table E.1—UPPER-AIR DATA, GROUND ZERO, 17 MARCH 1953  
[0520 PST (1320 Z)]

| Altitude,<br>$10^3$ ft MSL | Atmospheric<br>pressure,<br>mb | Temperature,<br>°C | Relative<br>humidity,<br>% | Dew point,<br>°C | Virtual<br>temp.,<br>°C | Wind               |                 |
|----------------------------|--------------------------------|--------------------|----------------------------|------------------|-------------------------|--------------------|-----------------|
|                            |                                |                    |                            |                  |                         | Direction,<br>deg  | Speed,<br>knots |
| Ground Zero                | 876                            | 2.7                | 43                         | -8.5             | 3.0                     | Light and variable |                 |
| Burst height               | 886                            | 7.9                | 38                         | -5.4             | 8.3                     | 250                | 2               |
| 5                          | 845                            | 7.5                | 39                         | -6.5             | 7.9                     | 250                | 4               |
| 6                          | 816                            | 6.8                | 32                         | -8.5             | 7.2                     | 290                | 8               |
| 7                          | 785                            | 5.0                | 34                         | -9.5             | 5.4                     | 270                | 9               |
| 8                          | 757                            | 3.0                | 33                         | -11.5            | 3.3                     | 280                | 6               |
| 9                          | 728                            | 1.0                | 34                         | -12.9            | 1.3                     | 270                | 24              |
| 10                         | 700                            | -1.2               | 34                         | -14.9            | -0.9                    | 270                | 25              |
| 11                         | 675                            | -3.5               | 28                         | -19.5            | -3.3                    | 270                | 25              |
| 12                         | 648                            | -6.2               | 29                         | -21.2            | -6.0                    | 270                | 25              |
| 13                         | 624                            | -9.0               | 30                         | -23.2            | -8.8                    | 270                | 23              |
| 14                         | 599                            | -11.5              | 31                         | -25.0            | -11.3                   | 270                | 21              |
| 15                         | 576                            | -14.0              | 32                         | -26.8            | -13.9                   | 280                | 32              |
| 16                         | 554                            | -16.0              | 32                         | -28.7            | -15.9                   | 280                | 34              |
| 17                         | 530                            | -17.8              | 31                         | -30.5            | -17.7                   | 280                | 38              |
| 18                         | 509                            | -19.7              | 31                         | -32.3            | -19.6                   | 270                | 42              |
| 19                         | 488                            | -21.8              | 29                         | -35.0            | -21.7                   | 270                | 48              |
| 20                         | 470                            | -24.1              | Dry                        | Dry              |                         | 270                | 54              |
| 21                         | 450                            | -26.9              |                            |                  |                         | 270                | 50              |
| 22                         | 432                            | -29.5              |                            |                  |                         | 270                | 46              |
| 23                         | 414                            | -32.0              |                            |                  |                         | 270                | 43              |
| 24                         | 398                            | -34.0              |                            |                  |                         | 270                | 40              |
| 25                         | 380                            | -37.0              |                            |                  |                         | 270                | 47              |
| 26                         | 365                            | -40.0              |                            |                  |                         | 270                | 47              |
| 27                         | 348                            | -42.9              |                            |                  |                         | 270                | 50              |
| 28                         | 332                            | -45.5              |                            |                  |                         | 270                | 52              |
| 29                         | 319                            | -48.1              |                            |                  |                         | 270                | 60              |
| 30                         | 304                            | -51.5              |                            |                  |                         | 270                | 68              |
| 31                         | 290                            | -53.8              |                            |                  |                         | 270                | 66              |
| 32                         | 278                            | -55.8              |                            |                  |                         | 270                | 64              |
| 33                         | 263                            | -57.8              |                            |                  |                         | 270                | 60              |
| 34                         | 250                            | -60.5              |                            |                  |                         | 260                | 56              |
| 35                         | 239                            | -62.5              |                            |                  |                         | 260                | 53              |
| 36                         | 228                            | -64.5              |                            |                  |                         | 260                | 60              |
| 37                         | 218                            | -66.0              |                            |                  |                         | 260                | 65              |
| 38                         | 205                            | -66.5              |                            |                  |                         | 260                | 71              |
| 39                         | 197                            | -55.5              |                            |                  |                         | 260                | 80              |
| 40                         | 188                            | -53.0              |                            |                  |                         | 260                | 89              |
| 41                         | 179                            | -52.0              |                            |                  |                         | 260                | 79              |
| 42                         | 171                            | -53.0              |                            |                  |                         | 260                | 73              |
| 43                         | 163                            | -54.0              |                            |                  |                         | 260                | 70              |
| 44                         | 155                            | -55.2              |                            |                  |                         | 260                | 66              |
| 45                         | 148                            | -56.0              |                            |                  |                         | 260                | 63              |
| 46                         | 142                            | -57.3              |                            |                  |                         | 260                | 61              |
| 47                         | 135                            | -59.0              |                            |                  |                         | 250                | 60              |
| 48                         | 129                            | -60.2              |                            |                  |                         | 250                | 59              |
| 49                         | 122                            | -61.5              |                            |                  |                         | 240                | 58              |
| 50                         | 118                            | -62.9              |                            |                  |                         | 240                | 58              |

**UNCLASSIFIED**

**UNCLASSIFIED**

Table E.2 — UPPER-AIR DATA, GROUND ZERO, 24 MARCH 1953  
[0510 PST (1310 Z)]

| Altitude,<br>$10^3$ ft MSL | Atmospheric<br>pressure,<br>mb | Temperature,<br>°C | Relative<br>humidity,<br>% | Dew point,<br>°C | Virtual<br>temp.,<br>°C | Wind<br>Direction,<br>deg | Wind<br>Speed,<br>knots |
|----------------------------|--------------------------------|--------------------|----------------------------|------------------|-------------------------|---------------------------|-------------------------|
| Ground Zero                | 870                            | 9.9                | 39                         | -3.6             | 10.4                    | 310                       | 2                       |
| Burst height               | 860                            | 13.3               | 31                         | -3.2             | 13.9                    | Calm                      | Calm                    |
| 5                          | 852                            | 12.0               | 30                         | -4.6             | 12.5                    | Calm                      | Calm                    |
| 6                          | 821                            | 11.4               | 13                         | -14.0            | 11.6                    | 210                       | 16                      |
| 7                          | 792                            | 8.9                | 33                         | -6.0             | 9.3                     | 150                       | 12                      |
| 8                          | 764                            | 6.4                | 32                         | -8.2             | 6.5                     | 150                       | 16                      |
| 9                          | 736                            | 4.1                | 32                         | -10.3            | 4.2                     | 150                       | 12                      |
| 10                         | 703                            | 2.7                | Dry                        | Dry              | 150                     | 12                        |                         |
| 11                         | 683                            | 0.4                |                            |                  | 160                     | 13                        |                         |
| 12                         | 657                            | -2.0               |                            |                  | 170                     | 9                         |                         |
| 13                         | 632                            | -4.1               |                            |                  | 200                     | 18                        |                         |
| 14                         | 608                            | -6.4               |                            |                  | 200                     | 18                        |                         |
| 15                         | 584                            | -8.7               |                            |                  | 220                     | 12                        |                         |
| 16                         | 561                            | -11.0              |                            |                  | 210                     | 16                        |                         |
| 17                         | 538                            | -13.3              |                            |                  | 210                     | 12                        |                         |
| 18                         | 517                            | -15.6              |                            |                  | 190                     | 11                        |                         |
| 19                         | 497                            | -17.8              |                            |                  | 180                     | 15                        |                         |
| 20                         | 477                            | -20.0              |                            |                  | 210                     | 20                        |                         |
| 21                         | 458                            | -22.0              |                            |                  | 220                     | 25                        |                         |
| 22                         | 440                            | -24.1              |                            |                  | 220                     | 24                        |                         |
| 23                         | 422                            | -26.2              |                            |                  | 230                     | 25                        |                         |
| 24                         | 404                            | -28.4              |                            |                  | 210                     | 25                        |                         |
| 25                         | 387                            | -30.6              |                            |                  | 210                     | 25                        |                         |
| 26                         | 371                            | -33.0              |                            |                  | 210                     | 25                        |                         |
| 27                         | 355                            | -35.2              |                            |                  | 220                     | 25                        |                         |
| 28                         | 340                            | -37.4              |                            |                  | 210                     | 28                        |                         |
| 29                         | 324                            | -39.8              |                            |                  | 230                     | 25                        |                         |
| 30                         | 311                            | -42.1              |                            |                  | 220                     | 31                        |                         |
| 31                         | 296                            | -44.3              |                            |                  | 230                     | 34                        |                         |
| 32                         | 283                            | -47.1              |                            |                  | 230                     | 30                        |                         |
| 33                         | 272                            | -49.4              |                            |                  | 220                     | 29                        |                         |
| 34                         | 258                            | -52.2              |                            |                  | 220                     | 31                        |                         |
| 35                         | 247                            | -54.7              |                            |                  | 210                     | 27                        |                         |
| 36                         | 236                            | -56.3              |                            |                  | 210                     | 28                        |                         |
| 37                         | 224                            | -57.7              |                            |                  | 220                     | 27                        |                         |
| 38                         | 214                            | -59.3              |                            |                  | 220                     | 30                        |                         |
| 39                         | 203                            | -60.8              |                            |                  | 220                     | 32                        |                         |
| 40                         | 194                            | -61.1              |                            |                  | 220                     | 32                        |                         |
| 41                         | 184                            | -58.2              |                            |                  | 220                     | 32                        |                         |
| 42                         | 176                            | -59.3              |                            |                  | 220                     | 37                        |                         |
| 43                         | 166                            | -60.3              |                            |                  | 220                     | 39                        |                         |
| 44                         | 159                            | -61.3              |                            |                  | 220                     | 31                        |                         |
| 45                         | 152                            | -62.3              |                            |                  | 220                     | 37                        |                         |
| 46                         | 144                            | -63.0              |                            |                  | 220                     | 35                        |                         |
| 47                         | 137                            | -63.6              |                            |                  | 220                     | 41                        |                         |
| 48                         | 131                            | -64.1              |                            |                  | 230                     | 30                        |                         |
| 49                         | 124                            | -64.8              |                            |                  | 230                     | 27                        |                         |
| 50                         | 118                            | -65.2              |                            |                  | 230                     | 25                        |                         |

**UNCLASSIFIED**

**UNCLASSIFIED**

Table E.3 — UPPER-AIR DATA, GROUND ZERO, 31 MARCH 1953  
[0500 PST (1300 Z)]

| Altitude,<br>$10^3$ ft MSL | Atmospheric<br>pressure,<br>mb | Temperature,<br>°C | Relative<br>humidity,<br>% | Dew point,<br>°C | Virtual<br>temp.,<br>°C | Wind<br>Direction,<br>deg | Wind<br>Speed,<br>knots |
|----------------------------|--------------------------------|--------------------|----------------------------|------------------|-------------------------|---------------------------|-------------------------|
| Ground Zero                | 873                            | 4.4                | 48                         | -5.3             | 4.8                     | 360                       | 4                       |
| Burst height               | 863                            | 8.2                | 32                         | -7.4             | 8.5                     | 020                       | 7                       |
| 5                          | 846                            | 9.0                | 30                         | -7.4             | 9.4                     | 020                       | 9                       |
| 6                          | 816                            | 8.0                | 34                         | -16.8            | 8.4                     | 010                       | 12                      |
| 7                          | 787                            | 5.7                | 39                         | -8.0             | 6.1                     | 360                       | 12                      |
| 8                          | 757                            | 3.1                | 42                         | -8.5             | 3.5                     | 350                       | 13                      |
| 9                          | 729                            | 0.9                | 46                         | -9.0             | 1.2                     | 330                       | 12                      |
| 10                         | 701                            | -1.4               | 49                         | -10.6            | -1.1                    | 310                       | 18                      |
| 11                         | 675                            | -4.4               | 65                         | -10.0            | -4.0                    | 300                       | 16                      |
| 12                         | 649                            | -7.3               | 60                         | -14.0            | -7.0                    | 310                       | 16                      |
| 13                         | 625                            | -8.7               | 32                         | -22.0            | -8.5                    | 320                       | 16                      |
| 14                         | 600                            | -10.3              | Dry                        | Dry              |                         | 320                       | 20                      |
| 15                         | 577                            | -12.2              |                            |                  |                         | 300                       | 22                      |
| 16                         | 553                            | -14.3              |                            |                  |                         | 330                       | 24                      |
| 17                         | 531                            | -16.2              |                            |                  |                         | 330                       | 26                      |
| 18                         | 512                            | -18.0              |                            |                  |                         | 320                       | 30                      |
| 19                         | 491                            | -20.7              |                            |                  |                         | 320                       | 28                      |
| 20                         | 471                            | -23.0              |                            |                  |                         | 310                       | 29                      |
| 21                         | 452                            | -25.6              |                            |                  |                         | 310                       | 31                      |
| 22                         | 432                            | -28.1              |                            |                  |                         | 320                       | 31                      |
| 23                         | 414                            | -30.7              |                            |                  |                         | 320                       | 36                      |
| 24                         | 397                            | -32.8              |                            |                  |                         | 320                       | 39                      |
| 25                         | 378                            | -35.0              |                            |                  |                         | 310                       | 30                      |
| 26                         | 363                            | -37.9              |                            |                  |                         | 330                       | 36                      |
| 27                         | 348                            | -40.7              |                            |                  |                         | 330                       | 34                      |
| 28                         | 332                            | -42.8              |                            |                  |                         | 330                       | 34                      |
| 29                         | 317                            | -45.4              |                            |                  |                         | 330                       | 36                      |
| 30                         | 308                            | -47.0              |                            |                  |                         | 330                       | 38                      |
| 31                         | 290                            | -50.3              |                            |                  |                         | 330                       | 38                      |
| 32                         | 277                            | -53.0              |                            |                  |                         | 330                       | 34                      |
| 33                         | 264                            | -55.2              |                            |                  |                         | 320                       | 42                      |
| 34                         | 251                            | -57.9              |                            |                  |                         | 320                       | 44                      |
| 35                         | 240                            | -60.0              |                            |                  |                         | 320                       | 48                      |
| 36                         | 229                            | -60.9              |                            |                  |                         | 320                       | 51                      |
| 37                         | 218                            | -60.5              |                            |                  |                         | 310                       | 46                      |
| 38                         | 207                            | -60.7              |                            |                  |                         | 300                       | 37                      |
| 39                         | 197                            | -60.9              |                            |                  |                         | 300                       | 41                      |
| 40                         | 188                            | -60.6              |                            |                  |                         | 290                       | 58                      |
| 41                         | 178                            | -58.8              |                            |                  |                         | 290                       | 48                      |
| 42                         | 170                            | -56.1              |                            |                  |                         | 290                       | 41                      |
| 43                         | 162                            | -55.7              |                            |                  |                         | 290                       | 41                      |
| 44                         | 154                            | -55.9              |                            |                  |                         | 290                       | 41                      |
| 45                         | 147                            | -56.8              |                            |                  |                         | 290                       | 40                      |
| 46                         | 139                            | -57.4              |                            |                  |                         | 290                       | 40                      |
| 47                         | 133                            | -56.8              |                            |                  |                         | 290                       | 35                      |
| 48                         | 127                            | -56.8              |                            |                  |                         | 280                       | 34                      |
| 49                         | 122                            | -57.0              |                            |                  |                         | 280                       | 34                      |
| 50                         | 116                            | -58.7              |                            |                  |                         | 280                       | 34                      |

**UNCLASSIFIED**

**UNCLASSIFIED**Table E.4—UPPER-AIR DATA, GROUND ZERO, 6 APRIL 1953  
[0730 PST (1530 Z)]

| Altitude,<br>$10^3$ ft MSL | Atmospheric<br>pressure,<br>mb | Temperature,<br>°C | Relative<br>humidity,<br>% | Dew point,<br>°C | Virtual<br>temp.,<br>°C | Wind              |                 |
|----------------------------|--------------------------------|--------------------|----------------------------|------------------|-------------------------|-------------------|-----------------|
|                            |                                |                    |                            |                  |                         | Direction,<br>deg | Speed,<br>knots |
| Ground Zero                | 861                            | 15.5               | 25                         | -4.1             | 16.1                    | 015               | 7               |
| 5                          | 834                            | 12.0               | 29                         | -5.0             | 12.6                    | 030               | 2               |
| 6                          | 806                            | 9.1                | 31                         | -7.0             | 9.6                     | 300               | 3               |
| 7                          | 776                            | 5.7                | 33                         | -9.2             | 6.2                     | 310               | 10              |
| 8                          | 744                            | 3.6                | 38                         | -9.8             | 4.0                     | 310               | 13              |
| 9                          | 720                            | 1.9                | 41                         | -10.0            | 2.3                     | 280               | 21              |
| 10                         | 694                            | 0.0                | 38                         | -12.1            | 0.4                     | 280               | 28              |
| Burst height               | 686                            | -0.6               | 36                         | -13.7            | -0.2                    | 280               | 29              |
| 11                         | 666                            | -2.3               | 31                         | -17.7            | -2.1                    | 280               | 31              |
| 12                         | 642                            | -4.0               | 27                         | -20.0            | -3.8                    | 280               | 33              |
| 13                         | 618                            | -6.4               | Dry                        | Dry              |                         | 280               | 45              |
| 14                         | 594                            | -8.8               |                            |                  |                         | 280               | 48              |
| 15                         | 574                            | -10.8              |                            |                  |                         | 280               | 31              |
| 16                         | 550                            | -13.1              |                            |                  |                         | 280               | 34              |
| 17                         | 528                            | -14.5              |                            |                  |                         | 280               | 37              |
| 18                         | 506                            | -15.7              |                            |                  |                         | 290               | 64              |
| 19                         | 486                            | -17.9              |                            |                  |                         | 290               | 73              |
| 20                         | 468                            | -20.1              |                            |                  |                         | 290               | 72              |
| 21                         | 448                            | -22.3              |                            |                  |                         | 290               | 78              |
| 22                         | 428                            | -24.7              |                            |                  |                         | 290               | 80              |
| 23                         | 412                            | -27.0              |                            |                  |                         | 290               | 73              |
| 24                         | 396                            | -29.2              |                            |                  |                         | 290               | 73              |
| 25                         | 375                            | -32.5              |                            |                  |                         | 290               | 68              |
| 26                         | 363                            | -34.8              |                            |                  |                         | 290               | 57              |
| 27                         | 345                            | -38.0              |                            |                  |                         | 290               | 60              |
| 28                         | 331                            | -40.0              |                            |                  |                         | 290               | 83              |
| 29                         | 316                            | -42.9              |                            |                  |                         | 290               | 94              |
| 30                         | 302                            | -45.2              |                            |                  |                         | 290               | 92              |
| 31                         | 289                            | -47.9              |                            |                  |                         | 290               | 96              |
| 32                         | 276                            | -50.2              |                            |                  |                         | 290               | 106             |
| 33                         | 263                            | -52.9              |                            |                  |                         | 290               | 80              |
| 34                         | 251                            | -55.1              |                            |                  |                         | 290               | 72              |
| 35                         | 239                            | -57.9              |                            |                  |                         | 290               | 68              |
| 36                         | 229                            | -59.1              |                            |                  |                         | 290               | 64              |
| 37                         | 217                            | -59.9              |                            |                  |                         | 290               | 73              |
| 38                         | 207                            | -60.1              |                            |                  |                         | 290               | 126             |
| 39                         | 198                            | -60.8              |                            |                  |                         | 290               | 120             |
| 40                         | 188                            | -59.0              |                            |                  |                         | 290               | 122             |
| 41                         | 179                            | -56.2              |                            |                  |                         | 290               | 122             |
| 42                         | 171                            | -55.0              |                            |                  |                         | 290               | 120             |
| 43                         | 162                            | -54.7              |                            |                  |                         | 290               | 114             |
| 44                         | 154                            | -54.6              |                            |                  |                         | 290               | 123             |
| 45                         | 148                            | -54.9              |                            |                  |                         | 290               | 119             |
| 46                         | 141                            | -55.0              |                            |                  |                         | 290               | 104             |
| 47                         | 134                            | -55.1              |                            |                  |                         | 290               | 89              |
| 48                         | 127                            | -55.3              |                            |                  |                         | 290               | 81              |
| 49                         | 122                            | -55.6              |                            |                  |                         | 290               | 78              |
| 50                         | 116                            | -56.4              |                            |                  |                         | 290               | 78              |

**UNCLASSIFIED**

**UNCLASSIFIED**

Table E.5—UPPER-AIR DATA, GROUND ZERO, 11 APRIL 1953  
[0445 PST (1245 Z)]

| Altitude,<br>$10^3$ ft MSL | Atmospheric<br>pressure,<br>mb | Temperature,<br>°C | Relative<br>humidity,<br>% | Dew point,<br>°C | Virtual<br>temp.,<br>°C | Wind<br>Direction,<br>deg | Wind<br>Speed,<br>knots |
|----------------------------|--------------------------------|--------------------|----------------------------|------------------|-------------------------|---------------------------|-------------------------|
| Ground Zero                | 869                            | -0.3               | 43                         | -11.3            | 0.0                     | 045                       | 5                       |
| Burst height               | 866                            | -0.1               | 40                         | -11.7            | 0.2                     | 030                       | 7                       |
| 5                          | 830                            | 0.5                | 45                         | -10.0            | 0.9                     | 010                       | 15                      |
| 6                          | 813                            | -1.7               | 45                         | -11.7            | -1.6                    | 360                       | 18                      |
| 7                          | 780                            | -4.0               | 48                         | -13.2            | -4.0                    | 360                       | 23                      |
| 8                          | 739                            | -6.5               | 53                         | -14.2            | -6.6                    | 360                       | 31                      |
| 9                          | 720                            | -8.5               | 42                         | -23.5            | -8.4                    | 360                       | 36                      |
| 10                         | 695                            | -10.0              | 32                         | -32.8            | -10.0                   | 360                       | 31                      |
| 11                         | 668                            | -12.5              | 28                         | -32.5            | -12.7                   | 360                       | 23                      |
| 12                         | 640                            | -15.0              | 27                         | -32.2            | -15.2                   | 360                       | 23                      |
| 13                         | 608                            | -18.7              | 24                         | -32.1            | -17.7                   | 350                       | 26                      |
| 14                         | 590                            | -20.4              | Dry                        | Dry              |                         | 350                       | 23                      |
| 15                         | 568                            | -22.8              |                            |                  |                         | 310                       | 28                      |
| 16                         | 545                            | -25.4              |                            |                  |                         | 300                       | 33                      |
| 17                         | 525                            | -25.9              |                            |                  |                         | 300                       | 49                      |
| 18                         | 500                            | -27.9              |                            |                  |                         | 300                       | 49                      |
| 19                         | 481                            | -29.7              |                            |                  |                         | 300                       | 46                      |
| 20                         | 459                            | -31.0              |                            |                  |                         | 300                       | 44                      |
| 21                         | 440                            | -32.0              |                            |                  |                         | 300                       | 63                      |
| 22                         | 420                            | -33.4              |                            |                  |                         | 300                       | 83                      |
| 23                         | 403                            | -34.5              |                            |                  |                         | 300                       | 95                      |
| 24                         | 383                            | -34.5              |                            |                  |                         | 300                       | 106                     |
| 25                         | 368                            | -36.0              |                            |                  |                         | 300                       | 112                     |
| 26                         | 352                            | -37.5              |                            |                  |                         | 290                       | 121                     |
| 27                         | 338                            | -39.2              |                            |                  |                         | 290                       | 135                     |
| 28                         | 325                            | -41.4              |                            |                  |                         | 290                       | 150                     |
| 29                         | 308                            | -44.0              |                            |                  |                         | 290                       | 180                     |
| 30                         | 297                            | -45.9              |                            |                  |                         | 260                       | 185                     |
| 31                         | 278                            | -47.1              |                            |                  |                         | 280                       | 137                     |
| 32                         | 270                            | -46.5              |                            |                  |                         | 280                       | 117                     |
| 33                         | 257                            | -49.6              |                            |                  |                         | 290                       | 115                     |
| 34                         | 247                            | -51.8              |                            |                  |                         | 290                       | 120                     |
| 35                         | 235                            | -52.0              |                            |                  |                         | 280                       | 134                     |
| 36                         | 223                            | -52.6              |                            |                  |                         | 270                       | 144                     |
| 37                         | 217                            | -53.0              |                            |                  |                         | 270                       | 152                     |
| 38                         | 205                            | -50.6              |                            |                  |                         | 270                       | 140                     |
| 39                         | 195                            | -50.0              |                            |                  |                         | 260                       | 133                     |
| 40                         | 187                            | -49.3              |                            |                  |                         | 260                       | 138                     |
| 41                         | 178                            | -48.7              |                            |                  |                         | 260                       | 135                     |
| 42                         | 171                            | -48.9              |                            |                  |                         | 250                       | 116                     |
| 43                         | 164                            | -49.2              |                            |                  |                         | 270                       | 105                     |
| 44                         | 157                            | -49.5              |                            |                  |                         | 270                       | 100                     |
| 45                         | 148                            | -51.3              |                            |                  |                         | 260                       | 115                     |
| 46                         | 143                            | -52.3              |                            |                  |                         | 280                       | 148                     |
| 47                         | 137                            | -53.4              |                            |                  |                         | 280                       | 170                     |
| 48                         | 128                            | -55.4              |                            |                  |                         | 280                       | 184                     |
| 49                         | 123                            | -57.2              |                            |                  |                         | 280                       | 195                     |
| 50                         | 118                            | -58.2              |                            |                  |                         | 280                       | 203                     |

**UNCLASSIFIED**

**UNCLASSIFIED**

Table E.6—UPPER-AIR DATA, GROUND ZERO, 18 APRIL 1953  
[0435 PST (1235 Z)]

| Altitude,<br>$10^3$ ft MSL | Atmospheric<br>pressure,<br>mb | Temperature,<br>°C | Relative<br>humidity,<br>% | Dew point,<br>°C | Virtual<br>temp.,<br>°C | Wind              |                 |
|----------------------------|--------------------------------|--------------------|----------------------------|------------------|-------------------------|-------------------|-----------------|
|                            |                                |                    |                            |                  |                         | Direction,<br>deg | Speed,<br>knots |
| Ground Zero                | 862                            | 7.7                | 40                         | -3.9             | 8.2                     | 360               | 9               |
| Burst height               | 852                            | 7.2                | 39                         | -4.1             | 7.5                     | 360               | 12              |
| 5                          | 845                            | 7.0                | 41                         | -4.8             | 7.5                     | 010               | 20              |
| 6                          | 815                            | 4.9                | 44                         | -6.3             | 5.4                     | 010               | 24              |
| 7                          | 785                            | 3.0                | 46                         | -7.2             | 3.5                     | 360               | 19              |
| 8                          | 754                            | 3.2                | 42                         | -8.0             | 3.6                     | 290               | 6               |
| 9                          | 725                            | 0.3                | 45                         | -9.7             | 0.8                     | 270               | 9               |
| 10                         | 699                            | -0.7               | 48                         | -10.2            | -0.2                    | 270               | 17              |
| 11                         | 674                            | -1.4               | 46                         | -11.4            | -1.0                    | 270               | 23              |
| 12                         | 648                            | -3.9               | 61                         | -10.0            | -3.5                    | 280               | 26              |
| 13                         | 624                            | -6.5               | 70                         | -11.0            | -6.1                    | 300               | 29              |
| 14                         | 600                            | -8.5               | 70                         | -12.7            | -8.1                    | 310               | 30              |
| 15                         | 576                            | -8.7               | 49                         | -17.4            | -8.5                    | 320               | 30              |
| 16                         | 555                            | -9.4               | 38                         | -20.8            | -9.3                    | 310               | 30              |
| 17                         | 534                            | -11.4              | 49                         | -20.0            | -11.2                   | 310               | 31              |
| 18                         | 512                            | -13.4              | 52                         | -23.0            | -13.3                   | 300               | 33              |
| 19                         | 492                            | -15.4              | 50                         | -23.6            | -15.3                   | 290               | 35              |
| 20                         | 472                            | -17.5              | 48                         | -25.9            | -17.4                   | 290               | 35              |
| 21                         | 453                            | -18.7              | 37                         | -29.8            | -18.6                   | 290               | 36              |
| 22                         | 435                            | -21.0              | 34                         | -32.5            | -21.0                   | 290               | 43              |
| 23                         | 417                            | -23.4              | Dry                        | Dry              |                         | 290               | 50              |
| 24                         | 401                            | -25.0              |                            |                  |                         | 290               | 50              |
| 25                         | 384                            | -27.5              |                            |                  |                         | 290               | 43              |
| 26                         | 368                            | -30.0              |                            |                  |                         | 300               | 43              |
| 27                         | 351                            | -32.9              |                            |                  |                         | 300               | 40              |
| 28                         | 338                            | -35.1              |                            |                  |                         | 300               | 43              |
| 29                         | 322                            | -38.2              |                            |                  |                         | 310               | 40              |
| 30                         | 308                            | -40.4              |                            |                  |                         | 310               | 46              |
| 31                         | 294                            | -42.2              |                            |                  |                         | 300               | 58              |
| 32                         | 283                            | -43.9              |                            |                  |                         | 300               | 60              |
| 33                         | 270                            | -46.5              |                            |                  |                         | 300               | 57              |
| 34                         | 258                            | -48.9              |                            |                  |                         | 300               | 50              |
| 35                         | 246                            | -51.7              |                            |                  |                         | 300               | 54              |
| 36                         | 236                            | -54.2              |                            |                  |                         | 300               | 49              |
| 37                         | 225                            | -56.8              |                            |                  |                         | 290               | 43              |
| 38                         | 214                            | -59.3              |                            |                  |                         | 290               | 47              |
| 39                         | 202                            | -61.6              |                            |                  |                         | 300               | 60              |
| 40                         | 194                            | -62.8              |                            |                  |                         | 300               | 68              |
| 41                         | 184                            | -64.2              |                            |                  |                         | 300               | 78              |
| 42                         | 175                            | -65.5              |                            |                  |                         | 300               | 68              |
| 43                         | 167                            | -66.3              |                            |                  |                         | 290               | 43              |
| 44                         | 158                            | -65.6              |                            |                  |                         | 280               | 44              |
| 45                         | 150                            | -62.8              |                            |                  |                         | 280               | 52              |
| 46                         | 142                            | -62.2              |                            |                  |                         | 280               | 77              |
| 47                         | 135                            | -61.9              |                            |                  |                         | 280               | 61              |
| 48                         | 131                            | -61.5              |                            |                  |                         | 280               | 68              |
| 49                         | 122                            | -61.9              |                            |                  |                         | 290               | 21              |
| 50                         | 117                            | -62.3              |                            |                  |                         | 290               | 17              |

**UNCLASSIFIED**

**UNCLASSIFIED**Table E.7—UPPER-AIR DATA, GROUND ZERO, 25 APRIL 1953  
[0430 PST (1230 Z)]

| Altitude,<br>$10^3$ ft MSL | Atmospheric<br>pressure,<br>mb | Temperature,<br>°C | Relative<br>humidity,<br>% | Dew point,<br>°C | Virtual<br>temp.,<br>°C | Wind              |                 |
|----------------------------|--------------------------------|--------------------|----------------------------|------------------|-------------------------|-------------------|-----------------|
|                            |                                |                    |                            |                  |                         | Direction,<br>deg | Speed,<br>knots |
| Ground Zero                | 870                            | 11.7               | 26                         | -7.3             | 12.3                    | 340               | 5               |
| Burst height               | 860                            | 15.3               | 26                         | -4.7             | 15.8                    | 040               | 7               |
| 5                          | 846                            | 17.3               | 21                         | -4.8             | 17.9                    | 010               | 8               |
| 6                          | 817                            | 15.7               | 21                         | -6.4             | 16.0                    | 030               | 8               |
| 7                          | 789                            | 13.9               | 21                         | -8.0             | 14.2                    | 040               | 4               |
| 8                          | 760                            | 11.8               | 22                         | -9.1             | 12.2                    | 070               | 3               |
| 9                          | 732                            | 9.4                | 24                         | -10.0            | 9.7                     | 180               | 4               |
| 10                         | 706                            | 7.2                | 26                         | -10.3            | 7.5                     | 200               | 9               |
| 11                         | 681                            | 5.0                | 30                         | -10.8            | 5.4                     | 270               | 11              |
| 12                         | 656                            | 2.1                | 32                         | -12.3            | 2.5                     | 280               | 12              |
| 13                         | 632                            | -0.7               | 39                         | -12.6            | -0.3                    | 270               | 15              |
| 14                         | 607                            | -3.7               | 41                         | -14.7            | -3.3                    | 270               | 11              |
| 15                         | 585                            | -6.2               | 46                         | -15.8            | -5.8                    | 290               | 9               |
| 16                         | 562                            | -8.8               | 44                         | -18.5            | -8.6                    | 280               | 8               |
| 17                         | 540                            | -11.0              | 38                         | -22.3            | -10.8                   | 270               | 9               |
| 18                         | 519                            | -13.2              | 30                         | -27.2            | -13.0                   | 270               | 26              |
| 19                         | 499                            | -15.7              | 33                         | -28.0            | -15.6                   | 280               | 12              |
| 20                         | 478                            | -18.4              | Dry                        | Dry              |                         | 280               | 26              |
| 21                         | 457                            | -19.8              |                            |                  |                         | 280               | 30              |
| 22                         | 441                            | -22.7              |                            |                  |                         | 280               | 23              |
| 23                         | 422                            | -25.0              |                            |                  |                         | 280               | 25              |
| 24                         | 405                            | -28.2              | 31                         |                  | -28.1                   | 280               | 22              |
| 25                         | 387                            | -30.0              | 51                         |                  | -29.9                   | 280               | 20              |
| 26                         | 371                            | -32.0              | Dry                        |                  |                         | 280               | 23              |
| 27                         | 354                            | -34.4              |                            |                  |                         | 280               | 29              |
| 28                         | 340                            | -36.9              |                            |                  |                         | 280               | 31              |
| 29                         | 325                            | -39.0              |                            |                  |                         | 270               | 28              |
| 30                         | 312                            | -41.7              |                            |                  |                         | 280               | 41              |
| 31                         | 297                            | -44.1              |                            |                  |                         | 280               | 40              |
| 32                         | 284                            | -46.4              |                            |                  |                         | 280               | 39              |
| 33                         | 272                            | -49.1              |                            |                  |                         | 280               | 42              |
| 34                         | 260                            | -51.8              |                            |                  |                         | 280               | 40              |
| 35                         | 248                            | -54.0              |                            |                  |                         | 280               | 36              |
| 36                         | 236                            | -56.9              |                            |                  |                         | 270               | 39              |
| 37                         | 226                            | -58.9              |                            |                  |                         | 270               | 41              |
| 38                         | 215                            | -61.2              |                            |                  |                         | 270               | 43              |
| 39                         | 204                            | -63.4              |                            |                  |                         | 270               | 42              |
| 40                         | 194                            | -63.0              |                            |                  |                         | 270               | 48              |
| 41                         | 184                            | -62.0              |                            |                  |                         | 270               | 50              |
| 42                         | 176                            | -59.0              |                            |                  |                         | 270               | 48              |
| 43                         | 167                            | -58.4              |                            |                  |                         | 270               | 42              |
| 44                         | 159                            | -58.1              |                            |                  |                         | 270               | 26              |
| 45                         | 151                            | -58.3              |                            |                  |                         | 270               | 30              |
| 46                         | 144                            | -58.9              |                            |                  |                         | 270               | 24              |
| 47                         | 127                            | -59.8              |                            |                  |                         | 270               | 22              |
| 48                         | 131                            | -59.5              |                            |                  |                         | 270               | 22              |
| 49                         | 124                            | -59.6              |                            |                  |                         | 270               | 22              |
| 50                         | 119                            | -60.8              |                            |                  |                         | 270               | 24              |

**UNCLASSIFIED**

**UNCLASSIFIED**Table E.8—UPPER-AIR DATA, GROUND ZERO, 8 MAY 1953  
[0730 PST (1530 Z)]

| Altitude,<br>$10^3$ ft MSL | Atmospheric<br>pressure,<br>mb | Temperature,<br>°C | Relative<br>humidity,<br>% | Dew point,<br>°C | Virtual<br>temp.,<br>°C | Wind   |                 |
|----------------------------|--------------------------------|--------------------|----------------------------|------------------|-------------------------|--|-----------------|
|                            |                                |                    |                            |                  |                         | Direction,<br>deg                            | Speed,<br>knots |
| Ground Zero                | 900                            | 16.7               | 19                         | -07.0            | 17.0                    | 190  | 5               |
| Burst height               | 825                            | 8.0                | 23                         | -12.5            | 8.3                     | 250  | 5               |
| 5                          | 837                            | 9.4                | 21                         | -12.0            | 9.8                     | 230  | 6               |
| 6                          | 806                            | 6.6                | 24                         | -12.3            | 6.9                     | 270  | 5               |
| 7                          | 781                            | 4.3                | 26                         | -13.4            | 4.6                     | 310  | 10              |
| 8                          | 752                            | 1.3                | 29                         | -15.0            | 1.6                     | 320  | 10              |
| 9                          | 720                            | -1.3               | 40                         | -13.0            | -0.9                    | 300  | 10              |
| 10                         | 695                            | -3.4               | 50                         | -12.0            | -3.0                    | 260  | 12              |
| 11                         | 669                            | -5.1               | 50                         | -14.0            | -4.7                    | 250  | 20              |
| 12                         | 644                            | -6.2               | 30                         | -21.2            | -6.0                    | 250  | 26              |
| 13                         | 620                            | -7.6               | Dry                        | Dry              |                         | 260  | 30              |
| 14                         | 596                            | -9.3               |                            |                  |                         | 260  | 35              |
| 15                         | 574                            | -11.0              |                            |                  |                         | 260  | 44              |
| 16                         | 550                            | -12.9              |                            |                  |                         | 250  | 48              |
| 17                         | 529                            | -14.5              |                            |                  |                         | 250  | 53              |
| 18                         | 505                            | -17.2              |                            |                  |                         | 250  | 58              |
| 19                         | 486                            | -19.8              |                            |                  |                         | 250  | 56              |
| 20                         | 466                            | -22.4              |                            |                  |                         | 250  | 57              |
| 21                         | 447                            | -24.8              |                            |                  |                         | 250  | 51              |
| 22                         | 428                            | -27.4              |                            |                  |                         | 250  | 52              |
| 23                         | 412                            | -30.0              |                            |                  |                         | 250  | 62              |
| 24                         | 396                            | -32.6              |                            |                  |                         | 250  | 68              |
| 25                         | 377                            | -35.3              |                            |                  |                         | 250  | 78              |
| 26                         | 361                            | -37.7              |                            |                  |                         | 250  | 78              |
| 27                         | 348                            | -38.5              |                            |                  |                         | 250  | 83              |
| 28                         | 333                            | -40.1              |                            |                  |                         | 250  | 101             |
| 29                         | 316                            | -42.4              |                            |                  |                         | 250  | 109             |
| 30                         | 304                            | -44.0              |                            |                  |                         | 240  | 103             |
| 31                         | 291                            | -45.7              |                            |                  |                         | 240  | 100             |
| 32                         | 278                            | -47.3              |                            |                  |                         | 240  | 102             |
| 33                         | 266                            | -49.1              |                            |                  |                         | 240  | 111             |
| 34                         | 254                            | -50.6              |                            |                  |                         | 240  | 127             |
| 35                         | 243                            | -52.3              |                            |                  |                         | 240  | 170             |
| 36                         | 233                            | -52.8              |                            |                  |                         | 240  | 168             |
| 37                         | 223                            | -53.5              |                            |                  |                         | 240  | 144             |
| 38                         | 211                            | -55.3              |                            |                  |                         | 240  | 140             |
| 39                         | 202                            | -56.9              |                            |                  |                         | 240  | 142             |
| 40                         | 192                            | -54.3              |                            |                  |                         | 240  | 146             |
| 41                         | 182                            | -55.3              |                            |                  |                         | 240  | 150             |
| 42                         | 174                            | -55.2              |                            |                  |                         | Balloon out of<br>range of wind<br>equipment |                 |
| 43                         | 165                            | -56.7              |                            |                  |                         |  |                 |
| 44                         | 157                            | -56.3              |                            |                  |                         |  |                 |
| 45                         | 151                            | -55.4              |                            |                  |                         |  |                 |
| 46                         | 144                            | -55.7              |                            |                  |                         |  |                 |
| 47                         | 137                            | -56.2              |                            |                  |                         |  |                 |
| 48                         | 125                            | -55.5              |                            |                  |                         |  |                 |
| 49                         | 124                            | -56.4              |                            |                  |                         |  |                 |
| 50                         | 118                            | -57.2              |                            |                  |                         |  |                 |

**UNCLASSIFIED**

**UNCLASSIFIED**

Table E.9—UPPER-AIR DATA, GROUND ZERO, 19 MAY 1953  
[0405 PST (1205 Z)]

| Altitude,<br>$10^3$ ft MSL | Atmospheric<br>pressure,<br>mb | Temperature,<br>°C | Relative<br>humidity,<br>% | Dew point,<br>°C | Virtual<br>temp.,<br>°C | Wind<br>Direction,<br>deg | Wind<br>Speed,<br>knots |
|----------------------------|--------------------------------|--------------------|----------------------------|------------------|-------------------------|---------------------------|-------------------------|
| Ground Zero                | 874                            | 14.3               | 35                         | -0.6             | 14.9                    | 020                       | 5                       |
| Burst height               | 864                            | 18.3               | 35                         | 4.5              | 18.9                    | 200                       | 5                       |
| 5                          | 843                            | 17.2               | 30                         | -0.2             | 17.8                    | 200                       | 10                      |
| 6                          | 814                            | 15.2               | 32                         | -1.1             | 15.8                    | 200                       | 20                      |
| 7                          | 786                            | 13.3               | 34                         | -1.9             | 13.9                    | 200                       | 25                      |
| 8                          | 756                            | 11.3               | 37                         | -2.8             | 11.8                    | 200                       | 26                      |
| 9                          | 728                            | 8.7                | 40                         | -4.2             | 9.2                     | 210                       | 23                      |
| 10                         | 704                            | 6.3                | 44                         | -4.8             | 7.0                     | 210                       | 18                      |
| 11                         | 678                            | 4.0                | 50                         | -5.2             | 4.6                     | 210                       | 15                      |
| 12                         | 652                            | 1.3                | 54                         | -6.6             | 1.8                     | 200                       | 15                      |
| 13                         | 629                            | -1.3               | 59                         | -9.2             | -0.7                    | 210                       | 15                      |
| 14                         | 605                            | -4.0               | 64                         | -9.9             | -3.4                    | 220                       | 17                      |
| 15                         | 584                            | -6.5               | 69                         | -11.2            | -5.9                    | 230                       | 21                      |
| 16                         | 561                            | -6.8               | 75                         | -10.2            | -6.1                    | 260                       | 30                      |
| 17                         | 540                            | -6.8               | 72                         | -10.7            | -6.3                    | 270                       | 35                      |
| 18                         | 520                            | -7.7               | 62                         | -13.4            | -7.3                    | 270                       | 37                      |
| 19                         | 497                            | -10.5              | 64                         | -16.0            | -10.2                   | 270                       | 37                      |
| 20                         | 478                            | -11.0              | 69                         | -15.7            | -10.7                   | 280                       | 38                      |
| 21                         | 460                            | -15.6              | 71                         | -19.2            | -15.3                   | 280                       | 42                      |
| 22                         | 440                            | -18.4              | 71                         | -22.2            | -18.2                   | 280                       | 48                      |
| 23                         | 423                            | -20.8              | 70                         | -24.8            | -20.6                   | 280                       | 50                      |
| 24                         | 406                            | -23.1              | 67                         | -27.4            | -23.0                   | 280                       | 55                      |
| 25                         | 389                            | -25.1              | Dry                        | Dry              |                         | 280                       | 54                      |
| 26                         | 374                            | -27.4              |                            |                  |                         | 290                       | 50                      |
| 27                         | 357                            | -30.0              |                            |                  |                         | 290                       | 46                      |
| 28                         | 342                            | -32.6              |                            |                  |                         | 280                       | 44                      |
| 29                         | 332                            | -34.0              |                            |                  |                         | 280                       | 50                      |
| 30                         | 314                            | -37.6              |                            |                  |                         | 290                       | 60                      |
| 31                         | 300                            | -40.0              |                            |                  |                         | 290                       | 70                      |
| 32                         | 287                            | -42.4              |                            |                  |                         | 290                       | 67                      |
| 33                         | 275                            | -45.5              |                            |                  |                         | 290                       | 64                      |
| 34                         | 262                            | -48.0              |                            |                  |                         | 290                       | 64                      |
| 35                         | 250                            | -51.0              |                            |                  |                         | 290                       | 63                      |
| 36                         | 239                            | -53.5              |                            |                  |                         | 290                       | 64                      |
| 37                         | 228                            | -56.2              |                            |                  |                         | 290                       | 67                      |
| 38                         | 217                            | -59.0              |                            |                  |                         | 290                       | 64                      |
| 39                         | 206                            | -61.7              |                            |                  |                         | 300                       | 60                      |
| 40                         | 196                            | -64.5              |                            |                  |                         | 300                       | 67                      |
| 41                         | 186                            | -67.6              |                            |                  |                         | 300                       | 74                      |
| 42                         | 177                            | -68.4              |                            |                  |                         | 300                       | 79                      |
| 43                         | 168                            | -68.4              |                            |                  |                         | 280                       | 78                      |
| 44                         | 161                            | -67.5              |                            |                  |                         | 280                       | 76                      |
| 45                         | 153                            | -65.5              |                            |                  |                         | 280                       | 77                      |
| 46                         | 145                            | -65.6              |                            |                  |                         | 280                       | 75                      |
| 47                         | 138                            | -66.1              |                            |                  |                         | 280                       | 76                      |
| 48                         | 131                            | -66.4              |                            |                  |                         | 280                       | 80                      |
| 49                         | 125                            | -66.7              |                            |                  |                         | 280                       | 73                      |
| 50                         | 119                            | -67.0              |                            |                  |                         | 280                       | 63                      |

**UNCLASSIFIED**

**UNCLASSIFIED**Table E.10—UPPER-AIR DATA, GROUND ZERO, 25 MAY 1953  
[0730 PST (1530 Z)]

| Altitude,<br>$10^3$ ft MSL | Atmospheric<br>pressure,<br>mb | Temperature,<br>°C | Relative<br>humidity,<br>% | Dew point,<br>°C | Virtual<br>temp.,<br>°C | Wind              |                 |
|----------------------------|--------------------------------|--------------------|----------------------------|------------------|-------------------------|-------------------|-----------------|
|                            |                                |                    |                            |                  |                         | Direction,<br>deg | Speed,<br>knots |
| Ground Zero                | 901                            | 14.8               | 32                         | -3.8             | 15.4                    | 360               | 4               |
| Burst height               | 884                            | 13.1               | 23                         | -7.2             | 13.6                    | 220               | 7               |
| 4                          | 872                            | 11.8               | 23                         | -8.3             | 12.3                    | 220               | 10              |
| 5                          | 840                            | 7.9                | 21                         | -12.7            | 8.3                     | 220               | 14              |
| 6                          | 809                            | 4.0                | 20                         | -16.8            | 4.2                     | 190               | 21              |
| 7                          | 781                            | 3.5                | 20                         | -17.2            | 3.7                     | 180               | 30              |
| 8                          | 752                            | 1.9                | 25                         | -16.0            | 2.1                     | 190               | 21              |
| 9                          | 722                            | -0.6               | 31                         | -15.4            | -0.3                    | 200               | 21              |
| 10                         | 697                            | -2.3               | 30                         | -17.3            | -2.0                    | 200               | 30              |
| 11                         | 665                            | -4.2               | 24                         | -21.8            | -4.0                    | 200               | 30              |
| 12                         | 644                            | -6.0               | Dry                        | Dry              |                         | 200               | 31              |
| 13                         | 621                            | -8.1               |                            |                  |                         | 200               | 32              |
| 14                         | 596                            | -10.9              |                            |                  |                         | 200               | 33              |
| 15                         | 574                            | -13.0              |                            |                  |                         | 200               | 35              |
| 16                         | 551                            | -15.0              |                            |                  |                         | 200               | 48              |
| 17                         | 529                            | -15.1              |                            |                  |                         | 210               | 55              |
| 18                         | 508                            | -14.7              |                            |                  |                         | 210               | 74              |
| 19                         | 488                            | -15.7              | 29                         | -29.6            | -15.6                   | 210               | 74              |
| 20                         | 468                            | -17.3              | 36                         | -28.3            | -17.2                   | 220               | 74              |
| 21                         | 449                            | -19.1              | 41                         | -29.0            | -19.0                   | 220               | 75              |
| 22                         | 431                            | -21.3              | 40                         | -31.0            | -21.2                   | 220               | 76              |
| 23                         | 413                            | -23.7              | 38                         | -33.9            | -23.6                   | 220               | 82              |
| 24                         | 396                            | -26.4              | 38                         | -36.1            | -26.0                   | 220               | 88              |
| 25                         | 378                            | -29.2              | 40                         | -38.3            | -28.7                   | 220               | 65              |
| 26                         | 355                            | -31.0              | Dry                        | Dry              |                         | 220               | 55              |
| 27                         | 348                            | -31.8              |                            |                  |                         | 220               | 89              |
| 28                         | 334                            | -34.0              |                            |                  |                         | 220               | 89              |
| 29                         | 320                            | -37.0              |                            |                  |                         | 220               | 80              |
| 30                         | 305                            | -40.0              |                            |                  |                         | 220               | 85              |
| 31                         | 292                            | -42.1              |                            |                  |                         | 220               | 108             |
| 32                         | 278                            | -45.0              |                            |                  |                         | 220               | 110             |
| 33                         | 266                            | -47.2              |                            |                  |                         | 220               | 109             |
| 34                         | 254                            | -50.0              |                            |                  |                         | 220               | 104             |
| 35                         | 243                            | -53.1              |                            |                  |                         | 220               | 120             |
| 36                         | 232                            | -55.0              |                            |                  |                         | 220               | 122             |
| 37                         | 222                            | -55.0              |                            |                  |                         | 220               | 87              |
| 38                         | 212                            | -56.0              |                            |                  |                         | 220               | 90              |
| 39                         | 202                            | -56.2              |                            |                  |                         | 220               | 83              |
| 40                         | 192                            | -56.0              |                            |                  |                         | 220               | 65              |
| 41                         | 182                            | -55.2              |                            |                  |                         | 220               | 74              |
| 42                         | 174                            | -54.2              |                            |                  |                         | 220               | 79              |
| 43                         | 167                            | -55.0              |                            |                  |                         | 220               | 62              |
| 44                         | 158                            | -55.2              |                            |                  |                         | 220               | 53              |
| 45                         | 152                            | -56.0              |                            |                  |                         | 220               | 57              |
| 46                         | 144                            | -56.3              |                            |                  |                         | 220               | 56              |
| 47                         | 137                            | -57.0              |                            |                  |                         | 220               | 55              |
| 48                         | 130                            | -57.0              |                            |                  |                         | 220               | 67              |
| 49                         | 124                            | -57.0              |                            |                  |                         | 220               | 52              |
| 50                         | 118                            | -58.4              |                            |                  |                         | 220               | 33              |

**UNCLASSIFIED**

**UNCLASSIFIED**Table E.11—UPPER-AIR DATA, GROUND ZERO, 4 JUNE 1953  
[0315 PST (1115 Z)]

| Altitude,<br>$10^3$ ft MSL | Atmospheric<br>pressure,<br>mb | Temperature,<br>°C | Relative<br>humidity,<br>% | Dew point,<br>°C | Virtual<br>temp.,<br>°C | Wind<br>Direction,<br>deg | Wind<br>Speed,<br>knots |
|----------------------------|--------------------------------|--------------------|----------------------------|------------------|-------------------------|---------------------------|-------------------------|
| Ground Zero                | 867                            | 13.3               | 30                         | -3.9             | 14.0                    | 045                       | 3                       |
| Burst height               | 824                            | 12.2               | 38                         | -1.5             | 12.9                    | 010                       | 8                       |
| 5                          | 842                            | 14.1               | 37                         | 0.1              | 14.8                    | 010                       | 10                      |
| 6                          | 812                            | 12.1               | 37                         | -2.0             | 12.7                    | 360                       | 6                       |
| 7                          | 783                            | 10.2               | 37                         | -3.8             | 10.8                    | 010                       | 8                       |
| 8                          | 755                            | 8.3                | 37                         | -5.1             | 8.9                     | 020                       | 6                       |
| 9                          | 727                            | 6.0                | 38                         | -7.0             | 6.5                     | 020                       | 10                      |
| 10                         | 701                            | 3.6                | 40                         | -8.6             | 4.1                     | 140                       | 3                       |
| 11                         | 674                            | 0.9                | 42                         | -10.4            | 1.4                     | 220                       | 4                       |
| 12                         | 650                            | -1.6               | 45                         | -11.8            | -1.2                    | 200                       | 3                       |
| 13                         | 623                            | -4.6               | 48                         | -13.7            | -4.2                    | 190                       | 6                       |
| 14                         | 600                            | -7.0               | 49                         | -15.8            | -6.7                    | 170                       | 8                       |
| 15                         | 577                            | -9.7               | 51                         | -17.6            | -9.4                    | 170                       | 6                       |
| 16                         | 555                            | -11.2              | 40                         | -22.0            | -11.0                   | 210                       | 4                       |
| 17                         | 534                            | -12.7              | Dry                        | Dry              |                         | 250                       | 10                      |
| 18                         | 513                            | -14.8              |                            |                  | 270                     | 15                        |                         |
| 19                         | 493                            | -17.0              |                            |                  | 270                     | 16                        |                         |
| 20                         | 474                            | -19.0              |                            |                  | 280                     | 13                        |                         |
| 21                         | 454                            | -21.2              |                            |                  | 280                     | 16                        |                         |
| 22                         | 435                            | -23.3              |                            |                  | 310                     | 18                        |                         |
| 23                         | 416                            | -25.6              |                            |                  | 320                     | 17                        |                         |
| 24                         | 399                            | -27.5              |                            |                  | 310                     | 20                        |                         |
| 25                         | 384                            | -30.3              |                            |                  | 310                     | 19                        |                         |
| 26                         | 367                            | -33.0              |                            |                  | 310                     | 24                        |                         |
| 27                         | 350                            | -36.0              |                            |                  | 310                     | 24                        |                         |
| 28                         | 335                            | -38.5              |                            |                  | 310                     | 28                        |                         |
| 29                         | 321                            | -41.1              |                            |                  | 310                     | 24                        |                         |
| 30                         | 307                            | -43.8              |                            |                  | 310                     | 28                        |                         |
| 31                         | 293                            | -46.6              |                            |                  | 310                     | 28                        |                         |
| 32                         | 280                            | -48.9              |                            |                  | 310                     | 26                        |                         |
| 33                         | 268                            | -51.3              |                            |                  | 300                     | 24                        |                         |
| 34                         | 254                            | -54.0              |                            |                  | 280                     | 20                        |                         |
| 35                         | 243                            | -56.3              |                            |                  | 270                     | 17                        |                         |
| 36                         | 232                            | -57.3              |                            |                  | 260                     | 16                        |                         |
| 37                         | 222                            | -56.7              |                            |                  | 250                     | 19                        |                         |
| 38                         | 211                            | -58.0              |                            |                  | 260                     | 21                        |                         |
| 39                         | 201                            | -59.3              |                            |                  | 280                     | 22                        |                         |
| 40                         | 192                            | -57.3              |                            |                  | 250                     | 24                        |                         |
| 41                         | 183                            | -57.3              |                            |                  | 250                     | 23                        |                         |
| 42                         | 173                            | -57.1              |                            |                  | 240                     | 28                        |                         |
| 43                         | 166                            | -56.7              |                            |                  | 260                     | 24                        |                         |
| 44                         | 158                            | -55.8              |                            |                  | 270                     | 16                        |                         |
| 45                         | 150                            | -56.2              |                            |                  | 280                     | 12                        |                         |
| 46                         | 143                            | -56.6              |                            |                  | 270                     | 12                        |                         |
| 47                         | 137                            | -57.0              |                            |                  | 270                     | 20                        |                         |
| 48                         | 130                            | -57.3              |                            |                  | 270                     | 22                        |                         |
| 49                         | 124                            | -57.8              |                            |                  | 270                     | 18                        |                         |
| 50                         | 117                            | -58.0              |                            |                  | 270                     | 11                        |                         |

**UNCLASSIFIED**

[REDACTED] **UNCLASSIFIED**

## **Appendix F**

### **ACTUAL WEATHER CONDITIONS FOR GROUND ZERO AND BURST HEIGHT**

[REDACTED] **UNCLASSIFIED**

**UNCLASSIFIED**

**Table F.1—ACTUAL WEATHER CONDITIONS FOR NUCLEAR DETONATION ONE,  
17 MARCH 1953  
(0520 PST)**

Cloud cover: 6/10 cirrus stratus above 30,000 ft MSL  
Precipitation: no precipitation within 1000 miles downstream  
Height Ground Zero: 4025 ft MSL  
Burst height: 4325 ft MSL  
Pressure: Ground Zero, 876 mb  
                    Burst height, 866 mb  
Virtual temperature: Ground Zero, 37.4°F  
                    Burst height, 47.0°F  
Actual temperature: Ground Zero, 36.9°F  
                    Burst height, 46.2°F  
Relative humidity: Ground Zero, 43 %  
                    Burst height, 38 %  
Altimeter setting: 29.98 in. at Ground Zero  
Height of tropopause: 37,000 ft MSL

| Winds                   |                        |                 | Winds                   |                        |                 |
|-------------------------|------------------------|-----------------|-------------------------|------------------------|-----------------|
| Height above<br>MSL, ft | Deg from<br>true north | Speed,<br>knots | Height above<br>MSL, ft | Deg from<br>true north | Speed,<br>knots |
| Surface                 | Light and variable     |                 | 16,000                  | 280                    | 34              |
| 6,000                   | 290                    | 8               | 18,000                  | 270                    | 42              |
| 8,000                   | 280                    | 6               | 20,000                  | 270                    | 54              |
| 10,000                  | 270                    | 25              | 25,000                  | 270                    | 47              |
| 12,000                  | 270                    | 25              | 30,000                  | 270                    | 68              |
| 14,000                  | 270                    | 21              | 35,000                  | 260                    | 53              |
| 15,000                  | 280                    | 32              | 40,000                  | 260                    | 89              |

**UNCLASSIFIED**

**UNCLASSIFIED**

**Table F.2—ACTUAL WEATHER CONDITIONS FOR NUCLEAR DETONATION TWO,  
24 MARCH 1953  
(0510 PST)**

Cloud cover: clear  
Precipitation: no precipitation within 1000 miles downstream  
Height Ground Zero: 4308 ft MSL  
Burst height: 4608 ft MSL  
Pressure: Ground Zero, 870 mb  
                    Burst height, 860 mb  
Virtual temperature: Ground Zero, 10.4°C  
                    Burst height, 13.9°C  
Actual temperature: Ground Zero, 9.9°C  
                    Burst height, 13.3°C  
Relative humidity: Ground Zero, 39 %  
                    Burst height, 31 %  
Altimeter setting: 30.09 in. at Ground Zero  
Height of tropopause: 39,300 ft MSL

| Winds                   |                        |                 | Winds                   |                        |                 |
|-------------------------|------------------------|-----------------|-------------------------|------------------------|-----------------|
| Height above<br>MSL, ft | Deg from<br>true north | Speed,<br>knots | Height above<br>MSL, ft | Deg from<br>true north | Speed,<br>knots |
| Surface                 | 310                    | 2               | 20,000                  | 210                    | 20              |
| 6,000                   | 140                    | 4               | 25,000                  | 210                    | 25              |
| 8,000                   | 150                    | 16              | 30,000                  | 220                    | 31              |
| 10,000                  | 150                    | 12              | 35,000                  | 210                    | 27              |
| 15,000                  | 220                    | 12              | 40,000                  | 220                    | 32              |

**UNCLASSIFIED**

**UNCLASSIFIED**

Table F.3—ACTUAL WEATHER CONDITIONS FOR NUCLEAR DETONATION THREE,  
31 MARCH 1953  
(0500 PST)

Cloud cover: clear  
Precipitation: no precipitation within 500 miles downstream  
Height Ground Zero: 4164 ft MSL  
Burst height: 4464 ft MSL  
Pressure: Ground Zero, 873 mb  
                    Burst height, 863 mb  
Virtual temperature: Ground Zero, 4.8°C  
                    Burst height, 8.5°C  
Actual temperature: Ground Zero, 4.4°C  
                    Burst height, 8.2°C  
Relative humidity: Ground Zero, 48 %  
                    Burst height, 32 %  
Altimeter setting: 30.00 in. at Ground Zero  
Height of tropopause: 35,500 ft MSL.

| Winds                   |                        |                 | Winds                   |                        |                 |
|-------------------------|------------------------|-----------------|-------------------------|------------------------|-----------------|
| Height above<br>MSL, ft | Deg from<br>true north | Speed,<br>knots | Height above<br>MSL, ft | Deg from<br>true north | Speed,<br>knots |
| Surface                 | 360                    | 4               | 15,000                  | 300                    | 22              |
| 8,000                   | 010                    | 12              | 20,000                  | 310                    | 29              |
| 8,000                   | 350                    | 13              | 25,000                  | 310                    | 30              |
| 10,000                  | 310                    | 18              |                         |                        |                 |

**UNCLASSIFIED**

**UNCLASSIFIED**

**Table F.4—ACTUAL WEATHER CONDITIONS FOR NUCLEAR DETONATION FOUR,  
6 APRIL 1953  
(0730 PST)**

Cloud cover: 3/10 at 30,000 ft  
Precipitation: no precipitation within 500 miles downstream  
Height Ground Zero: 4191 ft MSL  
Burst height: 10,211 ft MSL  
Pressure: Ground Zero, 861 mb  
                    Burst height, 886 mb  
Virtual temperature: Ground Zero, 16.1°C  
                    Burst height, -0.2°C  
Actual temperature: Ground Zero, 15.5°C  
                    Burst height, -0.6°C  
Relative humidity: Ground Zero, 25 %  
                    Burst height, 36 %  
Altimeter setting: 29.66 in. at Ground Zero  
Height of tropopause: 38,500 ft MSL

| Winds                   |                        |                 | Winds                   |                        |                 |
|-------------------------|------------------------|-----------------|-------------------------|------------------------|-----------------|
| Height above<br>MSL, ft | Deg from<br>true north | Speed,<br>knots | Height above<br>MSL, ft | Deg from<br>true north | Speed,<br>knots |
| Surface                 | 015                    | 7               | 25,000                  | 290                    | 68              |
| 6,000                   | 300                    | 3               | 30,000                  | 290                    | 92              |
| 8,000                   | 310                    | 13              | 35,000                  | 290                    | 68              |
| 10,000                  | 280                    | 28              | 40,000                  | 290                    | 122             |
| 15,000                  | 280                    | 31              | 45,000                  | 290                    | 119             |
| 20,000                  | 290                    | 72              | 50,000                  | 290                    | 78              |

**UNCLASSIFIED**

**UNCLASSIFIED**

**Table F.5—ACTUAL WEATHER CONDITIONS FOR NUCLEAR DETONATION FIVE,  
11 APRIL 1953  
(0445 PST)**

Cloud cover: clear  
Precipitation: no precipitation within 300 miles downstream  
Height Ground Zero: 4240 ft MSL  
Burst height: 4340 ft MSL  
Pressure: Ground Zero, 869 mb  
                    Burst height, 866 mb  
Virtual temperature: Ground Zero, 0.0°C  
                    Burst height, 0.2°C  
Actual temperature: Ground Zero, -0.3°C  
                    Burst height, -0.1°C  
Relative humidity: Ground Zero, 43 %  
                    Burst height, 40 %  
Altimeter setting: 29.99 in. at Ground Zero  
Height of tropopause: 38,330 ft MSL

| Winds                   |                        |                 | Winds                   |                        |                 |
|-------------------------|------------------------|-----------------|-------------------------|------------------------|-----------------|
| Height above<br>MSL, ft | Deg from<br>true north | Speed,<br>knots | Height above<br>MSL, ft | Deg from<br>true north | Speed,<br>knots |
| Surface                 | 045                    | 5               | 15,000                  | 310                    | 28              |
| 6,000                   | 360                    | 18              | 20,000                  | 300                    | 44              |
| 8,000                   | 360                    | 31              | 25,000                  | 300                    | 112             |
| 10,000                  | 360                    | 31              |                         |                        |                 |

**UNCLASSIFIED**

**UNCLASSIFIED**

Table F.6—ACTUAL WEATHER CONDITIONS FOR NUCLEAR DETONATION SIX,  
18 APRIL 1953  
(0435 PST)

Cloud cover: clear

Precipitation: no precipitation within 1000 miles downstream

Height Ground Zero: 4492 ft MSL

Burst height: 4792 ft MSL

Pressure: Ground Zero, 862 mb

Burst height, 852 mb

Virtual temperature: Ground Zero, 8.2°C

Burst height, 7.5°C

Actual temperature: Ground Zero, 7.7°C

Burst height, 7.2°C

Relative humidity: Ground Zero, 40 %

Burst height, 39 %

Altimeter setting: 30.03 in. at Ground Zero

Height of tropopause: 39,320 ft MSL

| Winds                   |                        |                 | Winds                   |                        |                 |
|-------------------------|------------------------|-----------------|-------------------------|------------------------|-----------------|
| Height above<br>MSL, ft | Deg from<br>true north | Speed,<br>knots | Height above<br>MSL, ft | Deg from<br>true north | Speed,<br>knots |
| Surface                 | 360                    | 9               | 25,000                  | 290                    | 43              |
| 6,000                   | 010                    | 24              | 30,000                  | 310                    | 46              |
| 8,000                   | 290                    | 6               | 35,000                  | 300                    | 54              |
| 10,000                  | 270                    | 17              | 40,000                  | 300                    | 68              |
| 15,000                  | 320                    | 30              | 45,000                  | 280                    | 52              |
| 20,000                  | 290                    | 35              | 50,000                  | 290                    | 17              |

**UNCLASSIFIED**

**UNCLASSIFIED**

**Table F.7—ACTUAL WEATHER CONDITIONS FOR NUCLEAR DETONATION SEVEN,  
25 APRIL 1953  
(0430 PST)**

Cloud cover: 5/10 clouds at 33,000 ft; 2/10 clouds at 16,000

Precipitation: no precipitation within 1000 miles downstream

Height Ground Zero: 4238 ft MSL

Burst height: 4538 ft MSL

Pressure: Ground Zero, 870 mb

Burst height, 860 mb

Virtual temperature: Ground Zero, 12.3°C

Burst height, 15.8°C

Actual temperature: Ground Zero, 11.7°C

Burst height, 15.3°C

Relative humidity: Ground Zero, 26 %

Burst height, 26 %

Altimeter setting: 30.02 in. at Ground Zero

Height of tropopause: 39,350 ft MSL

| Winds                   |                        |                 | Winds                   |                        |                 |
|-------------------------|------------------------|-----------------|-------------------------|------------------------|-----------------|
| Height above<br>MSL, ft | Deg from<br>true north | Speed,<br>knots | Height above<br>MSL, ft | Deg from<br>true north | Speed,<br>knots |
| Surface                 | 340                    | 5               | 25,000                  | 280                    | 20              |
| 6,000                   | 030                    | 8               | 30,000                  | 280                    | 41              |
| 8,000                   | 070                    | 3               | 35,000                  | 280                    | 36              |
| 10,000                  | 260                    | 9               | 40,000                  | 270                    | 48              |
| 15,000                  | 290                    | 9               | 45,000                  | 270                    | 30              |
| 20,000                  | 280                    | 26              | 50,000                  | 270                    | 24              |

**UNCLASSIFIED**

**UNCLASSIFIED**

Table F.8—ACTUAL WEATHER CONDITIONS FOR NUCLEAR DETONATION EIGHT,  
8 MAY 1953  
(0730 PST)

Cloud cover: clear  
Precipitation: no precipitation within 1000 miles downstream  
Height Ground Zero: 3078 ft MSL  
Burst height: 5501 ft MSL  
Pressure: Ground Zero, 900 mb  
                    Burst height, 825 mb  
Virtual temperature: Ground Zero, 17.0°C  
                    Burst height, 8.3°C  
Actual temperature: Ground Zero, 16.7°C  
                    Burst height, 8.0°C  
Relative humidity: Ground Zero, 19 %  
                    Burst height, 23 %  
Altimeter setting: 29.81 in. at Ground Zero  
Height of tropopause: 39,000 ft MSL

| Winds                   |                        |                 | Winds                   |                        |                 |
|-------------------------|------------------------|-----------------|-------------------------|------------------------|-----------------|
| Height above<br>MSL, ft | Deg from<br>true north | Speed,<br>knots | Height above<br>MSL, ft | Deg from<br>true north | Speed,<br>knots |
| Surface                 | 190                    | 5               | 22,000                  | 250                    | 52              |
| 5,000                   | 230                    | 6               | 25,000                  | 250                    | 78              |
| 6,000                   | 270                    | 5               | 30,000                  | 240                    | 103             |
| 8,000                   | 320                    | 10              | 35,000                  | 240                    | 170             |
| 10,000                  | 260                    | 12              | 40,000                  | 240                    | 146             |
| 15,000                  | 260                    | 44              | 45,000                  | *                      | *               |
| 20,000                  | 250                    | 57              | 50,000                  | *                      | *               |

\*Balloon out of range of wind equipment.

**UNCLASSIFIED**

**UNCLASSIFIED**

Table F.9—ACTUAL WEATHER CONDITIONS FOR NUCLEAR DETONATION NINE,  
19 MAY 1953  
(0405 PST)

Cloud cover: scattered 18,000; overcast 35,000  
Precipitation: no precipitation within 1000 miles downstream  
Height Ground Zero: 4009 ft MSL  
Burst height: 4309 ft MSL  
Pressure: Ground Zero, 874 mb  
                    Burst height, 864 mb  
Virtual temperature: Ground Zero, 14.9°C  
                    Burst height, 18.9°C  
Actual temperature: Ground Zero, 14.3°C  
                    Burst height, 18.3°C  
Relative humidity: Ground Zero, 35 %  
                    Burst height, 35 %  
Altimeter setting: 29.89 in. at Ground Zero  
Height of tropopause: 40,500 ft MSL

| Winds                   |                        |                 | Winds                   |                        |                 |
|-------------------------|------------------------|-----------------|-------------------------|------------------------|-----------------|
| Height above<br>MSL, ft | Deg from<br>true north | Speed,<br>knots | Height above<br>MSL, ft | Deg from<br>true north | Speed,<br>knots |
| Surface                 | 20                     | 5               | 20,000                  | 280                    | 38              |
| 6,000                   | 200                    | 20              | 25,000                  | 280                    | 54              |
| 8,000                   | 200                    | 26              | 30,000                  | 290                    | 60              |
| 10,000                  | 210                    | 18              | 35,000                  | 290                    | 63              |
| 15,000                  | 230                    | 21              | 40,000                  | 300                    | 67              |

**UNCLASSIFIED**

**UNCLASSIFIED**

Table F.10—ACTUAL WEATHER CONDITIONS FOR NUCLEAR DETONATION TEN,  
25 MAY 1953  
(0730 PST)

Cloud cover: scattered 26,000  
Precipitation: no precipitation within 1000 miles downstream  
Height Ground Zero: 3078 ft MSL  
Burst height: 3602 ft MSL  
Pressure: Ground Zero, 901 mb  
                    Burst height, 884 mb  
Virtual temperature: Ground Zero, 15.4°C  
                    Burst height, 13.6°C  
Actual temperature: Ground Zero, 14.8°C  
                    Burst height, 13.1°C  
Relative humidity: Ground Zero, 32 %  
                    Burst height, 23 %  
Altimeter setting: 29.83 in. at Ground Zero  
Height of tropopause: 35,400 ft MSL

| Winds                   |                        |                 | Winds                   |                        |                 |
|-------------------------|------------------------|-----------------|-------------------------|------------------------|-----------------|
| Height above<br>MSL, ft | Deg from<br>true north | Speed,<br>knots | Height above<br>MSL, ft | Deg from<br>true north | Speed,<br>knots |
| Surface                 | 360                    | 4               | 25,000                  | 220                    | 65              |
| 6,000                   | 190                    | 21              | 30,000                  | 220                    | 85              |
| 8,000                   | 190                    | 21              | 35,000                  | 220                    | 120             |
| 10,000                  | 200                    | 30              | 40,000                  | 220                    | 65              |
| 15,000                  | 200                    | 35              | 45,000                  | 220                    | 57              |
| 20,000                  | 220                    | 74              | 50,000                  | 220                    | 33              |

**UNCLASSIFIED**

**UNCLASSIFIED**

**Table F.11—ACTUAL WEATHER CONDITIONS FOR NUCLEAR DETONATION ELEVEN,  
4 JUNE 1953  
(0315 PST)**

Cloud cover: clear, except for few cumulus clouds to east  
Precipitation: no precipitation within 1000 miles downstream  
Height Ground Zero: 4191 ft MSL  
Burst height: 5525 ft MSL  
Pressure: Ground Zero, 867 mb  
                    Burst height, 824 mb  
Virtual temperature: Ground Zero, 14.0°C  
                    Burst height, 12.9°C  
Actual temperature: Ground Zero, 13.3°C  
                    Burst height, 12.2°C  
Relative humidity: Ground Zero, 30 %  
                    Burst height, 38 %  
Altimeter setting: 29.79 in. at Ground Zero  
Height of tropopause: 39,060 ft MSL

| Winds                   |                        |                 | Winds                   |                        |                 |
|-------------------------|------------------------|-----------------|-------------------------|------------------------|-----------------|
| Height above<br>MSL, ft | Deg from<br>true north | Speed,<br>knots | Height above<br>MSL, ft | Deg from<br>true north | Speed,<br>knots |
| Surface                 | 045                    | 3               | 25,000                  | 310                    | 19              |
| 6,000                   | 360                    | 6               | 30,000                  | 310                    | 28              |
| 8,000                   | 020                    | 6               | 35,000                  | 270                    | 17              |
| 10,000                  | 140                    | 3               | 40,000                  | 250                    | 24              |
| 15,000                  | 170                    | 6               | 45,000                  | 280                    | 12              |
| 20,000                  | 280                    | 13              | 50,000                  | 270                    | 11              |

**UNCLASSIFIED**

[REDACTED] **UNCLASSIFIED**

## **Appendix G**

### **RAWINSONDE OBSERVATIONS**

55-56  
[REDACTED]

**UNCLASSIFIED**

**UNCLASSIFIED**

Table G.1—RAWINSONDE OBSERVATION, YUCCA LAKE, 17 MARCH 1953

0400 PST

AEC12

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 00000 | 42502 | 2504  | 62908 | 2709  | 82806 | 2724  | 02725 | 22725 | 42721 | 52832 | 62834 | 82742 |
| 02754 | 22746 | 42740 | 52747 | 62747 | 82752 | 02768 | 52653 | 02689 | 52863 | 02689 | 52663 | 02689 |
| 52663 | 02458 | 52659 | 02640 | 52647 | 00738 | 50618 | 00816 | 52650 | 00809 | 52712 | 02712 | 52714 |
| 02710 |       |       |       |       |       |       |       |       |       |       |       |       |

AEC12

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 87909 | 57511 | 00000 | 00037 | 85484 | 08579 | 02504 | 70001 | 51642 | 02724 | 50847 | 70835 | 02742 |
| 40374 | 34990 | 02738 | 55555 | 11837 | 07582 | 20806 | 06585 | 33680 | 52697 | 44585 | 63761 | 55484 |
| 72853 |       |       |       |       |       |       |       |       |       |       |       |       |

AEC62

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 30010 | 01998 | 02764 | 20843 | 06990 | 02652 | 15449 | 06990 | 02657 | 10278 | 10997 | 02242 | 05679 |
| 13996 | 02630 | 66666 | 22615 | 21207 | 19205 | 18701 | 10715 | 09411 | 08809 | 07615 | 06216 | 05911 |
| 05808 | 10158 |       |       |       |       |       |       |       |       |       |       |       |

0700 PST

AEC15

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 00000 | 40000 | 00000 | 63607 | 3509  | 83310 | 2714  | 02712 | 22615 | 42820 | 52820 | 62820 | 82842 |
| 02742 | 22752 | 42704 | 52760 | 62759 | 82658 | 02660 | 52671 | 02693 | 52652 | 02557 | 52260 | 02654 |
|       |       |       |       |       |       |       |       |       |       |       |       |       |

AEC15

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 88301 | 59511 | 00000 | 00055 | 85195 | 08546 | 00000 | 70010 | 52681 | 02715 | 50857 | 69994 | 02743 |
| 40382 | 82995 | 02754 | 55555 | 11860 | 08544 | 22840 | 08564 | 33777 | 03657 | 44752 | 01595 | 55520 |
| 67816 | 66454 | 75897 | 10168 | 04540 |       |       |       |       |       |       |       |       |

AEC65

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 30022 | 50990 | 02660 | 20854 | 09992 | 02687 | 15463 | 04990 | 02556 | 10301 | 09992 | 02460 | 66666 |
| 35690 | 22015 | 18201 | 16800 | 14206 | 13505 | 10813 | 09205 | 07012 | 10168 | 04036 | 10190 | 05352 |
| 10158 |       |       |       |       |       |       |       |       |       |       |       |       |

Table G.2—RAWINSONDE OBSERVATION, YUCCA LAKE, 24 MARCH 1953

0300 PST

AEC11

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 00000 | 40000 | 0604  | 61205 | 1408  | 81414 | 1813  | 01816 | 21913 | 42014 | 52012 | 62110 | 82112 |
| 02218 | 22318 | 52327 | 52332 | 62329 | 82327 | 02327 | 52426 | 02536 | 52638 | 02635 | 52719 | 02727 |
| 52514 |       |       |       |       |       |       |       |       |       |       |       |       |

AEC11

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 88652 | 63011 | 00000 | 00065 | 85505 | 12999 | 00603 | 70032 | 02657 | 01717 | 50891 | 66786 | 02215 |
| 40431 | 78992 | 02330 | 55555 | 11872 | 11999 | 22834 | 13537 | 33698 | 02659 | 44560 | 59996 | 55525 |
| 64780 | 66464 | 10168 | 08983 |       |       |       |       |       |       |       |       |       |

**UNCLASSIFIED**

**UNCLASSIFIED**

Table G.2—(Continued)

AEC61

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 30087 | 92990 | 02431 | 20947 | 11994 | 02634 | 15539 | 10998 | 02639 | 10350 | 10998 | 02715 | 66666 |
| 19612 | 17308 | 11217 | 08419 | 07416 | 06918 | 05510 | 10190 | 05057 | 10158 |       |       |       |

0500 PST

AEC13

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 00000 | 40000 | 0000  | 61404 | 1512  | 81516 | 1512  | 01512 | 21709 | 42018 | 52012 | 62116 | 81911 |
| 02120 | 22224 | 42125 | 52125 | 62125 | 82128 | 02231 | 52127 | 02237 | 52237 | 02326 | 52325 | 02407 |

AEC13

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 88652 | 59214 | 00000 | 00070 | 85505 | 11549 | 00000 | 70028 | 02990 | 01512 | 50886 | 67994 | 01815 |
| 40423 | 78999 | 02125 | 55555 | 11869 | 11522 | 22855 | 12541 | 33830 | 12531 | 44731 | 03605 | 55712 |
| 03661 |       |       |       |       |       |       |       |       |       |       |       |       |

AEC63

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 30078 | 93998 | 02235 | 20531 | 11991 | 02232 | 15518 | 12995 | 02229 | 10325 | 17990 | 02329 | 05700 |
| 09994 | 66666 | 24505 | 15211 | 18708 | 06016 | 10158 |       |       |       |       |       |       |

Table G.3—RAWINSONDE OBSERVATION, YUCCA LAKE, 31 MARCH 1953

0400 PST

AEC12

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 00000 | 40000 | 3610  | 60111 | 0113  | 83615 | 3420  | 03320 | 23020 | 42922 | 52921 | 63124 | 83231 |
| 03128 | 23135 | 43127 | 53125 | 63229 | 83130 | 03144 | 53142 | 03059 | 52726 | 02826 | 52730 | 62926 |

AEC12

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 88100 | 55911 | 00000 | 00047 | 85489 | 08567 | 03510 | 70007 | 51605 | 03320 | 50853 | 70993 | 03230 |
| 40380 | 83996 | 03127 | 55555 | 11865 | 08541 | 22834 | 09581 | 33630 | 57639 | 44579 | 64672 | 55531 |
| 66807 |       |       |       |       |       |       |       |       |       |       |       |       |

AEC61

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 30052 | 99997 | 03244 | 20894 | 09994 | 02963 | 15491 | 07994 | 02738 | 10327 | 10990 | 02828 | 05741 |
| 11990 | 66666 | 22211 | 19209 | 18805 | 09012 | 08310 | 06913 | 06508 | 10158 |       |       |       |

0600 PST

AEC14

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 88151 | 64111 | 00000 | 00051 | 85488 | 09672 | 00000 | 70007 | 51609 | 03114 | 50853 | 69996 | 03230 |
| 40383 | 82996 | 03240 | 55555 | 11870 | 05996 | 22863 | 08992 | 33816 | 08663 | 44640 | 58645 | 55630 |
| 58713 | 66604 | 60750 |       |       |       |       |       |       |       |       |       |       |

AEC14

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 00000 | 40000 | 0209  | 60112 | 0112  | 83511 | 3312  | 03114 | 23116 | 43220 | 53322 | 63323 | 83229 |
| 03231 | 23231 | 43240 | 53332 | 63335 | 83332 | 03338 | 53248 | 02857 | 52940 | 02835 | 53010 | 03016 |
| 53008 |       |       |       |       |       |       |       |       |       |       |       |       |

AEC64

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 30026 | 98997 | 03338 | 20867 | 10999 | 03035 | 15462 | 06994 | 02941 | 10299 | 09994 | 02825 | 05723 |
| 08998 | 03008 | 66666 | 23411 | 18310 | 17706 | 07613 | 06807 | 06509 | 10158 |       |       |       |

**UNCLASSIFIED**

**UNCLASSIFIED**

Table G.4—RAWINSONDE OBSERVATION, YUCCA LAKE, 6 APRIL 1953

0600 PST

AEC14

03205 43205 3421 63423 3318 83017 2718 02622 22834 42838 52944 62944 82844  
02855 22960 43070 53073 63083 83087 02986 22997 53088 02952 52955 02970 52727  
02948 52965

AEC14

86910 55811 03405 00501 85453 10553 03317 70976 01591 02622 50835 66991 02844  
40373 79994 02968 55555 11746 05585 22673 51604 33662 52615 44650 52623 55617  
55716 66666 58659 57459

AEC64

30022 96991 02987 20869 10990 03088 15467 06990 02960 10309 11997 02938 05736  
06998 02956 66666 21611 19259 18307 13404 10511 09113 08207 07009 10158

0800 PST

AEC16

00903 40803 0202 63004 3010 83113 2820 02828 22833 42848 52830 62836 82964  
02972 22979 42974 52968 62960 82988 02992 52970 07923 57912 02978 52934

AEC16

86915 53614 00903 00500 85454 13547 00602 70976 00616 02624 50831 66992 02568  
40368 78994 02573 55555 11710 01601 22637 54711 66666 55063

AEC66

30020 96990 02992 20869 9C996 07928 15469 04998 07923 10313 10998 02994 05737  
05991 66666 23409 17405 11906 08412 08210 07213 06807 10158

Table G.5—RAWINSONDE OBSERVATION, YUCCA LAKE, 11 APRIL 1953

0100 PST

AEC09

03505 43505 3420 63527 3627 83622 3517 03515 23410 43115 53016 62915 83224  
03060 23078 43094 58012 68020 87955 07912 57720 07720

AEC09

87750 60414 03505 00044 85475 51616 03416 70975 60744 03516 50791 81998 03223  
40306 86993 02979 55555 11755 56680 22638 65807 66666 47381

AEC59

30950 95998 07923 20826 98997 07810 15440 01997 10285 11999 05711 08991 66666  
37487 23700 22498 16003 15701 14005 12405 08313 07407 06106 10158

**UNCLASSIFIED**

**UNCLASSIFIED**

Table G.5—(Continued)

0500 PST

AEC13

00305 40307 50115 63618 3623 83631 3636 03631 23623 43523 53128 63033 83049  
03044 23083 48006 58012 67921 87950 07685 57834 07638 57615 02803 00200

AEC13

87950 65014 00306 00049 85481 01582 00211 70982 59829 03628 50801 78990 03043  
40318 84996 03185 55555 11868 02583 22738 57657 33608 68824 66666 54475

AEC63

30964 95992 07764 20833 00992 07718 15484 00998 02889 10330 07991 05768 04997  
66666 34089 20801 17899 12008 09205 08806 06707 06502 05507 10158

Table G.6—RAWINSONDE OBSERVATION, YUCCA LAKE, 18 APRIL 1953

0400 PST

AEC12

03205 43205 0120 60124 3619 82906 2709 02717 22826 43130 53230 63130 83033  
02935 22943 42950 52943 63043 83043 03146 53054 03068 52852 02917

AEC12

88005 54111 03205 00043 85486 07993 00119 70003 50617 02717 50863 64728 03034  
40407 75991 02948 55555 11868 08992 22845 07543 33787 02579 44760 03584 55711  
51611 66668 51627 77609 58619 88563 58727 99521 61704 00426 72841 10168 08884

AEC62

00069 91998 03154 20932 12990 03063 15509 12998 02860 10330 14990 05741 07996  
66666 15615 12811 09015 08009 07212 06212 10158

0700 PST

AEC15

03611 43611 0215 60215 0213 83410 2815 03023 23126 43127 52930 62931 83330  
03534 22753 43048 53147 63145 83144 03143 53152 03143 53113 03117 53125 03115  
53108

AEC15

88211 53811 03610 00048 85493 08552 00215 70008 00594 03023 50870 64731 03330  
40414 74998 03048 55555 11760 00609 22720 51611 33666 52598 44588 55704 55521  
62716 66472 66805

AEC65

30077 91998 03144 20937 12990 03137 15513 14993 03114 10335 12996 03130 05785  
05997 03109 66666 31489 18016 16216 12611 08714 08212 10158

**UNCLASSIFIED**

**UNCLASSIFIED**

Table G.7—RAWINSONDE OBSERVATION, YUCCA LAKE, 25 APRIL 1953

|              |  | 0400 PST  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--------------|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| <b>AEC12</b> |  | 88109 57411 00000 00038 85492 17557 00107 70022 06609 02710 50890 65784 02812<br>55555 11853 17557 22574 57664 33507 64786 44482 68762 66666 46419 10150 10168<br>04846 10159                   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>AEC12</b> |  | 00000 40000 0108 60308 0404 80703 1804 02609 22812 42711 52909 62908 82709<br>02826 22826 42823 52822 62823 82832 02841 52836 02748 52730 02724 42724   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>AEC62</b> |  | 10150 10159   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|              |  | 0700 PST  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>AEC15</b> |  | 00000 40000 0506 60809 0909 81404 2806 02707 22712 42509 52510 62209 83113<br>02818 22822 42835 52828 62826 82820 02826 52826 02843 52837 02832   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>AEC15</b> |  | 88115 56111 00000 00038 85493 15567 00506 70023 05612 02707 50887 65996 03113<br>40423 79995 02828 55555 11874 17542 22738 09611 33580 57675 44522 63787 55478<br>68824 68440 74832 77423 76885 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>AEC65</b> |  | 30074 96990 02828 20914 15990 02842 15499 09997 02839 66666 33190 20317 19713<br>18914 18411 12614 10614 10168 04033 10190 10316 10155  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

Table G.8—RAWINSONDE OBSERVATION, YUCCA LAKE, 8 MAY 1953

|              |  | 0700 PST   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| <b>AEC15</b> |  | 01404 41504 2306 62705 3110 83210 3010 02612 22526 42635 52644 62548 82558<br>02557 22552 42568 52578 62578 87501 07403 57470 07446          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>AEC15</b> |  | 87312 60414 01404 00015 85466 10616 02106 70982 52619 02710 50834 68990 02555<br>40366 81995 02568 55555 11752 01651 22680 54627 33635 56741 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>AEC65</b> |  | 30045 94995 07403 20909 07994 07443 15510 05992 10357 08999 05579 05992 66666<br>19104 16307 10307 09511 08106 06809 10158                   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

**UNCLASSIFIED**

**UNCLASSIFIED**

Table G.8—(Continued)

1000 PST

**AEC18**

87116 53314 02015 00004 85460 13501 02212 70977 53639 02810 50814 71995 02456  
40341 82992 02468 55555 11780 04604 22650 59675 33597 64782 66666 55967 54417

**AEC18**

02015 42015 2212 62210 2408 82708 2810 02810 22618 42624 52530 62440 82454  
02465 22462 42472 52472 62470 82481 02485 52310 07410 57400 07435

**AEC68**

30986 95994 02484 20858 02991 07417 15465 02995 07404 10314 08996 05087 03991  
66666 27100 23701 22298 17405 16702 09203 08008 07605 06408 05604 10158

Table G.9—RAWINSONDE OBSERVATION, YUCCA FLAT, 19 MAY 1953

0400 PST

**AEC12**

02003 42003 2010 62020 2025 82926 2123 02118 22015 42217 52321 62630 82737  
02837 22848 42855 52854 62950 82844 02960 52963 03067 52877 02863 52860 02856  
52824

**AEC12**

87615 51211 02003 00019 85477 17007 02007 70011 06543 02116 50883 60653 02737  
40433 73787 02856 55555 11864 18005 22580 56618 33552 56596 44520 57636

**AEC62**

30100 90990 02969 20961 14990 03064 15531 15996 02876 10334 18991 02754 05727  
09997 02814 66666 18418 16218 09518 07414 06510 05212 10158

0700 PST

**AEC15**

00000 40000 0000 62017 2020 82021 2117 02217 22220 42626 52732 62836 82837  
02739 22841 42750 52753 62753 82754 02860 52878 02870 52862 02860 52816

**AEC15**

87617 00111 00000 00018 85477 15517 00000 70010 06588 02217 50884 61651 02736  
40433 72768 02753 55555 11797 13531 22778 12558 33558 56605 44529 58621

**AEC65**

30102 89991 02870 20965 12994 02868 15539 17994 02862 10342 19990 02825 66666  
18816 18013 15319 14315 09320 07815 10151

**UNCLASSIFIED**

UNCLASSIFIED

Table G.10—RAWINSONDE OBSERVATION, YUCCA FLAT, 25 MAY 1953

| 0400 PST     |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| <b>AEC12</b> |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 87209        | 58011 | 01811 | 00016 | 85462 | 07607 | 01922 | 70978 | 51674 | 02036 | 50834 | 60997 | 02262 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 40380        | 75892 | 02393 | 55555 | 11782 | 04672 | 22768 | 04991 | 33735 | 01686 | 44656 | 55663 | 55626 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 56757        | 66574 | 61999 | 77504 | 60990 | 88460 | 67837 | 99432 | 71822 |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>AEC12</b> |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 01811        | 1811  | 61930 | 2033  | 82036 | 2035  | 02038 | 22139 | 42330 | 52333 | 62344 | 82264 | 02266 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 22289        | 42392 | 52396 | 62398 | 87304 | 07305 | 57322 | 07337 | 52387 | 02237 | 52232 |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>AEC62</b> |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 30040        | 91998 | 07310 | 20901 | 10990 | 07320 | 15498 | 03997 | 02387 | 10338 | 11990 | 02324 | 66666 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 21210        | 18710 | 17609 | 17205 | 16406 | 15202 | 14606 | 12906 | 08714 | 07607 | 06809 | 10190 | 05761 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 10147        |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 0700 PST     |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>AEC15</b> |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 01816        | 41915 | 2214  | 61921 | 1830  | 81921 | 2021  | 02030 | 22031 | 42038 | 52035 | 62048 | 82174 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 02274        | 22276 | 42288 | 52265 | 62255 | 82289 | 02285 | 57220 | 02265 | 52257 | 02233 | 52211 | 02209 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>AEC15</b> |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 87412        | 58114 | 01816 | 00017 | 85469 | 09611 | 02112 | 70984 | 52671 | 02030 | 50837 | 64998 | 02187 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 40381        | 75861 | 02290 | 55555 | 11804 | 03664 | 22772 | 03664 | 33657 | 54725 | 44535 | 66991 | 55522 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 64991        | 66498 | 64807 | 77452 | 68787 |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>AEC65</b> |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 30044        | 90998 | 02295 | 20906 | 06992 | 02162 | 15507 | 06990 | 02159 | 10345 | 10996 | 02113 | 05778 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 04992        | 55555 | 88366 | 81893 | 66666 | 35182 | 30590 | 23605 | 20607 | 12506 | 11808 | 11107 | 09114 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 08207        | 07709 | 07406 | 06509 | 06205 | 05807 | 10158 |       |       |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

Table G.11—RAWINSONDE OBSERVATION, YUCCA FLAT, 4 JUNE 1953

| 0400 PST     |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| <b>AEC12</b> |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 00000        | 40000 | 0110  | 63606 | 0108  | 80206 | 0210  | 01403 | 22003 | 41708 | 51706 | 62104 | 82715 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 02813        | 23118 | 43120 | 53119 | 63124 | 83128 | 03128 | 52717 | 02524 | 52812 | 02711 | 52604 | 02704 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>AEC12</b> |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 87505        | 59311 | 00000 | 00027 | 85473 | 14001 | 00211 | 70001 | 03586 | 01603 | 50861 | 66991 | 02716 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 40399        | 77995 | 03120 | 55555 | 11873 | 10524 | 22866 | 14006 | 33560 | 61698 | 44542 | 61767 |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>AEC62</b> |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 30053        | 95990 | 03129 | 20906 | 09996 | 02822 | 15504 | 06992 | 02712 | 10343 | 09993 | 02609 | 05767 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 07990        | 66666 | 24606 | 18606 | 09210 | 10158 |       |       |       |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

UNCLASSIFIED

**UNCLASSIFIED**

Table G.11—(Continued)

0700 PST

**AEC15**

00000 0000 0206 60509 0607 80504 0303 02803 22208 42307 52303 60000 80000  
02930 22928 42829 52828 62827 82928 03027 53047 03031

**AEC15**

87615 57014 00000 00023 85477 17002 00000 70010 05587 02704 50875 99999 00000  
40421 76990 02829 55555 11864 17017 22732 09581 33600 55667 44569 59720 55551  
60990 44444 77492 63787 88432 72852 10168 05749

**AEC65**

30080 93992 03032 20937 10990 15541 03990 66666 24705 20311 18803 10808 10190  
10388 10155

Table G.12—RAWINSONDE OBSERVATION, TONOPAH, 17 MARCH 1953

0400 PST

**TPH12**

83102 67911 00211 00041 85482 90993 54992 02736 50832 72823 02639 40359 83995  
02854 55555 11822 04644 22642 58756 33549 68787 44522 69806 55474 73859

**TPH12**

00211 63613 3411 83319 3123 02736 22634 42634 52734 62732 82629 02646 22644  
42851 52744 62754 82652 02575 52444 02574 22577

**TPH62**

30997 00995 02755 20835 11990 02542 66666 23408 21413 19308 17084 10190 15434  
10159

0700 PST

**TPH15**

83303 57014 03405 00048 85488 70996 55995 02836 50834 72820 02751 40359 85896  
02754 55555 11828 02643 22710 55712 33677 56999 44620 62777 55587 65767

**TPH15**

03405 63405 3410 83320 3126 02934 22628 42728 52730 62738 82751 02743 22747  
42752 52752 62952 82752 02527 52656 02577 52752 02765 22778

**TPH65**

30992 01998 02557 20827 06995 02572 15935 03999 02745 10279 09998 05703 08993  
66666 57390 23812 17401 11906 08707 07211 07009 05210 10158

**UNCLASSIFIED**

**UNCLASSIFIED**

Table G.13—RAWINSONDE OBSERVATION, TONOPAH, 24 MARCH 1953

| 0400 PST     |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|--|--|--|--|--|--|--|--|--|--|--|--|
| <b>TPH12</b> |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 83650        | 60511 | 03609 | 00062 | 85498 | 70019 | 01618 | 01718 | 50878 | 67990 | 02124 | 40415 | 77999 |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 01925        | 55555 | 11831 | 09521 | 22779 | 09561 | 33651 | 51695 | 66666 | 47171 | 46221 |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>TPH12</b> |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 03609        | 62309 | 1512  | 81618 | 1720  | 01718 | 21820 | 44444 | 45689 | 02120 | 22022 | 41926 | 51923 |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 62023        | 81933 | 02035 | 52234 | 02224 | 12150 |       |       |       |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>TPH62</b> |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 30069        | 94993 | 02039 | 20994 | 11994 | 02332 | 55555 | 19112 | 18211 | 10159 |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 0700 PST     |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>TPH15</b> |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 83501        | 60411 | 03604 | 00061 | 85434 | 70015 | 02993 | 01733 | 50872 | 67783 | 01825 | 40410 | 79995 |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 01944        | 55555 | 11827 | 08557 | 22784 | 08562 | 33723 | 03600 | 44704 | 02655 | 55599 | 58993 | 66517 |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 65794        | 77472 | 69828 |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>TPH15</b> |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 03604        | 60910 | 1416  | 81522 | 1629  | 01631 | 21831 | 42026 | 52026 | 61926 | 81825 | 01825 | 22035 |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 41944        | 52143 | 62339 | 82436 | 02435 | 52350 | 02243 | 52139 | 02140 | 52228 | 02307 | 32303 |       |  |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>TPH65</b> |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 30066        | 93992 | 02335 | 20923 | 10997 | 02239 | 15514 | 10990 | 02145 | 10331 | 13990 | 02234 | 66666 |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 36482        | 20311 | 18909 | 11016 | 08516 | 06214 | 10190 | 05717 | 10158 |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |

Table G.14—RAWINSONDE OBSERVATION, TONOPAH, 31 MARCH 1953

| 0400 PST     |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|--|--|--|--|--|--|--|--|--|--|--|--|
| <b>TPH12</b> |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 83400        | 63211 | 03409 | 00053 | 85491 | 70003 | 54604 | 03115 | 50846 | 71993 | 03233 | 40373 | 83996 |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 03235        | 55555 | 11815 | 06556 | 22684 | 56611 | 33657 | 58665 | 44651 | 57724 | 55630 | 58736 |       |  |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>TPH12</b> |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 03409        | 63409 | 3412  | 83315 | 3115  | 03115 | 23122 | 43230 | 53224 | 63230 | 83230 | 03135 | 23134 |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 43287        | 53244 | 63335 | 83344 | 03340 | 53154 | 02952 |       |       |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>TPH62</b> |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 30011        | 00991 | 03340 | 30850 | 10990 | 03152 | 66666 | 23711 | 21609 | 18211 | 17708 | 10159 |       |  |  |  |  |  |  |  |  |  |  |  |  |  |

**UNCLASSIFIED**

# UNCLASSIFIED

Table G.14—(Continued)

0700 PST

**TPH15**

83603 55711 03606 00056 85496 70009 54627 03216 50857 70996 03330 40386 83992  
03231 55555 11828 05654 22797 04665 33680 56637 44654 55719 55600 59995

**TPH15**

03606 63507 3509 83410 3212 03216 23521 43326 53327 63329 83330 03231 23231  
43231 53236 63236 83235 03245 53242 02941 52934 02820 52617 03027 50908 02503

**TPH65**

30022 00990 03247 20862 10994 03135 15453 05997 02926 10298 08999 02719 05722  
06998 02703 66666 22412 21810 17812 11305 06809 06406 05912 10158

Table G.15—RAWINSONDE OBSERVATION, TONOPAH, 6 APRIL 1953

0700 PST

**TPH15**

82507 58711 02911 00009 85458 70976 52662 02839 50820 70996 02871 40349 81910  
02873 55555 11760 01604 22625 59765 66666 41032

**TPH15**

02911 63015 3120 83124 2928 02839 22944 42951 52943 62947 82868 02871 22979  
42980 52923 62989 82991 07915 57916 07912 62962 02955 12950

**TPH65**

30655 96992 07916 20850 05999 02997 15453 65990 02968 66666 23407 12409 10706  
10190 10294 10158

1000 PST

**TPH18**

82410 58411 03226 00005 85456 70972 52684 02743 50818 72990 02987 40347 80995  
08011 55555 11817 07613 22755 50632 33738 50638 44727 50650 55668 55736 66666  
60461

**TPH18**

03226 63226 3126 83030 2839 02745 22853 42848 52950 63054 82987 02961 22999  
42992 53061 63197 88713 07917 57960 02965 12960

**TPH68**

30995 95998 07917 20852 03990 02981 66666 22808 17803 10159

# UNCLASSIFIED

# UNCLASSIFIED

Table G.16—RAWINSONDE OBSERVATION, TONOPAH, 11 APRIL 1953

0400 PST

TPH12

83256 59311 03309 00062 85487 70983 62663 00118 50796 81991 03325 40304 89996  
03362 55555 11805 53578 22664 03362 33572 73859 66666 43388

TPH12

03309 63309 3310 83612 0116 00117 23510 43423 52323 63324 83328 03328 23059  
43263 53266 63173 83097 07906 52971 02874

TPH62

30938 96991 07912 20808 98998 02864 66666 25501 24600 22201 17699 10159

0700 PST

TPH15

83350 58714 03306 00060 85490 70985 62716 03415 50798 81994 03129 40308 89990  
03180 55555 11740 60674 22598 70854

TPH15

03306 63308 3412 83415 3416 03415 23415 43213 53118 63122 83135 03148 23156  
48011 58023 68031 88074 02942 00200 52943 00200 57796

TPH65

30940 96998 02930 00200 20808 00991 07799 15426 00995 10274 08991 05721 04999  
66666 34495 25002 17997 12902 07805 06308 05803 10158

Table G.17—RAWINSONDE OBSERVATION, TONOPAH, 18 APRIL 1953

0400 PST

TPH12

83550 52111 03612 00061 85494 70003 55617 03111 50859 65728 03135 40399 75998  
02942 55555 11830 03560 22821 03549 33688 54605 44671 54685 55638 54707 66576  
59683 77553 60717 88484 67731 99436 71847

TPH12

02612 63613 3612 83310 3310 03111 22934 43141 53145 63235 83138 02843 22933  
42942 52950 62948 53057 03053 53067 02882

TPH62

30057 93991 03056 20919 11991 03038 66666 24301 18514 10159

# UNCLASSIFIED

# UNCLASSIFIED

Table G.17—(Continued)

0700 PST

TPH15

83604 53311 03610 00060 85497 70008 54614 03213 50867 64752 03133 40411 74997  
02944 55555 11817 03578 22670 54710 33635 53706 44586 57668 55452 69834

TPH15

03610 63609 0207 80207 3609 03212 23024 43230 53130 63132 83133 03031 22934  
42943 52945 62938 82942 03036 53042 02953 52848 02851 52910 01909 52317 02929

TPH65

30076 91990 03146 20940 09998 02944 15521 12556 02852 10347 11993 02910 05778  
03993 03417 66666 22207 17715 11510 07608 07011 06005 05507 10158

Table G.18—RAWINSONDE OBSERVATION, TONOPAH, 25 APRIL 1953

0400 PST

TPH12

83708 57011 03207 00048 85498 70029 06603 02002 50897 64789 02713 40438 78833  
02820 55555 11830 12540 22812 13546 33592 55641 44542 59744 55480 67814 66462  
69996 77438 72857

TPH12

03207 60107 0804 81703 2402 02605 22513 42512 52711 62909 82711 02816 22916  
42819 52819 62816 82822 02728 52737 02738

TPH62

30090 97998 02728 20940 12999 02738 55555 88354 86900 66666 19412 10159

0700 PST

TPH15

83712 55711 03213 00044 85497 70029 06602 02211 50897 65990 02911 40438 78836  
02816 55555 11830 13560 22782 12569 33630 51628 44562 57736 55496 65807

TPH15

03213 63607 0916 81406 1906 02110 22416 42409 52308 62508 82910 02814 22819  
42818 52818 62718 82727 02817 52731 02735 52741 02525 52617 02706 50906 00809

TPH65

30091 94991 02716 20943 12990 02736 15532 06994 02727 10366 10999 02622 05786  
07998 00806 55555 66354 85896 66666 19813 10158

# UNCLASSIFIED

**UNCLASSIFIED**

Table G.19—RAWINSONDE OBSERVATION, TONOPAH, 8 MAY 1953

| 0700 PST     |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|--|--|--|--|--|--|
| <b>TPH15</b> |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |
| 82906        | 65911 | 03215 | 00028 | 85474 | 70987 | 54701 | 02918 | 50825 | 70996 | 02552 | 40353 | 82995 |  |  |  |  |  |  |  |
| 02371        | 55555 | 11714 | 54700 | 22644 | 60733 | 33615 | 60756 | 44536 | 66666 | 53670 |       |       |  |  |  |  |  |  |  |
| <b>TPH15</b> |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |
| 03215        | 63116 | 3117  | 83218 | 3115  | 02917 | 22215 | 42426 | 52433 | 62537 | 82550 | 02563 | 22468 |  |  |  |  |  |  |  |
| 42465        | 52762 | 62473 | 82487 | 02592 | 52497 | 02432 | 52435 | 00000 | 50631 | 02407 | 52509 | 00000 |  |  |  |  |  |  |  |
| <b>TPH65</b> |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |
| 30995        | 95995 | 02592 | 20874 | 50990 | 02492 | 15489 | 02998 | 02455 | 10346 | 03993 | 07409 | 05806 |  |  |  |  |  |  |  |
| 03998        | 02409 | 66666 | 33693 | 23496 | 22299 | 13804 | 12899 | 10606 | 07206 | 06702 | 10158 |       |  |  |  |  |  |  |  |
| 1000 PST     |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |
| <b>TPH18</b> |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |
| 82909        | 99811 | 03017 | 00026 | 85473 | 70987 | 56674 | 02817 | 50814 | 76997 | 02532 | 40336 | 83991 |  |  |  |  |  |  |  |
| 02649        | 55555 | 11824 | 06614 | 22564 | 69832 |       |       |       |       |       |       |       |  |  |  |  |  |  |  |
| <b>TPH18</b> |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |
| 03017        | 63117 | 3119  | 83017 | 2916  | 02817 | 22623 | 42530 | 52530 | 62630 | 82631 | 02536 | 22643 |  |  |  |  |  |  |  |
| 42551        | 52557 | 62557 | 82360 | 02463 | 52463 | 02548 |       |       |       |       |       |       |  |  |  |  |  |  |  |
| <b>TPH68</b> |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |
| 30980        | 94999 | 02462 | 20862 | 08990 | 02444 | 66666 | 24298 | 22695 | 18299 | 10159 |       |       |  |  |  |  |  |  |  |

Table G.20—RAWINSONDE OBSERVATION, TONOPAH, 19 MAY 1953

| 0400 PST     |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|--|--|--|--|--|--|
| <b>TPH12</b> |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |
| 83114        | 03111 | 00000 | 00017 | 85478 | 70042 | 05524 | 02221 | 50881 | 61644 | 02646 | 40430 |       |  |  |  |  |  |  |  |
| 72766        | 02646 | 55555 | 11557 | 57595 |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |
| <b>TPH12</b> |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |
| 00000        | 60000 | 3009  | 82614 | 2416  | 02220 | 22327 | 42525 | 52527 | 62534 | 82645 | 02747 |       |  |  |  |  |  |  |  |
| 22842        | 42646 | 52649 | 62653 | 82660 | 02758 | 52766 | 02777 |       |       |       |       |       |  |  |  |  |  |  |  |
| <b>TPH62</b> |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |
| 30102        | 88994 | 02757 | 20970 | 11994 | 02777 | 55555 | 22320 | 84894 | 66666 | 19214 | 10159 |       |  |  |  |  |  |  |  |
| 0700 PST     |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |
| <b>TPH15</b> |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |
| 83114        | 02211 | 01604 | 00018 | 85477 | 70010 | 06530 | 02320 | 50882 | 62643 | 02740 | 40430 |       |  |  |  |  |  |  |  |
| 73773        | 02649 | 55555 | 11556 | 58600 |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |
| <b>TPH15</b> |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |
| 01604        | 61804 | 2006  | 82111 | 2215  | 02319 | 22519 | 42626 | 52734 | 62739 | 82744 | 02630 | 22746 |  |  |  |  |  |  |  |
| 42745        | 52653 | 62654 | 82663 | 02683 | 52687 | 02797 | 17709 |       |       |       |       |       |  |  |  |  |  |  |  |
| <b>TPH65</b> |       |       |       |       |       |       |       |       |       |       |       |       |  |  |  |  |  |  |  |
| 30099        | 88993 | 02693 | 20969 | 10992 | 02790 | 55555 | 22313 | 85899 | 66666 | 18813 | 18411 | 10158 |  |  |  |  |  |  |  |

**UNCLASSIFIED**

**UNCLASSIFIED**

Table G.21—RAWINSONDE OBSERVATION, TONOPAH, 25 MAY 1953

0400 PST

TPH12

|       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 82601 | 55711 | 03209 | 00022 | 85467 | 70975 | 54641 | 02014 | 50816 | 69991 | 02274 | 40353 |
| 76868 | 07203 | 55555 | 11614 | 61711 | 22564 | 66811 | 33488 | 69995 | 44438 | 73869 |       |

TPH12

|       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 03209 | 63110 | 2909  | 82607 | 2109  | 02014 | 21921 | 42030 | 52237 | 62248 | 82273 | 02285 |
| 27200 | 42299 | 57210 | 67225 | 87227 | 07201 | 57234 | 07013 |       |       |       |       |

TPH62

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 30013 | 92995 | 07207 | 20880 | 04998 | 02295 | 55555 | 55380 | 79897 | 66666 | 21006 | 18102 | 10158 |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|

0700 PST

TPH15

|       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 82705 | 54711 | 03209 | 00015 | 85468 | 70979 | 55639 | 01910 | 50819 | 67998 | 02273 | 40357 |
| 77991 | 02107 | 55555 | 11660 | 59671 | 22604 | 61779 | 33546 | 67995 | 44482 | 69832 |       |

TPH15

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 03209 | 63109 | 2907  | 82503 | 2006  | 01910 | 21927 | 42032 | 52133 | 62242 | 82271 | 02282 | 22189 |
| 47108 | 57107 | 62297 | 82195 | 07128 | 57265 | 07208 | 52276 | 02185 | 52118 | 00324 | 52126 | 02119 |

TPH65

|       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 30016 | 91990 | 07129 | 20885 | 04994 | 07111 | 15495 | 02997 | 02276 | 10353 | 06998 | 03107 |
| 05809 | 02990 | 02110 | 55555 | 55366 | 81897 | 66666 | 21005 | 17201 | 11302 | 10158 |       |

Table G.22—RAWINSONDE OBSERVATION, TONOPAH, 4 JUNE 1953

0400 PST

TPH12

|       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 83107 | 50211 | 03309 | 00029 | 85479 | 70007 | 03558 | 03303 | 50869 | 65752 | 02617 | 40409 |
| 77904 | 02827 | 55555 | 11824 | 11024 | 22813 | 12021 | 33762 | 09524 | 44527 | 64686 |       |

TPH12

|       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 03309 | 63410 | 3510  | 83509 | 3508  | 03303 | 22207 | 42210 | 52213 | 62314 | 82615 | 02723 |
| 22827 | 42828 | 52828 | 62828 | 82826 | 03032 | 52837 | 02732 | 32718 |       |       |       |

TPH62

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 30063 | 55990 | 03033 | 20911 | 10997 | 02733 | 66666 | 23009 | 20511 | 18007 | 16007 | 10190 | 15545 |
| 10158 |       |       |       |       |       |       |       |       |       |       |       |       |

0700 PST

TPH15

|       |       |       |       |       |       |       |       |       |       |       |       |  |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|
| 83212 | 50411 | 03309 | 00024 | 85481 | 70013 | 04547 | 01703 | 50877 | 65754 | 02723 | 40418 |  |
| 77828 | 02737 | 55555 | 11764 | 10514 | 22536 | 63691 |       |       |       |       |       |  |

TPH15

|       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 03309 | 63406 | 3604  | 80405 | 0604  | 01803 | 22313 | 42511 | 52612 | 62613 | 82619 | 02728 |
| 22831 | 42737 | 52636 | 62635 | 82638 | 02744 | 52843 | 02830 | 52729 | 02721 | 52812 | 02708 |
| 50910 | 03103 |       |       |       |       |       |       |       |       |       |       |

TPH65

|       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 30073 | 73939 | 02747 | 20930 | 09993 | 02830 | 15531 | 74993 | 02824 | 10374 | 07996 | 02812 |
| 05807 | 06997 | 00908 | 55555 | 33359 | 83898 | 66666 | 22208 | 21006 | 19710 | 17804 | 10158 |

**UNCLASSIFIED**

[REDACTED] **UNCLASSIFIED**

**Appendix H**

**PIBAL OBSERVATIONS**

71 — 72  
[REDACTED]

**UNCLASSIFIED**

**UNCLASSIFIED**

Table H.1—PIBAL OBSERVATION, 17 MARCH 1953

|  |  |
|--|--|
| <b>BTY12</b><br>00604 41603 1804 61905 2007 82413 2513 02714 22521 42518   | Beatty<br>0400 PST<br><br><b>BTY15</b><br>00403 40308 0210 60107 3208 83109 2709 2410 22518 42623 52236 62444 82458 92467  |
| <b>CAL12</b><br>00000 0000 62010 2024 82126 2475 02526 22626 42631 52628 62729 82732 02720 52725                                       | Caliente<br>0400 PST<br><br><b>CAL15</b><br>00000 0000 62509 2614 82718 2719 02718 22821 42824 52727 62730 82730 02739 22744<br>42748 52744 62735                          |
| <b>CUR12</b><br>01903 62112 23138 82616 2616 02588 22525 40441 52444 62343 82345   | Currant<br>0400 PST<br><br><b>CUR15</b><br>03322 63327 3223 82914 2612 02413 22532 42538 52539 62541 82450 02554 22578<br>42570 52577 62574 82477 02275 52464 82469        |
| <b>SGU13</b><br>00000 0000 41006 1804 62508 2513 82416 2317 02320 22425 42631 52632 62633<br>82643 02644 22643 42653 52658 82656 02657 | St. George<br>0500 PST<br><br><b>SGU15</b><br>00000 0000 43505 3303 62804 2507 82311 2314 02617 22828 42827 52626 62532<br>83736 02645 22646 42650 52757 62757 82757 02765 |
| <b>WSP12</b><br>02812 62817 2824 82729 2633 02637 22641 42641 52641 62653 82670 02677 22666<br>42655 52655 62659 82669                 | Warm Springs<br>0400 PST   |

**UNCLASSIFIED**

**UNCLASSIFIED**

Table H.1—(Continued)

0700 PST

WSP15

03203 63103 3008 82916 2824 02828 22743 42743 52744 62744 82749 02775

Table H.2—PIBAL OBSERVATION, 24 MARCH 1953

Beatty

0400 PST

BTY12

00407 40605 1103 61606 1709 81712 1615 01618 21822 42022 52018 62014 81912  
02019 22123 42027 51929 61924 81923 02129 12129

0700 PST

BTY15

00604 40704 1005 61511 1516 81717 1621 01620 21621 41925 51927 61930 81932  
01830 21827 41929 51929 62030 82133 02231 52235 02135 22236

Caliente

0400 PST

CAL12

03503 3603 60304 0808 80910 1208 01706 21310 41608 51908 62109 82611 02617  
22319 42118 52117 62217 82118 02127 22228

0700 PST

CAL15

00904 1004 61105 1209 81313 1513 01513 21912 42110 52113 62212 82513 02317  
22323 42327 52224 62121 82124 02125 52337 62327

Currant

0400 PST

CUR12

00000 61103 1705 81706 1608 01609 21512 41816 51914 61913 82012 02219 21921  
41923 51925 61827 71825

St. George

0400 PST

SGU12

00000 0000 40000 0807 60807 0909 81109 1210 01109 21110 41908 51910 62205  
82405 02615 22516 42514 52214 62214 82314 02115 52125 02438 12439

0700 PST

SGU15

00703 0703 40707 0808 61111 1313 81415 1515 01413 21608 41910 52007 02307  
82409 02418 22321 42222 52120 62118 82221 02425 52432 02233 52343 72334

**UNCLASSIFIED**

**UNCLASSIFIED**

Table H.2—(Continued)

Warm Springs

0400 PST

**WSP12**

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 01803 | 61803 | 1805  | 81913 | 1916  | 01819 | 21820 | 41922 | 61923 | 82115 | 02215 | 22122 | 42324 |
| 52325 | 62129 | 82130 | 01930 | 52129 | 62130 |       |       |       |       |       |       |       |

0700 PST

**WSP15**

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 00000 | 60000 | 1808  | 81615 | 01523 | 1627  | 21825 | 42028 | 52027 | 62026 | 82023 | 02030 | 21930 |
| 42038 | 52036 | 62035 | 82132 | 02232 | 52143 | 02143 | 52243 | 72245 |       |       |       |       |

Table H.3—PIBAL OBSERVATION, 31 MARCH 1953

Beatty

0400 PST

**BTY12**

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 03407 | 43510 | 3615  | 63618 | 3519  | 83317 | 3016  | 03116 | 23120 | 43423 | 53325 | 63324 | 83229 |
| 03129 | 23234 | 43333 | 53333 | 63234 | 83241 | 03242 | 33243 |       |       |       |       |       |

0700 PST

**BTY15**

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 03609 | 43610 | 3613  | 63615 | 3616  | 83614 | 3112  | 03013 | 23418 | 43322 | 53323 | 63326 | 83330 |
| 03131 | 23233 | 43336 | 53325 | 63333 | 83337 | 03346 | 23345 |       |       |       |       |       |

Caliente

0400 PST

**CAL12**

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 00000 | 0000  | 63103 | 3106  | 83209 | 3411  | 03314 | 23118 | 42922 | 52926 | 62925 | 83021 | 03022 |
| 23020 | 43024 | 53026 | 63020 | 83023 | 03022 | 13027 |       |       |       |       |       |       |

0700 PST

**CAL15**

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 03603 | 3604  | 60104 | 3609  | 83615 | 3518  | 03517 | 23418 | 43221 | 53325 | 63329 | 83326 | 03332 |
| 23331 | 43333 | 53237 | 63241 | 83239 | 03237 |       |       |       |       |       |       |       |

Currant

0400 PST

**CUR12**

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 03204 | 63109 | 83118 | 3022  | 03023 | 22715 | 42719 | 52826 | 62829 | 82928 | 02838 | 22841 | 42850 |
| 52854 | 62860 | 82074 | 02884 |       |       |       |       |       |       |       |       |       |

**CUR15**

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 03005 | 63009 | 3116  | 83118 | 3021  | 03022 | 23024 | 43022 | 53025 | 63030 | 82931 | 03042 | 22944 |
| 42941 | 52941 | 62940 | 82942 | 02938 |       |       |       |       |       |       |       |       |

**UNCLASSIFIED**

**UNCLASSIFIED**

Table H.3—(Continued)

St. George

0400 PST

SGU12

|       |       |       |      |       |      |       |      |       |       |       |       |       |
|-------|-------|-------|------|-------|------|-------|------|-------|-------|-------|-------|-------|
| 00000 | 0000  | 40704 | 0203 | 63105 | 2816 | 82719 | 2719 | 02022 | 22220 | 42118 | 53022 | 63025 |
| 83022 | 03023 | 12028 |      |       |      |       |      |       |       |       |       |       |

0700 PST

SGU15

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 00000 | 0000  | 40000 | 2804  | 62809 | 2810  | 83110 | 3209  | 23015 | 42923 | 53024 | 63024 | 83030 |
| 03121 | 23126 | 43127 | 53129 | 63140 | 82134 | 03236 | 53262 | 63265 |       |       |       |       |

Warm Springs

0300 PST

WSP11

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 03603 | 63603 | 3605  | 83607 | 3507  | 03407 | 23208 | 43016 | 53017 | 63123 | 83129 | 03133 | 23232 |
| 43233 | 53235 | 63235 | 83243 | 03249 | 23342 |       |       |       |       |       |       |       |

0700 PST

WSP15

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 00203 | 63303 | 0303  | 83505 | 3205  | 03208 | 23416 | 43323 | 53321 | 63327 | 83229 | 03232 | 23237 |
| 43241 | 53242 | 63243 | 83247 | 03243 | 53258 | 03126 |       |       |       |       |       |       |

Table H.4—PIBAL OBSERVATION, 6 APRIL 1953

Beatty

0700 PST

BTY15

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 00906 | 40408 | 0112  | 63614 | 3312  | 82910 | 2716  | 02725 | 22733 | 42942 | 52949 | 62955 | 82955 |
| 03060 | 23079 | 43086 | 52987 | 62988 | 82990 | 02997 |       |       |       |       |       |       |

1000 PST

BTY18

|       |       |       |       |      |       |      |       |       |       |       |       |       |
|-------|-------|-------|-------|------|-------|------|-------|-------|-------|-------|-------|-------|
| 03003 | 43303 | 3102  | 62704 | 2706 | 82812 | 2720 | 02825 | 22934 | 42949 | 52853 | 62868 | 82978 |
| 03171 | 23288 | 33293 |       |      |       |      |       |       |       |       |       |       |

Caliente

0700 PST

CAL15

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 00000 | 0000  | 63008 | 3016  | 83020 | 3019  | 02920 | 22927 | 42844 | 52848 | 62847 | 82748 | 02762 |
| 22872 | 42774 | 52877 | 62880 | 87802 | 07807 |       |       |       |       |       |       |       |

1000 PST

CAL18

|       |       |       |       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 02608 | 2608  | 62610 | 2712  | 82715 | 2717  | 02721 | 22731 | 42741 | 52753 | 62753 | 82935 | 02841 |
| 22850 | 42854 | 52850 | 62861 | 82969 | 02956 | 12956 |       |       |       |       |       |       |

**UNCLASSIFIED**

**UNCLASSIFIED**

Table H.4—(Continued)

|   |
|---|
| Currant   |
| 0700 PST  |
| <b>CUR15</b>  |
| 03005 63009 2914 82615 2516 02415 22519 42536 52541 62544 82559 92563           |
| 1000 PST  |
| <b>CUR18</b>  |
| 02609 62613 2616 82515 2415 02418 22325 42331 52333                             |
| St. George  |
| 0700 PST  |
| <b>SGU15</b>  |
| 02509 2509 42516 2516 62517 2417 82715 2915 02923 22933 42736 52638 62742       |
| 1000 PST  |
| <b>SGU18</b>  |
| 02514 2514 42416 2515 62515 2617 82619 2721 02722 22725 42938 52742 62749 82753 |
| 02756 22760   |
| Warm Springs  |
| 0700 PST  |
| <b>WSP15</b>  |
| 02909 62914 2921 82927 2932 02936 22939 42943 52849 62855                       |
| 1100 PST  |
| <b>WSP19</b>  |
| 02839 62839 2848 82869 2882 02875 22862 42851                                   |

Table H.5—PIBAL OBSERVATION, 11 APRIL 1953

|  |
|--|
| Beatty   |
| 0400 PST   |
| <b>BTY12</b>   |
| 00513 40214 6196 63626 3623 83622 3618 03615 23414 2321 53223 63133 83039  |
| 03056 23078 48005 58027 60932 87901  |
| 0700 PST   |
| <b>BTY15</b>   |
| 00113 43612 3614 63619 3622 83620 3518 03417 23316 43321 53225 63330 83140 |
| 03055 23080 4800 52998 62997 87921 07928                                   |
| Caliente   |
| 0400 PST   |
| <b>CAL12</b>   |
| 00000 3603 63610 3619 83621 3620 03620 23518 43517 53518 63418 83317 03134 |
| 23045 43065 53074 62983 83097 08001 38005                                  |

**UNCLASSIFIED**

**UNCLASSIFIED**

Table H.5—(Continued)

0700 PST

CAL15

00000 3604 61609 3615 80116 0215 00115 23520 43518 53517 63518 83320 03324  
23231 43051 53053 62979 82988 02991 52772 02866 22762

Currant

0400 PST

CUR12

00000 60000 3016 83117 3217 03318 23319 43118 53119 83124 03228 23037 43041  
53043 63048

0700 PST

CUR15

02807 22807 62908 3613 83117 3218 03211 23016 43017 53019 63011

St. George

0400 PST

SGU12

00000 0000 43209 3406 60000 0000 83204 3608 03617 23323 43123 53122 63030  
83037 02942 22959 42977 52978 62975 82974 02982

0700 PST

SGU15

00000 0000 41703 2104 62006 1204 80403 0104 03609 23417 43418 53419 63319  
83126 03039 22960 42971 52876 62987 87901 02983 52880 72876

Warm Springs

0400 PST

WSP12

00000 60000 3306 83409 3514 00119 20119 43618 53519 63422 83424 03423 23334  
43338 53450 63269 83184 03187

0700 PST

WSP15

00000 60000 0304 83506 3509 00108 20213 43417 53317 63316 83114 03223 23042  
43065 53069 63075

Table H.6—PIBAL OBSERVATION, 18 APRIL 1953

Beatty

0400 PST

BTY12

03609 40114 0117 60218 0118 83516 3314 02712 22732 43027 53232 63236 83129 02927  
22936 42947 52956 62857 82991 92980

**UNCLASSIFIED**

**UNCLASSIFIED**

Table H.6—(Continued)

0700 PST

**BTY15**

03610 43012 0113 60215 3617 83013 2806 02912 23018 43224 53223 63223 83129  
02929 22836 43034 53036 63045 83040 03046 43043

Caliente

0400 PST

**CAL12**

00000 0000 60208 0915 80112 3611 03418 22835 42938 53240 63044 82961 02955 22973  
42981 53068 63172 82973 02977

0700 PST

**CAL15**

00000 0000 60305 0411 80612 0712 00511 23616 43034 52939 62934 83147 03144  
23049 43151 53150 63150 82955 03054 53266 03287 23268

Currant

0400 PST

**CUR12**

03303 60104 3310 83314 3314 03211 23012 42823 52833 62842 82743 02743 22741  
42870 52778 62785 82794 97705

0700 PST

**CUR15**

23406 43410 53410 63210 82935 02948 22849 42747 52649 62748 82860 02761 42654

St. George

0400 PST

**SGU12**

00000 0000 42307 2707 63008 3311 83412 3214 02918 22728 42738 52945 63056  
83055 03053 22953 42853 52853 62955 82958 02979

0700 PST

**SGU15**

00000 0000 40000 0906 61007 01004 83209 3017 02919 22833 42840 52941 63040  
82944 02942 22942 42945 53047 62953 82958 02953 12953

Warm Springs

0400 PST

**WSP12**

00803 60703 0407 80212 0117 03515 23122 42942 53043 63146 83151 03154 23151  
43042 53056 63058 83063 03059 53075 63079

0700 PST

**WSP15**

00803 60504 0507 80511 0512 00410 23315 43029 53130 63136 83134 03141 23139  
43143 53153 63051 83040 03156 53159 63161

**UNCLASSIFIED**

**UNCLASSIFIED**

Table H.7—PIBAL OBSERVATION, 25 APRIL 1953

Beatty

0400 PST

BTY12

00109 40210 0210 60407 1106 81506 1604 02604 22513 42812 52609 62709 82815  
02917 22926 42929 52931 62929 82831

0700 PST

BTY15

00704 40407 0603 61502 1610 81510 1606 01905 22111 42215 52314 62511 83111  
03022 22823 42825 52927 62927 82829 02829 12826

Caliente

0400 PST

CAL12

00000 0000 60507 0607 80705 0406 03609 23220 42828 52820 62818 83224 03322  
23121 43128 53134 63139 83144 03144 23166

0700 PST

CAL15

00000 0000 60807 0910 80808 0604 00106 23016 43019 52924 62924 83020 03015  
22914 42817 52818 62821 83023 03026 53035 02945 52947

Currant

0100 PST

CUR09

03003 63504 3404 83309 3211 03011 22608 42618 52619 62618 82716 02715 22735  
42748 52758 62763 82780 02796

0500 PST

CUR13

00000 60000 1005 80904 0403 00103 22811 42617 52621 62722 82720 02620 22619  
42619 52618 62619 82622 02627

St. George

0400 PST

SGU12

00000 0000 40812 0714 60614 0711 80704 0303 03308 23120 43026 53027 63126  
83122 03221 23219 43119 52927 62931 83029 03133 13134

0700 PST

SGU15

00404 40509 0809 61009 1305 82303 2803 03107 23113 43121 53122 63123 83115  
03115 22919 42821 52823 62926 83026 02925 53035 02948 52938 02925 42930

**UNCLASSIFIED**

[REDACTED] UNCLASSIFIED

Table H.7—(Continued)

Warm Springs

0400 PST

WSP12

00404 60404 0406 80510 0610 00710 22912 42919 52922 62823 86823 02916 23019  
42819 52817 62823 82929 02823 52833 82937

0700 PST

WSP15

00000 60502 0505 80608 1009 01410 22617 42622 52618 62614 82711 02713 22715 42820  
52823

Table H.8—PIBAL OBSERVATION, 8 MAY 1953

Beatty

0600 PST

BTY14

00204 40106 3608 60108 0110 80113 0211 03602 22623 42738 52746 62660 82562  
02560 22669 42562 52562 62562 82581 02599 27517

0900 PST

BTY17

00103 43508 3406 63405 3407 83408 3104 02407 22423 42534 52638 62644 82654  
02667 22466 42575 52583 62488 87405 97414

Caliente

0700 PST

CAL15

00000 0000 62303 2507 82414 2316 02320 22225 42434 52435 62435 82548 02452  
22355 42357 52370 62369 82481 07401 27415

1000 PST

CAL18

02309 2309 62410 2109 82007 22080 02215 22325 42330 52332 62335 82444 02354  
22359 42378 52389 62485 82491 02396 17306

Currant

0700 PST

CUR15

02709 63012 3012 83007 2809 02411 22416 42226 52130 62035 82044 02059 22165  
4220 52068 62170 82190 92193

1000 PST

CUR18

00104 61908 2905 83003 3204 02405 22209 42920 52121 62121

[REDACTED] UNCLASSIFIED

**UNCLASSIFIED**

Table H.8—(Continued)

St. George

0700 PST

SGU15

00000 0000 42206 1807 61811 1813 81813 2013 02115 22221 42436 52540 62340  
82441 22350 22351 42363 52369 62372 82388 07402

1000 PST

SGU18

02314 2314 42315 2216 62113 2210 82209 02106 02106 22321 42331 52234 62238  
82242 02352 22359 42465 52476 62480 82487 07415 17421

Warm Springs

0700 PST

WSP15

02203 62503 2903 83009 3014 03016 22916 42429 52434 62436 82443 02462 22464  
42466 52471 62473 82496 07410 17418

1000 PST

WSP18

02709 62816 2929 83035 2827 02622 22803 42209 52513 62518 82525 02441 22356 42375

Table H.9—PIBAL OBSERVATION, 19 MAY 1953

Beatty

0400 PST

BTY12

00000 40000 1102 61704 1810 81915 1922 02023 22222 42320 52419 62522 82740  
02849 22849 42850 52853 62856

0700 PST

BTY15

02303 42103 1905 61807 2008 82010 1912 02117 22322 42706 52831 62935 82935  
02846 22844 42849 52751 62756 82762 02762

Caliente

0400 PST

CAL12

00000 0000 61911 2117 82221 2324 02322 22220 42220 52221 62325 72424

0700 PST

CAL15

01803 1807 61916 1919 82024 2128 02129 22134 42137 52137 62136 82135 02230

**UNCLASSIFIED**

**UNCLASSIFIED**

Table H.9—(Continued)

|  |              |
|--|--------------|
|  | Currant      |
|  | 0400 PST     |
| <b>CUR12</b>   |              |
| 00000 60000 1811 81915 2117 02119 22026 32028                                    |              |
|  | 0700 PST     |
| <b>CUR15</b>   |              |
| 00000 10145  |              |
|  | St. George   |
|  | 0400 PST     |
| <b>SGU12</b>   |              |
| 00603 0603 40807 1404 61905 2210 82316 2322 02323 22219 42018 52116 62216        |              |
| 82628 02736 22741 42845 52740 62738 82738 02839 22844                            |              |
|  | 0700 PST     |
| <b>SGU15</b>   |              |
| 00000 00000 40910 1507 61609 2114 82221 2223 02126 22029 42141 52130 62230 82529 |              |
| 92525  |              |
|  | Warm Springs |
|  | 0400 PST     |
| <b>WSP12</b>   |              |
| 02603 62608 2616 82616 2417 02220 22337 42345 52443 62530 72530                  |              |
|  | 0700 PST     |
| <b>WSP15</b>   |              |
| 02511 62412 2316 82319 2222 02121 22239 42345 52540 62636 82736                  |              |

Table H.10—PIBAL OBSERVATION, 25 MAY 1953

|  |          |
|--|----------|
|  | Beatty   |
|  | 0400 PST |
| <b>BTY12</b>   |          |
| 01503 41504 1806 62009 2013 82018 2026 02030 22729 42338 52356 62374 82269 02287 |          |
| 27201 37203  |          |
|  | 0700 PST |
| <b>BTY15</b>   |          |
| 01608 41708 1809 61811 1914 82018 2027 02036 21927 42145 52250 62348 82278 02297 |          |
| 27204 47226 57230 67227  |          |

**UNCLASSIFIED**

**UNCLASSIFIED**

Table H.10—(Continued)

Caliente

0400 PST

CAL12

00000 1703 61715 1722 81828 2034 02037 22038 42031 52235 62355 82291 07200 17308

0700 PST

CAL15

01604 1608 61715 1720 81825 1929 02935 22042 42043 52148 62259 82274 02279 22291  
37200

Currant

0400 PST

CUR12

00000 60000 1914 81817 1717 01717 21818 41936 52039 62140 82261 02266 22288 42297

0700 PST

CUR15

01707 62012 1913 81914 1917 01819 21925 41942 51944 62045 82245 02178 22181  
47117 57119 67117 87117

St. George

0400 PST

SGU12

00000 0000 41411 1612 61715 1818 81821 1925 02032 22146 42144 52144 62142  
82163 02276 22185 42298 57202 67212 87205 92298

0700 PST

SGU15

01103 1103 41310 1415 61615 1718 81920 2021 02027 22048 42056 52058 62049 82064  
02177 22186

Warm Springs

0400 PST

WSP12

02005 61907 1810 82012 2009 02112 22035 41937 52033 62135 82246 02191 22294  
47222 57230 67226 77210

0700 PST

WSP15

02507 62409 2209 82006 1806 01808 21930 41938 52037 62143 82273 02192 12192

**UNCLASSIFIED**

**UNCLASSIFIED**

Table H.11—PIBAL OBSERVATION, 4 JUNE 1953

Beatty

0400 PST

**BTY12**

00811 40414 3617 60117 0216 80115 3513 03411 22903 41803 51604 61706 82715  
02919 23131 43023 53026 63026 83129 03343 13350

0600 PST

**BTY14**

00207 40112 0114 60116 0116 80216 0213 00110 22504 42005 51906 62010 82612  
02918 23022 43029 52934 62934 82942 02840 53037 03056

Caliente

0500 PST

**CAL13**

03204 3406 60409 0412 80613 0715 0814 20504 43605 53004 62505 82211 02514 22714  
42811 52711 62612 82515 02417 52817 02721

0700 PST

**CAL15**

00000 0000 60407 0610 80813 0815 00812 20704 40000 50000 62604 82311 02615  
22714 42614 52615 62617 82819 02820 52824 02528 52419 02525 52623 72715

Curran

0400 PST

**CUR12**

00000 60000 3605 80103 0103 03303 22503 42510 52310 62211

0700 PST

**CUR15**

00000 60000 0000 80000 1704 01805 22006 42407 52509 62511 82518 02618 22520  
42523 52522 62522 82432 02228

St. George

0400 PST

**SGU12**

00000 0000 40403 0000 60000 1804 82806 2808 03007 23504 40000 51904 61810 82018  
02409 22510

0700 PST

**SGU15**

00000 0000 42204 2309 62307 2507 82706 0000 00000 21004 41803 51806 62009  
82205 02908 22617 42418 52317 62314 82412 02613 52717 62717

**UNCLASSIFIED**

**UNCLASSIFIED**

Table H.11—(Continued)

Warm Springs

0400 PST

WSP12

00000 60201 0205 80310 0412 00407 22902 42508 52310

0700 PST

WSP15

00000 60702 0704 80706 0606 01203 22304 42710 52517 62419 2416 02520 22720 42629  
52736 62736 82644 02534 12532

**UNCLASSIFIED**

[REDACTED]

**UNCLASSIFIED**

**Appendix I**

**CONTROL POINT SURFACE OBSERVATIONS**

[REDACTED]

**UNCLASSIFIED**

87-88  
[REDACTED]

**UNCLASSIFIED**

| Time,<br>PST | Ceiling,<br>x 100 ft | Sky       | Visibility,<br>miles | Temp.,<br>°F | Dew point,<br>°F | Wind<br>direction | Wind speed,<br>knots | Pressure,<br>in. Hg | Relative<br>humidity,<br>% |
|--------------|----------------------|-----------|----------------------|--------------|------------------|-------------------|----------------------|---------------------|----------------------------|
| 0030         | None                 | Clr       | 50                   | 53           | 27               | SW                | 7                    | 25.760              | 36                         |
| 0130         | None                 | Clr       | 50                   | 51           | 24               | WSW               | 8                    | 25.760              | 33                         |
| 0230         | None                 | Clr       | 50                   | 51           | 22               | SW                | 12                   | 25.750              | 31                         |
| 0330         | None                 | Clr       | 50                   | 50           | 19               | SW                | 12                   | 25.750              | 29                         |
| 0430         | None                 | Clr       | 50                   | 48           | 25               | W                 | 3                    | 25.765              | 41                         |
| 0520         | 300                  | 7/10      | 50                   | 43           | 22               | NE                | 3                    | 25.775              | 42                         |
| 0530         | 300                  | 6/10      | 50                   | 44           | 23               | NE                | 3                    | 25.775              | 43                         |
| 0630         | 300                  | 2/10      | 50                   | 44           | 20               | NW                | 6                    | 25.810              | 38                         |
| 0730         | 300                  | 6/10      | 50                   | 47           | 24               | NE                | 3                    | 25.820              | 38                         |
| 0830         | 300                  | 3/10      | 50                   | 54           | 26               | E                 | 2                    | 25.840              | 32                         |
| 0930         | 300                  | 3/10      | 50                   | 57           | 22               | Calm              | Calm                 | 25.850              | 25                         |
| 1030         | 300                  | 3/10      | 50                   | 60           | 21               | Calm              | Calm                 | 25.850              | 22                         |
| 1130         | 300                  | 9/10      | 50                   | 63           | 31               | S                 | 10                   | 25.840              | 29                         |
| 1230         | 300                  | 4/10      | 50                   | 63           | 28               | SW                | 9                    | 25.830              | 26                         |
| 1330         | 300                  | 4/10      | 50                   | 63           | 29               | S                 | 9                    | 25.820              | 27                         |
| 1430         | 160-300              | 2/10-3/10 | 50                   | 64           | 25               | S                 | 6                    | 25.810              | 22                         |
| 1530         | 160                  | 2/10      | 50                   | 62           | 22               | NW                | 8                    | 25.800              | 20                         |
| 1630         | 160-250              | 2/10-2/10 | 50                   | 62           | 19               | S                 | 9                    | 25.775              | 18                         |
| 1730         | 160-250              | 1/10-3/10 | 50                   | 59           | 16               | SSW               | 7                    | 25.775              | 19                         |
| 1830         | 250                  | 2/10      | 50                   | 56           | 17               | SW                | 7                    | 25.775              | 21                         |
| 1930         | 250                  | 2/10      | 50                   | 52           | 16               | NW                | 4                    | 25.785              | 23                         |
| 2030         | 250                  | 2/10      | 50                   | 52           | 16               | SW                | 2                    | 25.800              | 24                         |
| 2130         | None                 | Clr       | 50                   | 47           | 13               | NE                | 3                    | 25.800              | 24                         |
| 2230         | None                 | Clr       | 50                   | 41           | 10               | NW                | 4                    | 25.815              | 28                         |
| 2330         | None                 | Clr       | 50                   | 38           | 8                | NNE               | 3                    | 25.815              | 28                         |

\* Total precipitation for period, none.

**UNCLASSIFIED**

**UNCLASSIFIED**

Table I.2—SURFACE OBSERVATIONS, CONTROL POINT, 24 MARCH 1953\*

| Time,<br>PST | Ceiling,<br>x 100 ft | Sky        | Visibility,<br>miles | Temp.,<br>°F | Dew point,<br>°F | Wind<br>direction | Wind speed,<br>knots | Pressure,<br>in. Hg | Relative<br>humidity,<br>% |
|--------------|----------------------|------------|----------------------|--------------|------------------|-------------------|----------------------|---------------------|----------------------------|
| 0030         | None                 | Clr        | 50                   | 43           | 21               | N                 | 2                    | 25.905              | 40                         |
| 0130         | None                 | Clr        | 50                   | 43           | 21               | N                 | 3                    | 25.905              | 40                         |
| 0230         | None                 | Clr        | 50                   | 41           | 21               | N                 | 2                    | 25.890              | 43                         |
| 0330         | None                 | Clr        | 50                   | 40           | 20               | N                 | 3                    | 25.885              | 44                         |
| 0430         | None                 | Clr        | 50                   | 39           | 20               | N                 | 4                    | 25.880              | 46                         |
| 0510         | None                 | Clr        | 50                   | 46           | 23               | N                 | 4                    | 25.875              | 40                         |
| 0530         | None                 | Clr        | 50                   | 46           | 23               | N                 | 3                    | 25.880              | 39                         |
| 0630         | None                 | Clr        | 50                   | 45           | 24               | NNE               | 4                    | 25.880              | 43                         |
| 0730         | None                 | Clr        | 50                   | 49           | 27               | N                 | 3                    | 25.880              | 42                         |
| 0830         | 250                  | 1/10       | 50                   | 59           | 30               | NE                | 5                    | 25.875              | 32                         |
| 0910         | 250                  |            |                      |              |                  | Calm              |                      |                     |                            |
| 0930         | 250                  | 7/10       | 50                   | 64           | 29               | Calm              |                      | 25.870              | 26                         |
| 1030         | 250                  | 4/10       | 50                   | 68           | 30               | SE                | 7                    | 25.850              | 24                         |
| 1130         | 250                  | 5/10       | 50                   | 71           | 41               | S                 | 3                    | 25.830              | 34                         |
| 1200         | 250                  |            | 50                   |              |                  | SSW               | 6                    |                     |                            |
| 1230         | 250                  | 7/10       | 50                   | 72           | 30               | SW                | 15                   | 25.800              | 21                         |
| 1330         | 200-250              | 4/10-8/10  | 50                   | 72           | 26               | SW                | 14                   | 25.870              | 18                         |
| 1430         | 200-250              | 4/10-10/10 | 50                   | 72           | 26               | SW                | 14                   | 25.850              | 18                         |
| 1530         | 140-250              | 4/10-6/10  | 50                   | 70           | 22               | S                 | 17                   | 25.750              | 16                         |
| 1630         | 140-250              | 4/10-6/10  | 50                   | 69           | 19               | SW                | 19                   | 25.730              | 15                         |
| 1730         | 140-250              | 4/10-2/10  | 50                   | 64           | 19               | SW                | 14                   | 25.730              | 17                         |
| 1830         | 140                  | 4/10       | 50                   | 64           | 20               | SSW               | 10                   | 25.730              | 18                         |
| 1930         | 140                  | 3/10       | 50                   | 61           | 20               | SSW               | 15                   | 25.730              | 20                         |
| 2030         | 140                  | 2/10       | 50                   | 59           | 19               | SW                | 14                   | 25.730              | 20                         |
| 2130         | 140-250              | 2/10-3/10  | 50                   | 63           | 26               | SW                | 13                   | 25.730              | 24                         |
| 2230         | 140-250              | 2/10-3/10  | 64                   | 28           |                  | SW                | 14                   | 25.740              | 25                         |
| 2330         | 140-250              | 2/10-3/10  | 64                   | 29           |                  | SSW               | 10                   | 25.730              | 26                         |

\* Total precipitation for period, none.

**UNCLASSIFIED**

**UNCLASSIFIED**

Table I.3—SURFACE OBSERVATIONS, CONTROL POINT, 31 MARCH 1953\*

| Time,<br>PST | Ceiling,<br>x 100 ft | Sky  | Visibility,<br>miles | Temp.,<br>°F | Dew point,<br>°F | Wind<br>direction | Wind speed,<br>knots | Pressure,<br>in. Hg | Relative<br>humidity,<br>% |
|--------------|----------------------|------|----------------------|--------------|------------------|-------------------|----------------------|---------------------|----------------------------|
| 0030         | 180                  | 1/10 | 50                   | 54           | 20               | WSW               | 11                   | 25.760              | 26                         |
| 0130         | 180                  | 1/10 | 50                   | 48           | 22               | W                 | 2                    | 25.775              | 35                         |
| 0230         | None                 | Clr  | 50                   | 44           | 22               | Calm              | Calm                 | 25.780              | 41                         |
| 0330         | None                 | Clr  | 50                   | 39           | 23               | N                 | 3                    | 25.790              | 51                         |
| 0430         | None                 | Clr  | 50                   | 43           | 20               | NW                | 7                    | 25.795              | 39                         |
| 0500         | None                 | Clr  | 50                   | 39           | 21               | Calm              | Calm                 | 25.800              | 48                         |
| 0530         | None                 | Clr  | 50                   | 40           | 23               | Calm              | Calm                 | 25.810              | 50                         |
| 0630         | None                 | Clr  | 50                   | 43           | 22               | N                 | 4                    | 25.840              | 42                         |
| 0730         | None                 | Clr  | 50                   | 47           | 26               | NE                | 3                    | 25.860              | 44                         |
| 0830         | None                 | Clr  | 50                   | 55           | 23               | NNE               | 4                    | 25.865              | 28                         |
| 0930         | None                 | Clr  | 50                   | 60           | 23               | N                 | 3                    | 25.870              | 24                         |
| 1030         | None                 | Clr  | 50                   | 62           | 24               | NE                | 3                    | 25.870              | 23                         |
| 1130         | None                 | Clr  | 50                   | 64           | 26               | SE                | 9                    | 25.860              | 25                         |
| 1230         | 300                  | 4/10 | 50                   | 65           | 25               | NE                | 3                    | 25.840              | 21                         |
| 1330         | 300                  | 4/10 | 50                   | 68           | 23               | E                 | 8                    | 25.820              | 18                         |
| 1430         | 250                  | 4/10 | 50                   | 66           | 26               | S                 | 9                    | 25.810              | 22                         |
| 1530         | 250                  | 4/10 | 50                   | 68           | 20               | SSE               | 9                    | 25.800              | 16                         |
| 1630         | 250                  | 5/10 | 50                   | 67           | 16               | SSE               | 7                    | 25.780              | 14                         |
| 1730         | 250                  | 4/10 | 50                   | 66           | 15               | S                 | 7                    | 25.780              | 17                         |
| 1830         | 250                  | 4/10 | 50                   | 61           | 23               | SW                | 7                    | 25.780              | 22                         |
| 1930         | 250                  | 2/10 | 50                   | 62           | 20               | W                 | 12                   | 25.780              | 20                         |
| 2030         | None                 | Clr  | 50                   | 60           | 18               | W                 | 4                    | 25.800              | 19                         |
| 2130         | None                 | Clr  | 50                   | 53           | 19               | N                 | 2                    | 25.800              | 25                         |
| 2230         | None                 | Clr  | 50                   | 49           | 23               | W                 | 2                    | 25.810              | 34                         |
| 2330         | None                 | Clr  | 50                   | 47           | 20               | Calm              | Calm                 | 25.810              | 33                         |

\*Total precipitation for period, none.

**UNCLASSIFIED**

**UNCLASSIFIED**

Table I.4—SURFACE OBSERVATIONS, CONTROL POINT, 6 APRIL 1953\*

| Time,<br>PST | Ceiling,<br>x 100 ft | Sky       | Visibility,<br>miles | Temp.,<br>°F | Dew point,<br>°F | Wind<br>direction | Wind speed,<br>knots | Pressure,<br>in. Hg | Relative<br>humidity,<br>% |
|--------------|----------------------|-----------|----------------------|--------------|------------------|-------------------|----------------------|---------------------|----------------------------|
| 0030         | 300                  | 2/10      | 50                   | 63           | 25               | W                 | 9                    | 25.520              | 23                         |
| 0130         | None                 | Clr       | 50                   | 63           | 21               | NNW               | 9                    | 25.495              | 20                         |
| 0230         | None                 | Clr       | 50                   | 58           | 24               | N                 | 5                    | 25.500              | 27                         |
| 0330         | 320                  | 3/10      | 50                   | 55           | 22               | NNW               | 9                    | 25.495              | 27                         |
| 0430         | 320                  | 2/10      | 50                   | 54           | 22               | NNW               | 12                   | 25.475              | 27                         |
| 0530         | 320                  | 3/10      | 50                   | 55           | 21               | N                 | 7                    | 25.465              | 26                         |
| 0630         | 350                  | 5/10      | 50                   | 56           | 21               | NW                | 9                    | 25.485              | 25                         |
| 0730         | 300                  | 3/10      | 50                   | 59           | 23               | Calm              | 6                    | 25.495              | 24                         |
| 0830         | 300                  | 2/10      | 50                   | 63           | 22               | ENE               | 6                    | 25.495              | 20                         |
| 0930         | 300                  | 2/10      | 50                   | 63           | 22               | ENE               | 6                    | 25.495              | 20                         |
| 1030         | 300                  | 2/10      | 50                   | 66           | 27               | S                 | 11                   | 25.470              | 22                         |
| 1130         | 300                  | 2/10      | 50                   | 69           | 23               | S                 | 6                    | 25.440              | 17                         |
| 1230         | 50-300               | 1/10-2/10 | 50                   | 68           | 24               | S                 | 13                   | 25.410              | 19                         |
| 1330         | 50                   | 2/10      | 50                   | 69           | 22               | S                 | 13                   | 25.390              | 17                         |
| 1430         | 50                   | 2/10      | 50                   | 68           | 24               | SW                | 20                   | 25.360              | 18                         |
| 1530         | 50                   | 6/10      | 50                   | 66           | 27               | NW                | 11                   | 25.350              | 35                         |
| 1630         | 50                   | 5/10      | 20                   | 62           | 13               | NW                | 18                   | 25.340              | 14                         |
| 1730         | 50                   | 2/10      | 15                   | 59           | 8                | NW                | 15                   | 25.345              | 13                         |
| 1830         | 60                   | 2/10      | 10                   | 53           | 6                | N                 | 17                   | 25.365              | 08                         |
| 1930         | 60                   | 3/10      | 10                   | 50           | 5                | NNE               | 20                   | 25.395              | 15                         |
| 2030         | 60                   | 2/10      | 05                   | 47           | 2                | N                 | 22                   | 25.435              | 15                         |
| 2130         | 60                   | 2/10      | 05                   | 43           | 1                | N                 | 13                   | 25.490              | 17                         |
| 2230         | 150                  | 2/10      | 08                   | 40           | 8                | N                 | 24                   | 25.525              | 16                         |
| 2330         | None                 | Clr       | 50                   | 38           | 3                | N                 | 20                   | 25.530              | 22                         |

\*Total precipitation for period, none.

**UNCLASSIFIED**

**UNCLASSIFIED**

Table I.5—SURFACE OBSERVATIONS, CONTROL POINT, 11 APRIL 1953\*

| Time,<br>PST | Ceiling,<br>x 100 ft | Sky  | Visibility,<br>miles | Temp.,<br>°F | Dew point,<br>°F | Wind<br>direction | Wind<br>speed,<br>knots | Pressure,<br>in. Hg | Relative<br>humidity,<br>% |
|--------------|----------------------|------|----------------------|--------------|------------------|-------------------|-------------------------|---------------------|----------------------------|
| 0030         | None                 | Clr  | 50                   | 36           | 14               | NW                | 12                      | 25.710              | 39                         |
| 0130         | None                 | Clr  | 50                   | 34           | 14               | NW                | 9                       | 25.740              | 42                         |
| 0230         | None                 | Clr  | 50                   | 34           | 12               | NE                | 8                       | 25.780              | 39                         |
| 0330         | None                 | Clr  | 50                   | 29           | 15               | NNE               | 4                       | 25.755              | 55                         |
| 0445         | None                 | Clr  | 50                   | 30           | 11               | NW                | 7                       | 25.780              | 45                         |
| 0530         | None                 | Clr  | 50                   | 30           | 11               | N                 | 4                       | 25.790              | 46                         |
| 0630         | None                 | Clr  | 50                   | 35           | 11               | N                 | 7                       | 25.800              | 37                         |
| 0730         | None                 | Clr  | 50                   | 39           | 20               | Calm              | 25.810                  | 46                  |                            |
| 0830         | None                 | Clr  | 50                   | 42           | 18               | NNW               | 4                       | 25.820              | 38                         |
| 0930         | 80                   | 1/10 | 50                   | 44           | 19               | NE                | 5                       | 25.820              | 36                         |
| 1030         | 80                   | 1/10 | 50                   | 46           | 21               | NNW               | 9                       | 25.805              | 36                         |
| 1130         | 80                   | 2/10 | 50                   | 50           | 17               | NE                | 9                       | 25.790              | 26                         |
| 1230         | 80                   | 3/10 | 50                   | 49           | 13               | NE                | 10                      | 25.775              | 23                         |
| 1330         | 80                   | 6/10 | 50                   | 50           | 13               | E                 | 3                       | 25.765              | 22                         |
| 1430         | 80                   | 6/10 | 50                   | 51           | 12               | E                 | 8                       | 25.745              | 20                         |
| 1530         | 80                   | 6/10 | 50                   | 55           | 14               | NE                | 4                       | 25.730              | 19                         |
| 1630         | 80                   | 4/10 | 50                   | 53           | 10               | NW                | 9                       | 25.730              | 17                         |
| 1730         | 80                   | 2/10 | 50                   | 51           | 10               | NW                | 9                       | 25.730              | 19                         |
| 1830         | 80                   | 1/10 | 50                   | 47           | 11               | NW                | 10                      | 25.740              | 23                         |
| 1930         | 80                   | 1/10 | 50                   | 46           | 10               | NW                | 10                      | 25.760              | 22                         |
| 2030         | None                 | Clr  | 50                   | 45           | 10               | NW                | 10                      | 25.780              | 23                         |
| 2130         | None                 | Clr  | 50                   | 44           | 10               | NW                | 10                      | 25.790              | 24                         |
| 2230         | None                 | Clr  | 50                   | 43           | 10               | NW                | 10                      | 25.800              | 25                         |
| 2330         | None                 | Clr  | 50                   | 40           | 10               | NW                | 9                       | 25.810              | 28                         |

\* Total precipitation for period, none.

**UNCLASSIFIED**

**UNCLASSIFIED**

Table I.6—SURFACE OBSERVATIONS, CONTROL POINT, 18 APRIL 1953\*

| Time,<br>PST | Ceiling,<br>x 100 ft | Sky  | Visibility,<br>miles | Temp.,<br>°F | Dew point,<br>°F | Wind<br>direction | Wind<br>speed,<br>knots | Pressure,<br>in. Hg | Relative<br>humidity,<br>% |
|--------------|----------------------|------|----------------------|--------------|------------------|-------------------|-------------------------|---------------------|----------------------------|
| 0030         | 180                  | 1/10 | 50                   | 48           | 24               | NNW               | 11                      | 25.780              | 38                         |
| 0130         | None                 | Clr  | 50                   | 46           | 22               | NNW               | 13                      | 25.780              | 38                         |
| 0230         | None                 | Clr  | 50                   | 46           | 23               | NNW               | 15                      | 25.800              | 39                         |
| 0330         | None                 | Clr  | 50                   | 45           | 24               | NNW               | 13                      | 25.810              | 42                         |
| 0430         | None                 | Clr  | 50                   | 44           | 24               | NNW               | 16                      | 25.825              | 44                         |
| 0530         | None                 | Clr  | 50                   | 45           | 23               | NNW               | 13                      | 25.850              | 41                         |
| 0630         | None                 | Clr  | 50                   | 48           | 19               | NNW               | 13                      | 25.860              | 31                         |
| 0730         | None                 | Clr  | 50                   | 52           | 23               | N                 | 15                      | 25.880              | 31                         |
| 0830         | None                 | Clr  | 50                   | 56           | 23               | NNE               | 12                      | 25.890              | 27                         |
| 0930         | None                 | Clr  | 50                   | 58           | 24               | NNE               | 11                      | 25.890              | 26                         |
| 1030         | None                 | Clr  | 50                   | 62           | 26               | NE                | 11                      | 25.865              | 25                         |
| 1130         | None                 | Clr  | 50                   | 64           | 23               | ENE               | 6                       | 25.850              | 20                         |
| 1230         | None                 | Clr  | 50                   | 66           | 21               | NNE               | 3                       | 25.850              | 17                         |
| 1330         | None                 | Clr  | 50                   | 68           | 27               | E                 | 6                       | 25.830              | 21                         |
| 1430         | None                 | Clr  | 50                   | 68           | 19               | ENE               | 7                       | 25.810              | 15                         |
| 1530         | None                 | Clr  | 50                   | 69           | 28               | E                 | 9                       | 25.800              | 21                         |
| 1630         | None                 | Clr  | 50                   | 69           | 28               | Calm              |                         | 25.800              | 21                         |
| 1730         | None                 | Clr  | 50                   | 69           | 27               | Calm              |                         | 25.790              | 20                         |
| 1830         | None                 | Clr  | 50                   | 61           | 28               | Calm              |                         | 25.790              | 28                         |
| 1930         | None                 | Clr  | 50                   | 61           | 29               | SE                | 4                       | 25.790              | 29                         |
| 2030         | None                 | Clr  | 50                   | 58           | 26               | Calm              |                         | 25.810              | 28                         |
| 2130         | None                 | Clr  | 50                   | 58           | 25               | SW                | 5                       | 25.810              | 28                         |
| 2230         | None                 | Clr  | 50                   | 57           | 27               | Calm              |                         | 25.825              | 31                         |
| 2330         | None                 | Clr  | 50                   | 56           | 26               | NW                | 4                       | 25.830              | 31                         |

\*Total precipitation for period, none.

**UNCLASSIFIED**

**UNCLASSIFIED**

Table I.7.—SURFACE OBSERVATIONS, CONTROL POINT, 25 APRIL 1953\*

| Time,<br>PST | Ceiling,<br>x 100 ft | Sky       | Visibility,<br>miles | Temp.,<br>°F | Dew point,<br>°F | Wind<br>direction | Wind speed,<br>knots | Pressure,<br>in. Hg | Relative<br>humidity,<br>% |
|--------------|----------------------|-----------|----------------------|--------------|------------------|-------------------|----------------------|---------------------|----------------------------|
| 0030         | 300                  | 7/10      | 50                   | 66           | 24               | NW                | 9                    | 25.795              | 20                         |
| 0130         | 300                  | 7/10      | 50                   | 64           | 25               | NNW               | 9                    | 25.800              | 22                         |
| 0230         | 300                  | 3/10      | 50                   | 63           | 25               | NW                | 10                   | 25.810              | 22                         |
| 0330         | 300                  | 1/10      | 50                   | 64           | 26               | NW                | 12                   | 25.815              | 23                         |
| 0430         | 160-330              | 2/10-5/10 | 50                   | 63           | 26               | NW                | 4                    | 25.815              | 24                         |
| 0530         | 160-300              | 2/10-9/10 | 50                   | 63           | 26               | NW                | 9                    | 25.820              | 24                         |
| 0630         | 160-300              | 1/10-9/10 | 50                   | 64           | 28               | NW                | 12                   | 25.830              | 25                         |
| 0730         | 160-300              | 1/10-9/10 | 50                   | 68           | 33               | NW                | 9                    | 25.850              | 27                         |
| 0830         | 300                  | 10/10     | 50                   | 70           | 30               | N                 | 4                    | 25.850              | 23                         |
| 0930         | 300                  | 9/10      | 50                   | 74           | 32               | ENE               | 5                    | 25.850              | 21                         |
| 1030         | 300                  | 8/10      | 50                   | 79           | 33               | S                 | 3                    | 25.850              | 19                         |
| 1130         | 300                  | 8/10      | 50                   | 81           | 35               | SE                | 10                   | 25.830              | 19                         |
| 1230         | 300                  | 8/10      | 50                   | 81           | 32               | SSE               | 10                   | 25.820              | 16                         |
| 1330         | 300                  | 8/10      | 50                   | 82           | 32               | S                 | 12                   | 25.800              | 16                         |
| 1430         | 300                  | 9/10      | 50                   | 81           | 32               | S                 | 14                   | 25.780              | 17                         |
| 1530         | 300                  | 9/10      | 50                   | 82           | 22               | SW                | 10                   | 25.770              | 11                         |
| 1630         | 300                  | 9/10      | 50                   | 81           | 17               | SSW               | 16                   | 25.740              | 09                         |
| 1730         | 300                  | 9/10      | 50                   | 79           | 16               | SSW               | 11                   | 25.730              | 09                         |
| 1830         | 300                  | 7/10      | 50                   | 76           | 20               | SSW               | 10                   | 25.730              | 12                         |
| 1930         | 300                  | 7/10      | 50                   | 75           | 17               | SSW               | 9                    | 25.740              | 11                         |
| 2030         | 300                  | 5/10      | 50                   | 73           | 16               | SW                | 11                   | 25.750              | 11                         |
| 2130         | 300                  | 4/10      | 50                   | 73           | 17               | SW                | 8                    | 25.760              | 12                         |
| 2230         | 300                  | 3/10      | 50                   | 73           | 18               | SW                | 7                    | 25.765              | 12                         |
| 2330         | 300                  | 6/10      | 50                   | 72           | 19               | Calm              | Calm                 | 25.770              | 13                         |

\*Total precipitation for period, none.

**UNCLASSIFIED**

**UNCLASSIFIED**

Table I.8—SURFACE OBSERVATIONS, CONTROL POINT, 8 MAY 1953\*

| Time,<br>PST | Ceiling,<br>x 100 ft | Sky   | Visibility,<br>miles | Temp.,<br>°F | Dew point,<br>°F | Wind<br>direction | Wind speed,<br>knots | Pressure,<br>in. Hg | Relative<br>humidity,<br>% |
|--------------|----------------------|-------|----------------------|--------------|------------------|-------------------|----------------------|---------------------|----------------------------|
| 0030         | None                 | Clr   | 50                   | 55           | 15               | SW                | 14                   | 25.580              | 20                         |
| 0130         | None                 | Clr   | 50                   | 53           | 15               | WSW               | 15                   | 25.595              | 22                         |
| 0230         | None                 | Clr   | 50                   | 53           | 15               | NNW               | 13                   | 25.610              | 22                         |
| 0330         | None                 | Clr   | 50                   | 53           | 20               | NNW               | 15                   | 25.610              | 27                         |
| 0430         | None                 | Clr   | 50                   | 50           | 18               | NNW               | 3                    | 25.620              | 27                         |
| 0530         | None                 | Clr   | 50                   | 51           | 20               | Calm              | Calm                 | 25.620              | 29                         |
| 0630         | None                 | Clr   | 50                   | 51           | 20               | ENE               | 3                    | 25.630              | 29                         |
| 0730         | None                 | Clr   | 50                   | 56           | 25               | E                 | 5                    | 25.630              | 30                         |
| 0830         | None                 | Clr   | 50                   | 58           | 22               | W                 | 4                    | 25.635              | 24                         |
| 0930         | 150                  | 1/10  | 50                   | 61           | 8                | WSW               | 8                    | 25.640              | 12                         |
| 1030         | 80                   | 1/10  | 50                   | 62           | 23               | W                 | 9                    | 25.625              | 23                         |
| 1130         | 80                   | 2/10  | 50                   | 63           | 22               | S                 | 8                    | 25.590              | 20                         |
| 1200         | 80                   |       | 50                   | 65           | 21               | SSW               | 9                    | 25.590              | 18                         |
| 1230         | 80                   | 6/10  | 50                   | 65           | 21               | SW                | 10                   | 25.580              | 19                         |
| 1330         | 80                   | 8/10  | 50                   | 65           | 21               | S                 | 8                    | 25.580              | 19                         |
| 1430         | 80                   | 10/10 | 50                   | 58           | 23               | NW                | 23                   | 25.570              | 25                         |
| 1530         | 80                   | 7/10  | 50                   | 59           | 24               | N                 | 11                   | 25.570              | 25                         |
| 1630         | 80                   | 4/10  | 50                   | 59           | 24               | NW                | 17                   | 25.570              | 25                         |
| 1730         | 80                   | 1/10  | 50                   | 56           | 25               | NW                | 17                   | 25.590              | 29                         |
| 1830         | None                 | Clr   | 50                   | 54           | 21               | NW                | 17                   | 25.600              | 27                         |
| 1930         | None                 | Clr   | 50                   | 50           | 24               | N                 | 17                   | 25.630              | 35                         |
| 2030         | None                 | Clr   | 50                   | 47           | 23               | N                 | 20                   | 25.660              | 38                         |
| 2130         | None                 | Clr   | 50                   | 45           | 24               | N                 | 15                   | 25.680              | 42                         |
| 2230         | None                 | Clr   | 50                   | 44           | 28               | NNW               | 20                   | 25.670              | 51                         |
| 2330         | None                 | Clr   | 50                   | 43           | 15               | NW                | 17                   | 25.670              | 32                         |

\*Total precipitation for period, none.

**UNCLASSIFIED**

**UNCLASSIFIED**

Table I.9—SURFACE OBSERVATIONS, CONTROL POINT, 19 MAY 1953\*

| Time,<br>PST | Ceiling,<br>x 100 ft | Sky             | Visibility,<br>miles | Temp.,<br>°F | Dew point,<br>°F | Wind<br>direction | Wind speed,<br>knots | Pressure,<br>in. Hg | Relative<br>humidity,<br>% |
|--------------|----------------------|-----------------|----------------------|--------------|------------------|-------------------|----------------------|---------------------|----------------------------|
| 0030         | 270                  | 4/10            | 50                   | 70           | 33               | S                 | 4                    | 25.710              | 26                         |
| 0130         | 270                  | 2/10            | 50                   | 68           | 35               | SSW               | 9                    | 25.705              | 29                         |
| 0230         | 270                  | 2/10            | 50                   | 68           | 35               | SSW               | 5                    | 25.700              | 29                         |
| 0330         | 180-250              | 2/10-6/10       | 50                   | 67           | 34               | WSW               | 6                    | 25.695              | 29                         |
| 0405         | 180-350†             | 2/10-10/10      | 50                   | 58           | 34               | Calm              | Calm                 | 25.695              | 40                         |
| 0430         | 180-250              | 2/10-10/10      | 50                   | 59           | 35               | Calm              | Calm                 | 25.685              | 40                         |
| 0530         | 180-250              | 2/10-10/10      | 50                   | 63           | 35               | Calm              | Calm                 | 25.695              | 35                         |
| 0630         | 180-250              | 2/10-10/10      | 50                   | 65           | 34               | Calm              | Calm                 | 25.695              | 31                         |
| 0730         | 180-250              | 3/10-10/10      | 50                   | 69           | 33               | S                 | 9                    | 25.690              | 26                         |
| 0830         | 180-250              | 4/10-10/10      | 50                   | 68           | 32               | SSW               | 23                   | 25.680              | 26                         |
| 0930         | 180-250              | 3/10-10/10      | 50                   | 71           | 27               | S                 | 20                   | 25.660              | 19                         |
| 1030         | 140-250              | 3/10-5/10       | 50                   | 72           | 28               | S                 | 21                   | 25.650              | 19                         |
| 1130         | 140-250              | 3/10-5/10       | 50                   | 74           | 25               | S                 | 20                   | 25.640              | 16                         |
| 1230         | 140-250              | 3/10-8/10       | 50                   | 74           | 32               | S                 | 18                   | 25.620              | 20                         |
| 1330         | 140-250              | 3/10-10/10      | 50                   | 75           | 38               | SSW               | 16                   | 25.610              | 26                         |
| 1430         | 100-150-250          | 1/10-3/10-10/10 | 50                   | 76           | 40               | S                 | 8                    | 25.580              | 27                         |
| 1530         | 100-150-250          | 1/10-2/10-10/10 | 50                   | 77           | 40               | S                 | 15                   | 25.560              | 26                         |
| 1630         | 100-250              | 2/10-10/10      | 50                   | 77           | 40               | WSW               | 7                    | 25.525              | 26                         |
| 1730         | 100-250              | 1/10-10/10      | 50                   | 76           | 36               | SW                | 9                    | 25.510              | 23                         |
| 1830         | 100-250              | 2/10-10/10      | 50                   | 74           | 38               | SSW               | 14                   | 25.500              | 27                         |
| 1930         | 150-250              | 3/10-10/10      | 50                   | 71           | 39               | SW                | 12                   | 25.500              | 30                         |
| 2030         | 150-250              | 2/10-10/10      | 50                   | 69           | 42               | SW                | 9                    | 25.510              | 36                         |
| 2130         | 150-250              | 2/10-9/10       | 50                   | 68           | 39               | W                 | 13                   | 25.530              | 34                         |
| 2230         | 150-250              | 3/10-6/10       | 50                   | 67           | 37               | W                 | 9                    | 25.570              | 32                         |
| 2330         | 150-250              | 4/10-5/10       | 50                   | 65           | 35               | NW                | 9                    | 25.590              | 32                         |

\*Total precipitation for period, none.

†Aircraft report.

**UNCLASSIFIED**

**UNCLASSIFIED**

Table I.10—SURFACE OBSERVATIONS, CONTROL POINT, 25 MAY 1953\*

| Time,<br>PST | Ceiling,<br>x 100 ft | Sky       | Visibility,<br>miles | Temp.,<br>°F | Dew point,<br>°F | Wind<br>direction | Wind<br>speed,<br>knots | Pressure,<br>in. Hg | Relative<br>humidity,<br>% |
|--------------|----------------------|-----------|----------------------|--------------|------------------|-------------------|-------------------------|---------------------|----------------------------|
| 0030         | None                 | Clr       | 50                   | 50           | 20               | S                 | 9                       | 25.565              | 30                         |
| 0130         | None                 | Clr       | 50                   | 49           | 19               | S                 | 10                      | 25.570              | 29                         |
| 0230         | None                 | Clr       | 50                   | 47           | 24               | SSW               | 10                      | 25.580              | 39                         |
| 0330         | None                 | Clr       | 50                   | 48           | 21               | SSW               | 13                      | 25.580              | 33                         |
| 0430         | 300                  | 8/10      | 50                   | 47           | 20               | S                 | 10                      | 25.595              | 33                         |
| 0530         | 300                  | 8/10      | 50                   | 49           | 19               | SW                | 14                      | 25.610              | 30                         |
| 0630         | 130-260              | 1/10-8/10 | 50                   | 57           | 22               | S                 | 10                      | 25.620              | 31                         |
| 0730         | 260                  | 4/10      | 50                   | 53           | 26               | WSW               | 9                       | 25.650              | 34                         |
| 0830         | 150-260              | 2/10-2/10 | 50                   | 56           | 26               | S                 | 13                      | 25.650              | 31                         |
| 0930         | 150                  | 3/10      | 50                   | 58           | 29               | S                 | 13                      | 25.660              | 32                         |
| 1030         | 150                  | 2/10      | 50                   | 61           | 33               | SW                | 22                      | 25.650              | 34                         |
| 1130         | 150                  | 1/10      | 50                   | 61           | 33               | SW                | 22                      | 25.650              | 34                         |
| 1230         | 150                  | 2/10      | 50                   | 64           | 33               | S                 | 17                      | 25.650              | 31                         |
| 1330         | 150                  | 2/10      | 50                   | 64           | 33               | SSW               | 22                      | 25.650              | 31                         |
| 1430         | 160                  | 1/10      | 50                   | 64           | 21               | SSW               | 20                      | 25.650              | 19                         |
| 1530         | 170                  | 1/10      | 50                   | 64           | 22               | S                 | 18                      | 25.640              | 20                         |
| 1630         | 180                  | 1/10      | 50                   | 63           | 19               | SSW               | 22                      | 25.640              | 18                         |
| 1730         | None                 | Clr       | 50                   | 62           | 23               | SSW               | 20                      | 25.650              | 22                         |
| 1830         | None                 | Clr       | 50                   | 59           | 22               | SSW               | 13                      | 25.650              | 24                         |
| 1930         | None                 | Clr       | 50                   | 57           | 22               | SW                | 10                      | 25.645              | 26                         |
| 2030         | None                 | Clr       | 50                   | 55           | 24               | SW                | 14                      | 25.655              | 30                         |
| 2130         | None                 | Clr       | 50                   | 53           | 25               | SSW               | 18                      | 25.670              | 33                         |
| 2230         | None                 | Clr       | 50                   | 52           | 26               | SSW               | 18                      | 25.680              | 36                         |
| 2330         | None                 | Clr       | 50                   | 50           | 30               | SSW               | 13                      | 25.685              | 46                         |

\*Total precipitation for period, none.

**UNCLASSIFIED**

**UNCLASSIFIED**

Table I.11—SURFACE OBSERVATIONS, CONTROL POINT, 4 JUNE 1953\*

| Time,<br>PST | Ceiling,<br>x 100 ft | Sky        | Visibility,<br>miles | Temp.,<br>°F | Dew point,<br>°F | Wind<br>direction | Wind speed,<br>knots | Pressure,<br>in. Hg | Relative<br>humidity,<br>% |
|--------------|----------------------|------------|----------------------|--------------|------------------|-------------------|----------------------|---------------------|----------------------------|
| 0030         | None                 | Clr        | 50                   | 58           | 19               | NW                | 3                    | 25.650              | 21                         |
| 0130         | None                 | Clr        | 50                   | 54           | 21               | NW                | 5                    | 25.650              | 27                         |
| 0230         | None                 | Clr        | 50                   | 54           | 22               | N                 | 1                    | 25.645              | 28                         |
| 0315         | None                 | Clr        | 50                   | 54           | 25               | N                 | 3                    | 25.655              | 32                         |
| 0330         | None                 | Clr        | 50                   | 54           | 25               | N                 | 3                    | 25.655              | 32                         |
| 0430         | None                 | Clr        | 50                   | 50           | 25               | Calm              | Calm                 | 25.660              | 37                         |
| 0530         | None                 | Clr        | 50                   | 54           | 28               | Calm              | Calm                 | 25.670              | 35                         |
| 0630         | None                 | Clr        | 50                   | 53           | 22               | Calm              | Calm                 | 25.680              | 29                         |
| 0730         | None                 | Clr        | 50                   | 68           | 37               | N                 | 4                    | 25.680              | 31                         |
| 0830         | 300                  | 5/10       | 50                   | 73           | 36               | W                 | 5                    | 25.680              | 25                         |
| 0930         | 300                  | 10/10      | 50                   | 75           | 39               | Calm              | Calm                 | 25.670              | 32                         |
| 1030         | 80-300               | 1/10-10/10 | 50                   | 76           | 39               | E                 | 3                    | 25.660              | 20                         |
| 1130         | 80-300               | 1/10-10/10 | 50                   | 81           | 37               | SW                | 9                    | 25.640              | 21                         |
| 1230         | 85-300               | 1/10-10/10 | 50                   | 81           | 31               | S                 | 13                   | 25.640              | 21                         |
| 1330         | 300                  | 10/10      | 50                   | 80           | 32               | SW                | 12                   | 25.620              | 17                         |
| 1430         | 300                  | 10/10      | 50                   | 81           | 33               | S                 | 16                   | 25.600              | 18                         |
| 1530         | 300                  | 10/10      | 50                   | 80           | 31               | SW                | 14                   | 25.600              | 21                         |
| 1630         | 300                  | 10/10      | 50                   | 80           | 32               | SW                | 4                    | 25.600              | 17                         |
| 1730         | 300                  | 10/10      | 50                   | 79           | 32               | SW                | 7                    | 25.600              | 18                         |
| 1830         | 70-300               | 1/10-10/10 | 50                   | 76           | 30               | SW                | 5                    | 25.600              | 18                         |
| 1930         | 300                  | 6/10       | 50                   | 74           | 30               | SW                | 7                    | 25.600              | 19                         |
| 2030         | 300                  | 4/10       | 50                   | 72           | 29               | SW                | 6                    | 25.610              | 20                         |
| 2130         | 300                  | 4/10       | 50                   | 72           | 29               | W                 | 10                   | 25.620              | 20                         |
| 2230         | 300                  | 3/10       | 50                   | 71           | 30               | WNW               | 12                   | 25.640              | 22                         |
| 2330         | None                 | Clr        | 50                   | 69           | 31               | NW                | 13                   | 25.640              | 24                         |

\*Total precipitation for period, none.

**UNCLASSIFIED**

**DISTRIBUTION**

|  | Copy  |
|--|-------|
| <b>ARMY ACTIVITIES</b>   |       |
| Asst. Chief of Staff, G-1, D/A, Washington 25, D. C., ATTN: Human Relations and Research Board                             | 1     |
| Asst. Chief of Staff, G-2, D/A, Washington 25, D. C.   | 2     |
| Asst. Chief of Staff, G-3, D/A, Washington 25, D. C., ATTN: Dep. CofS, G-3, (RR&SW)  | 3     |
| Asst. Chief of Staff, G-4, D/A, Washington 25, D. C.   | 4     |
| Chief of Ordnance, D/A, Washington 25, D. C., ATTN: ORDTX-AR   | 5-6   |
| Chief Signal Officer, D/A, P&O Division, Washington 25, D. C., ATTN: SIGOP   | 7-8   |
| The Surgeon General, D/A, Washington 25, D. C., ATTN: Chairman, Medical R&D Board  | 9     |
| Chief Chemical Officer, D/A, Washington 25, D. C.  | 10-11 |
| Chief of Engineers, D/A, Military Construction Division, Protective Construction Branch, Washington 25, D. C., ATTN: ENGEB | 12-13 |
| The Quartermaster General, CBR, Liaison Office, Research and Development Division, D/A, Washington 25, D. C.               | 14-15 |
| Provost Marshal General, Main Navy Bldg., Washington 25, D. C.   | 16-17 |
| Chief of Transportation, Military Planning and Intelligence Division, D/A, Washington 25, D. C.                            | 18-19 |
| Chief, Army Field Forces, Ft. Monroe, Va.  | 20-23 |
| Army Field Forces Board #1, Ft. Bragg, N. C.   | 24    |
| Army Field Forces Board #2, Ft. Knox, Ky.  | 25    |
| Army Field Forces Board #3, Ft. Benning, Ga.   | 26    |
| Army Field Forces Board #4, Ft. Bliss, Tex.  | 27    |
| Commanding General, First Army, Governor's Island, New York 4, N. Y., ATTN: G-4  | 28    |
| Commanding General, Second Army, Ft. George G. Meade, Md., ATTN: AIABD   | 29    |
| Commanding General, Third Army, Ft. McPherson, Ga., ATTN: ACofS, G-3   | 30    |
| Commanding General, Fourth Army, Ft. Sam Houston, Tex., ATTN: G-3 Section  | 31    |
| Commanding General, Fifth Army, 1660 E. Hyde Park Blvd., Chicago 15, Ill., ATTN: ALFEN                                     | 32    |
| Commanding General, Sixth Army, Presidio of San Francisco, Calif., ATTN: AMGCT-4   | 33    |
| Commander-in-Chief, European Command, APO 403, c/o PM, New York, N. Y.   | 34    |
| Commander-in-Chief, Far East Command, APO 500, c/o PM, San Francisco, Calif., ATTN: ACofS, J-3                             | 35    |
| Commanding General, U. S. Army Alaska, APO 942, c/o PM, Seattle, Wash.   | 36    |
| Commanding General, U. S. Army Caribbean, Fort Amador, C. Z., ATTN: Cml. Off.  | 37    |
| Commanding General, U. S. Army Pacific, APO 958, c/o PM, San Francisco, Calif., ATTN: Cml. Off.                            | 38    |
| Commandant, Command and General Staff College, Ft. Leavenworth, Kans., ATTN: AL IS(AS)                                     | 39    |
| Commandant, Army War College, Carlisle Barracks, Pa., ATTN: Library  | 40    |
| Commandant, The Infantry School, Ft. Benning, Ga., ATTN: C.D.S.  | 41    |
| Commandant, The Artillery School, Ft. Sill, Okla.  | 42    |
| Commandant, The AA&GM Branch, The Artillery School, Ft. Bliss, Tex.  | 43    |

**UNCLASSIFIED**

# UNCLASSIFIED

|  |       |
|--|-------|
| Commandant, The Armored School, Ft. Knox, Ky., ATTN: Classified Document Section,<br>Evaluation and Res. Division                      | 44    |
| Commandant, The Army General School, Ft. Riley, Kans.  | 45    |
| Director of Special Weapons Developments, OCAFF, Ft. Bliss, Tex., ATTN:<br>Maj Hale Mason, Jr.   | 46    |
| RD Control Officer, Aberdeen Proving Ground, Md., ATTN: Director,<br>Ballistics Research Laboratory                                    | 47    |
| Commanding Officer, Engineer Research and Development Laboratory, Ft. Belvoir,<br>Va., ATTN: Chief, Technical Intelligence Branch      | 48    |
| Commanding Officer, Chemical Corps Chemical and Radiological Laboratory,<br>Army Chemical Center, Md., ATTN: Technical Library         | 49    |
| Commanding Officer, Signal Corps Engineering Laboratory, Ft. Monmouth, N. J.   | 50    |
| Director, Technical Documents Center, Evans Signal Laboratory, Belmar, N. J.   | 51    |
| Director, Operations Research Office, Johns Hopkins University, 6410<br>Connecticut Ave., Chevy Chase, Md., ATTN: Library              | 52    |
| <b>NAVY ACTIVITIES</b>   |       |
| Chief of Naval Operations, D/N, Washington 25, D. C., ATTN: OP-36  | 53    |
| Chief, Bureau of Medicine and Surgery, D/N, Washington 25, D. C., ATTN:<br>Special Weapons Defense Division                            | 54    |
| Chief, Bureau of Ordnance, D/N, Washington 25, D. C.   | 55    |
| Chief of Naval Personnel, D/N, Washington 25, D. C., ATTN: Pers ALA  | 56    |
| Chief of Naval Personnel, D/N, Washington 25, D. C., ATTN: Pers C123   | 57    |
| Chief of Naval Personnel, D/N, Washington 25, D. C., ATTN: Pers C  | 58    |
| Chief of Naval Personnel, D/N, Washington 25, D. C., ATTN: Pers 112  | 59    |
| Chief of Naval Personnel, D/N, Washington 25, D. C., ATTN: Pers 15   | 60    |
| Chief, Bureau of Ships, D/N, Washington 25, D. C., ATTN: Code 348  | 61    |
| Chief, Bureau of Supplies and Accounts, D/N, Washington 25, D. C.  | 62    |
| Chief, Bureau of Yards and Docks, D/N, Washington 25, D. C., ATTN: P-312   | 63    |
| Chief, Bureau of Aeronautics, D/N, Washington 25, D. C.  | 64    |
| Chief of Naval Research, Code 219, Rm 1807, Bldg. T-3, Washington 25, D. C.,<br>ATTN: RD Control Officer                               | 65    |
| Commander-in-Chief, U. S. Atlantic Fleet, U. S. Naval Base, Norfolk 11, Va.  | 66    |
| Commander-in-Chief, U. S. Pacific Fleet, Fleet Post Office, San Francisco, Calif.  | 67    |
| Commander, Operational Development Force, U. S. Atlantic Fleet, U. S. Naval<br>Base, Norfolk 11, Va., ATTN: Tactical Development Group | 68    |
| Commander, Operational Development Force, U. S. Atlantic Fleet, U. S. Naval<br>Base, Norfolk 11, Va., ATTN: Air Department             | 69    |
| Commandant, U. S. Marine Corps, Washington 25, D. C., ATTN: Code AO3H  | 70    |
| Commander, U. S. Naval Ordnance Laboratory, Silver Spring 19, Md., ATTN: E   | 71    |
| Commander, U. S. Naval Ordnance Laboratory, Silver Spring 19, Md., ATTN: EE  | 72    |
| Commander, U. S. Naval Ordnance Laboratory, Silver Spring 19, Md., ATTN: R   | 73-74 |
| Commander, U. S. Naval Ordnance Laboratory, Silver Spring 19, Md., ATTN: EH  | 75    |
| Director, U. S. Naval Research Laboratory, Washington 25, D. C.  | 76    |
| Commanding Officer, U. S. Naval Radiological Defense Laboratory, San Francisco<br>24, Calif., ATTN: Technical Information Division     | 77    |
| Commanding Officer and Director, David W. Taylor Model Basin, Washington 7,<br>D. C., ATTN: Library                                    | 78    |
| <b>AIR FORCE ACTIVITIES</b>  |       |
| Asst. for Atomic Energy, Headquarters, USAF, Washington 25, D. C., ATTN: DCS/O   | 79    |
| Asst. for Atomic Energy, Headquarters, USAF, Washington 25, D. C., ATTN:<br>BW&CW Division, AFOAT                                      | 80    |
| Asst. for Development Planning, Headquarters, USAF, Washington 25, D. C.   | 81-82 |
| Deputy for Materiel Control, Asst. for Materiel Program Control, DCS/M,<br>Headquarters, USAF, Washington 25, D. C., ATTN: AFMPC-AE    | 83    |

# UNCLASSIFIED

**UNCLASSIFIED**

|  |         |
|--|---------|
| Director of Operations, Headquarters, USAF, Washington 25, D. C.   | 84      |
| Director of Operations, Headquarters, USAF, Washington 25, D. C., ATTN:<br>Operations Analysis Division                              | 85      |
| Director of Plans, Headquarters, USAF, Washington 25, D. C., ATTN: War<br>Plans Division   | 86      |
| Directorate of Requirements, Headquarters, USAF, Washington 25, D. C., ATTN:<br>AFDRQ-SA/M   | 87      |
| Directorate of Research and Development, Armament Division, DCS/D, Headquarters,<br>USAF, Washington 25, D. C.                       | 88      |
| Directorate of Intelligence, Headquarters, USAF, Washington 25, D. C., ATTN: AFOIN-1B2   | 89-90   |
| The Surgeon General, Headquarters, USAF, Washington 25, D. C., ATTN: Bio. Def. Br.,<br>Pre. Med. Div.                                | 91      |
| Commanding General, U. S. Air Forces Europe, APO 633, c/o PM, New York, N. Y.  | 92      |
| Commanding General, Far East Air Forces, APO 925, c/o PM, San Francisco, Calif.  | 93      |
| Commanding General, Alaskan Air Command, APO 942, c/o PM, Seattle, Wash.,<br>ATTN: AAOTN   | 94-95   |
| Commanding General, Northeast Air Command, APO 862, c/o PM, New York, N. Y.,<br>ATTN: Def. Division, D/O                             | 96-97   |
| Commanding General, Strategic Air Command, Offutt AFB, Omaha, Neb., ATTN:<br>Chief, Operations Analysis                              | 98      |
| Commanding General, Tactical Air Command, Langley AFB, Va., ATTN:<br>Documents Security Branch                                       | 99-101  |
| Commanding General, Air Defense Command, Ent AFB, Colo.  | 102     |
| Commanding General, Air Materiel Command, Wright-Patterson AFB, Dayton,<br>Ohio, ATTN: MCAIDS  | 103-104 |
| Commanding General, Air Training Command, Scott AFB, Belleville, Ill.  | 105-106 |
| Commanding General, Air Research and Development Command, P. O. Box 1395,<br>Baltimore, Md., ATTN: RDDN                              | 107-109 |
| Commanding General, Air Proving Grounds Command, Eglin AFB, Fla.,<br>ATTN: AG/TRB  | 110     |
| Commanding General, Air University, Maxwell AFB, Ala.  | 111-112 |
| Commandant, Air Command and Staff School, Maxwell AFB, Ala.  | 113-114 |
| Commandant, Air Force School of Aviation Medicine, Randolph AFB, Tex.  | 115-116 |
| Commanding General, Wright Air Development Center, Wright-Patterson AFB,<br>Dayton, Ohio, ATTN: WCOESP                               | 117-118 |
| Commanding General, Air Force Cambridge Research Center, 230 Albany Street,<br>Cambridge 39, Mass., ATTN: Atomic Warfare Directorate | 119     |
| Commanding General, Air Force Cambridge Research Center, 230 Albany Street,<br>Cambridge 39, Mass., ATTN: CRTSL-2                    | 120     |
| Commanding General, Air Force Special Weapons Center, Kirtland AFB, N. Mex.,<br>ATTN: Chief, Technical Library Branch                | 121-123 |
| Commandant, USAF Institute of Technology, Wright-Patterson AFB, Dayton,<br>Ohio, ATTN: Resident College                              | 124     |
| Commanding General, Lowry AFB, Denver, Colo., ATTN: Dept. of Armament<br>Training  | 125-129 |
| Commanding General, 1009th Special Weapons Squadron, Tempo "T," 14th and<br>Constitution Sts., N. W., Washington 25, D. C.           | 130-132 |
| The RAND Corporation, 1700 Main St., Santa Monica, Calif., ATTN: Nuclear<br>Energy Division  | 133-134 |

**OTHER DEPARTMENT OF DEFENSE ACTIVITIES**

|  |     |
|--|-----|
| Executive Secretary, Joint Chiefs of Staff, Washington 25, D. C.                                       | 135 |
| Director, Weapons Systems Evaluation Group, OSD, Rm 2E1006, Pentagon,<br>Washington 25, D. C.          | 136 |
| Asst. for Civil Defense, OSD, Washington 25, D. C.   | 137 |
| Asst. Secretary of Defense, Research and Development, Washington 25, D. C.,<br>ATTN: Technical Library | 138 |

**UNCLASSIFIED**

**UNCLASSIFIED**

|   |         |
|---|---------|
| Executive Secretary, Military Liaison Committee, PO Box 1814, Washington 25, D. C.                            | 139     |
| Commandant, National War College, Washington 25, D. C., ATTN: Classified<br>Records Section, Library          | 140     |
| Commandant, Armed Forces Staff College, Norfolk 11, Va. ATTN: Secretary                                       | 141     |
| Commanding General, Field Command, Armed Forces Special Weapons Project,<br>PO Box 5100, Albuquerque, N. Mex. | 142-147 |
| Chief, Armed Forces Special Weapons Project, PO Box 2610, Washington 13, D. C.                                | 148-156 |

**ADDITIONAL DISTRIBUTION**

|   |         |
|---|---------|
| Assistant Chief of Engineers for Troop Operations, Office, Chief of Engineers, D/A,<br>Washington 25, D. C.             | 157     |
| Commander, Technical Training Air Force, Gulfport, Miss., ATTN: TA&G  | 158     |
| Commander, Flying Training Air Force, Waco, Tex., ATTN: Director of<br>Observer Training                                | 159-170 |
| U. S. National Military Representative, Headquarters, SHAPE, APO 55, c/o PM,<br>New York, N. Y., ATTN: Col. J. P. Healy | 171     |

**ATOMIC ENERGY COMMISSION ACTIVITIES**

|   |         |
|---|---------|
| U. S. Atomic Energy Commission, Classified Document Room, 1901 Constitution Ave.,<br>Washington 25, D. C., ATTN: Mrs. J. M. O'Leary (for DMA) | 172-174 |
| Los Alamos Scientific Laboratory, Report Library, PO Box 1663, Los Alamos,<br>N. Mex., ATTN: Helen Redman                                     | 175-179 |
| Sandia Corporation, Classified Document Division, Sandia Base, Albuquerque,<br>N. Mex., ATTN: Martin Lucero                                   | 180-184 |
| University of California Radiation Laboratory, PO Box 808, Livermore, Calif.,<br>ATTN: Margaret Folden  | 185-186 |
| Special Projects Branch, Technical Information Service, Oak Ridge, Tenn.  | 187     |
| Technical Information Service, Oak Ridge, Tenn. (surplus)   | 188-205 |

**UNCLASSIFIED**

104